

Coordinator Quick Start

Short runbook for managing the Upper Room COGIC Professional Network.

Before you begin

- **Production URL:** deploy on Netlify and bookmark the live address (not `localhost`).
- **Admin password:** set both `VITE_ADMIN_PASSWORD` (build-time UI) and `ADMIN_PASSWORD` (server function) in Netlify env vars. Use the same value.
- **Coordinator email:** set `VITE_COORDINATOR_EMAIL` (default: `network@upperroomgospel.org`).
- **Email notifications:** set `VITE_FORMSPREE_ENDPOINT` to a [Formspree](#) form URL so join applications and introduction requests email the coordinator. Without it, the site opens a mailto draft as a fallback.
- **Shared data:** production uses **Netlify Functions + Blobs** so Admin on any device sees the same members, applications, and contact requests. Local `npm run dev` falls back to browser storage unless you run `netlify dev` .

Environment variables

Variable	Where	Purpose
VITE_ADMIN_PASSWORD	Netlify / .env	Admin login + client admin API header
ADMIN_PASSWORD	Netlify (functions)	Server-side gate for admin reads/writes
VITE_COORDINATOR_EMAIL	Netlify / .env	Shown in UI + notification templates
VITE_FORMSPREE_ENDPOINT	Netlify / .env	Email notify on join + contact
VITE_API_BASE	Optional	Override API path (default /.netlify/functions/network)

Copy `.env.example` → `.env` for local builds.

Deploy (Netlify)

1. Connect the GitHub repo (or drag-drop `dist` after `npm run build`)
2. Build command: `npm run build` · Publish: `dist` · Functions: `netlify/functions`
3. Set env vars above, then trigger a redeploy
4. Confirm `/.netlify/functions/network?action=health` returns `{ "ok": true }`
5. Sign in at `/admin/login` and confirm dashboard counts

Sign in

1. Go to `/admin/login`
2. Enter the coordinator password
3. You will land on the dashboard with pending application and contact counts
4. Dashboard shows **Shared (Netlify)** or **This browser only** so you know which storage mode is active
5. To change the password later: Dashboard → **Change password** (requires current password; shared mode syncs via Netlify Blobs)

Review join applications

1. Open **Applications** in the admin sidebar
2. Click an applicant name to view full details
3. Choose one of:
 - **Approve & publish** — creates a live public profile immediately
 - **Approve with edits...** — review and adjust fields before publishing
 - **Reject** — optionally add a reason (shown on the applicant status page)

Notify the applicant

After approve or reject, click **Send notification email** to open a pre-filled message to the applicant.

Share the applicant status link if needed: `/join/status/{application-id}`

Manage published members

1. Open **Members** in the admin sidebar
2. **Add member** for manual entry (no application required)
3. **Edit** to update photo, skills, featured status, or archive a listing
4. Toggle **Featured** to show a member on the home page

Current seed roster (lean): Bishop Patrick L. Wooden Sr., Clarence “Rocky” Raeford, Brandon J. Fonville & Rufus Pritchett Jr., Damian Little. Additional real members will be added after leadership

walkthrough — do not invent congregation profiles.

Contact / introduction requests

Introduction requests are stored in shared backend (when deployed) and the coordinator is emailed via Formspree when configured. Check the dashboard count and follow up.

LocalStorage / stale demo data

Seed data is versioned (`SEED_VERSION` in `src/data/network.js`). After deploy, if an old browser still shows fake demo professionals:

1. Open Admin → Dashboard → **Reset local cache**, or
2. DevTools → Application → Local Storage → clear `ur-network-*` keys, then refresh

Custom/approved members (non-seed) are preserved across seed version bumps when possible.

Supabase (shared Postgres backend)

1. Create/open a Supabase project and run `supabase/schema.sql` in the SQL editor.
2. Copy **Project URL**, **anon** key, and **service_role** key from Project Settings → API into `.env` (see `.env.example`).
3. Local shared mode: `npx netlify dev` (loads Vite + the network function with the service role).
4. Public directory reads and join/contact inserts can also use the anon key directly; admin writes stay on the Netlify function so the service role never ships to the browser.

Without `SUPABASE_SERVICE_ROLE_KEY` / `netlify dev` , the app still loads published members from Supabase but falls back to localStorage for admin seeding and approvals.

Common issues

Problem	Likely cause	Fix
Application not in admin	Local-only mode / different device	Deploy Netlify functions + set <code>ADMIN_PASSWORD</code> ; confirm health endpoint
Empty or old fake directory	Stale localStorage seed	Reset local cache / bump already applied in v4 seed
No coordinator email	Missing Formspree	Set <code>VITE_FORMSPREE_ENDPOINT</code> and rebuild

Admin login fails	Wrong password env var	Verify VITE_ADMIN_PASSWORD on host and rebuild
-------------------	------------------------	--

Ministry contacts

- **Church website:** upperroomgospel.org
- **Directory questions:** network@upperroomgospel.org (or your configured `VITE_COORDINATOR_EMAIL`)

Related docs

- `docs/coordinator-responsibilities.md` — full role description
- `docs/one-page-summary.md` — leadership overview
- `/privacy` — public privacy policy