SEI - Admin Guide

Date: November 4, 2026

Adobe

Table of Contents

SEI - Admin Guide 3
- Quick Reference 3
- How the Site Is Set Up 4
- Authentication 4
- User Management 5
- Content Operations 6
- Code Operations 8
- Site Configuration 9
- Integrations and Assets 10
- Special Pages 11
- Common Tasks 12
- Open Items for the New Administrator 12
- Troubleshooting 13
- Resources 13

SEI - Admin Guide

Complete administration guide for site administrators and operations staff who manage the SEI demo site on AEM Edge Delivery Services. It covers how the site is set up, who has access, how code and content reach the live site, the integrations the site depends on, and what to do when something goes wrong.

All values in this guide were read from the live Config Service and Admin API on November 4, 2026, unless marked as coming from the code repository.

Quick Reference

URLs

Purpose	URL
Login	https://admin.hlx.page/login/oharris69/sei
Config Service	https://admin.hlx.page/config/oharris69/
Site configuration	https://admin.hlx.page/config/oharris69/sites/sei.json
Preview	https://main--sei--oharris69.aem.page/
Live	https://main--sei--oharris69.aem.live/
Content authoring (Document Authoring)	https://da.live/#/oharris69/sei
Code repository (public)	https://github.com/oharris69/sei
Site admin tool (UI for the Config Service)	https://tools.aem.live/tools/site-admin/index.html
Status of a page	https://admin.hlx.page/status/oharris69/sei/main/{path}

Site

Setting	Value
Config Service organization	`oharris69`
Site name	`sei`
Setup type	Repoless-capable organization. The `oharris69` organization holds 69 sites; `sei` is the only one this guide covers.
Code source	GitHub `oharris69/sei`, branch `main`
Content source	Document Authoring (markup source `https://content.da.live/oharris69/sei`)
Site configuration version	7 (created October 23, 2026; last modified October 23, 2026)
Production domain / CDN	None configured. The site is served only on `aem.page` and `aem.live`.

Admin Context

```
Admin Context:
├── Organization: oharris69
├── Site: sei
├── Setup Type: Config Service (no fstab.yaml), one of 69 sites in the org
├── Code Repo: oharris69/sei (GitHub, public)
├── Content: Document Authoring  oharris69/sei
├── Preview: https://main--sei--oharris69.aem.page/
├── Live: https://main--sei--oharris69.aem.live/
├── Login URL: https://admin.hlx.page/login/oharris69/sei
└── Config Service: https://admin.hlx.page/config/oharris69/
```

How the Site Is Set Up

The site has three moving parts. Each one is managed separately.

Part	Where it lives	How it reaches visitors
Code (blocks, scripts, styles, fonts, icons, the 404 page)	GitHub `oharris69/sei`, branch `main`	AEM Code Sync copies every push to `main` onto the site automatically. Merging to `main` ships code.
Content (pages, navigation, footer, pop-ups, images)	Document Authoring, `oharris69/sei`	An author or admin previews a page (to `aem.page`), then publishes it (to `aem.live`). Content never ships with code.
Configuration (code and content sources, access, headers, robots, CDN)	Config Service, `https://admin.hlx.page/config/oharris69/sites/sei.json`	Changes take effect as soon as they are saved.

Retired Configuration Files

This project does not use the older file-based configuration. The following files are retired and must not be re-added to the repository:

Retired file	Replacement
`fstab.yaml` (content source)	`content` object in the site configuration
`helix-query.yaml` (query index)	Index configuration in the Config Service
`paths.json` (path mapping)	Config Service

To change any of these settings, use the Config Service API or the site admin tool at tools.aem.live.

Authentication

Login

1. Open: https://admin.hlx.page/login/oharris69/sei
2. Sign in with your Adobe ID (the email must be listed as an admin; see User Management).

3. For API work, sign in through the AEM Sidekick or the site admin tool and copy the session token. Store it in an environment variable such as `AUTH_TOKEN`. Never paste it into documents, tickets or chat.

The site configuration sets `requireAuth: auto` for the Admin API. Because admin roles are defined, every write operation (preview, publish, cache, code, configuration) requires an authenticated admin.

Logout

```
curl -X POST \
  -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/logout/oharris69/sei/main"
```

Who Can See the Site

No site or preview authentication is configured. Anyone with the URL can open both `https://main--sei--oharris69.aem.page/` and `https://main--sei--oharris69.aem.live/`. The `aem.page` and `aem.live` hosts are never indexed by search engines (the default `robots.txt` blocks crawlers on these hosts).

User Management

Access is defined at two levels. Both lists currently hold the same two admin accounts.

Level	Where	Current admins
Organization (`oharris69`)	`https://admin.hlx.page/config/oharris69.json` (`users`)	oharris@adobe.com and a second admin account
Site (`sei`)	`https://admin.hlx.page/config/oharris69/sites/sei/access.json` (`admin.role.admin`)	oharris@adobe.com and a second admin account

No `author` or `publish` roles are defined for the site, and no API keys exist (`apiKeys` is empty at both levels).

Document Authoring permissions (who can edit pages in da.live) are managed separately in the DA organization configuration at https://da.live/config#/oharris69/. Giving someone Config Service access does not let them edit content, and the reverse is also true.

View Current Access

```
curl -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/config/oharris69/sites/sei/access.json"
```

Current response (read on November 4, 2026; the second entry is a second admin account, shown here as a placeholder):

```
{
  "admin": {
    "role": {
      "admin": ["oharris@adobe.com", "<second admin account>"]
    },
    "requireAuth": "auto"
```

```
  }
}
```

Add User

The safest way is the site admin tool (https://tools.aem.live/tools/site-admin/index.html): open `oharris69` / `sei`, edit access, add the email to the right role and save.

With the API, read the current `access.json`, add the email to the right role, and write the full object back:

Role	What it allows	Where the email goes
`admin`	Everything, including configuration and access changes	`admin.role.admin`
`author`	Preview content and code, edit content	`admin.role.author`
`publish`	Everything an author can do, plus publish and unpublish	`admin.role.publish`

```
curl -X POST \
  -H "x-auth-token: $AUTH_TOKEN" \
  -H "Content-Type: application/json" \
  --data @access.json \
  "https://admin.hlx.page/config/oharris69/sites/sei/access.json"
```

Remove User

Remove the email from the role list in `access.json` and write the object back with the same `POST` as above, or remove it in the site admin tool. Always keep at least two admins so the site never loses its last administrator.

Content Operations

Day-to-Day Workflow

1. Authors edit pages in Document Authoring: https://da.live/#/oharris69/sei
2. **Preview** the page (Sidekick or the DA "Preview" button). It appears on `https://main--sei--oharris69.aem.page/{path}`.
3. Check the preview.
4. **Publish** the page. It appears on `https://main--sei--oharris69.aem.live/{path}`.

Preview and publish are separate steps. A page can be newer on preview than on live; this is expected until someone publishes it.

Content Inventory (Document Authoring)

Area	Paths	Purpose
Home page and variants	`/`, `/index-uplift-a`, `/index-uplift-b`, `/index-uplift-c`, `/index-rebrand`, `/index-stardust`	The live home page plus alternative home-page designs for comparison
Journey pages	`/bd-breakaway`, `/pathfinder`, `/pathfinder-specialist`, `/`	The demo journeys

Area	Paths	Purpose
	`partner-match`, `/enterprise-ria`, `/etfs`, `/portfolio-evaluator`, `/portfolio-evaluator-results`, `/asset-managers`	
Video page	`/insights/videos/summit-wealth-partnering-with-purpose`	Plays the Summit Wealth Brightcove video
Campaign landing pages	`/start/ai-search`, `/start/linkedin`	Entry pages that simulate visitors arriving from AI search and LinkedIn
Pop-ups	`/modals/*` (7 pages)	Content shown in dialogs; see Special Pages
Shared	`/nav`, `/footer`	Header navigation and footer, used on every page
Media	`/images/*` (14 folders)	Images used on the pages

All 27 pages above were previewed and published at the time of writing. Two pages had preview changes that were not yet published:

Page	Last preview	Last publish
/ (home)	November 3, 2026 21:16 GMT	November 3, 2026 14:28 GMT
`/index-stardust`	November 3, 2026 21:24 GMT	November 2, 2026 23:51 GMT

Publish them if the preview version is the one that should be live.

Check a Page's Status

```
curl -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/status/oharris69/sei/main/bd-breakaway"
```

The response shows the preview and live status, when each was last updated and by whom, and the content source location.

Preview

Operation	Endpoint
Single page	`POST /preview/oharris69/sei/main/{path}`
Bulk preview	`POST /preview/oharris69/sei/main/*`

Publish

Operation	Endpoint
Single page	`POST /live/oharris69/sei/main/{path}`
Bulk publish	`POST /live/oharris69/sei/main/*`
Unpublish	`DELETE /live/oharris69/sei/main/{path}`

Example, publishing one page:

```
curl -X POST \
  -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/live/oharris69/sei/main/bd-breakaway"
```

All endpoints are on `https://admin.hlx.page`.

Cache

Preview and publish already clear the cache for the page they touch. Purge manually only if a page still shows old content after a publish.

Operation	Endpoint
Purge path	`POST /cache/oharris69/sei/main/{path}`
Purge all	`POST /cache/oharris69/sei/main/*`

No production CDN is configured (`cdn.json` returns 404), so there is no customer CDN cache to purge.

Code Operations

How Code Ships

- Code ships by **merging to `main`** in `oharris69/sei`. The AEM Code Sync GitHub App pushes the change to the site within seconds. There is no build step.
- Every branch is also served on its own URL: `https://{branch}--sei--oharris69.aem.page/{path}`.
- Every pull request must include a test link in the form `https://{branch}--sei--oharris69.aem.page/{path}`. Pull requests without one are rejected.
- A GitHub Actions workflow (`.github/workflows/main.yaml`) runs `npm ci` and `npm run lint` on every push.
- `scripts/aem.js` is a vendored library file. Never edit it.

The most recent code sync seen on the site was on November 4, 2026 (`/scripts/scripts.js`).

Sync Code

If a push to `main` did not reach the site, trigger the sync by hand:

```
curl -X POST \
  -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/code/oharris69/sei/main/*"
```

Check the status of one code file:

```
curl "https://admin.hlx.page/code/oharris69/sei/main/scripts/scripts.js"
```

What Gets Served: `.hlxignore`

Every file committed to the repository is served on the site, unless `.hlxignore` excludes it. This matters because the repository is public and includes design and migration working files. The current `.hlxignore` keeps these off the site:

Pattern	What it covers
`.*`	Dot files and folders (`.github`, `.agents`, `.migration`, and so on)
`*.md`	All Markdown files (`README.md`, `AGENTS.md`, `DESIGN*.md`, `PRODUCT.md`)
`reference/*`	Reference material, including the video and audio request
`migration-work/*`	Migration working files
`stardust/`	Design prototypes and captures
`exports/`	The asset pack zip
`DESIGN.json`, `DESIGN-*.json`	Design token files
`.claude-plugin/`	Local tooling configuration
`package.json`, `package-lock.json`, `LICENSE`, `karma.config.js`, `test/*`, `sync-block-collection.sh`	Developer files

Before committing a new folder that should not be public on the site, add it to `.hlxignore` in the same commit. `.hlxignore` stops files from being served on the site; it does not hide them on GitHub, where the repository is public.

Site Configuration

Config Service settings for `sei`, read on November 4, 2026:

Setting	Endpoint	State
Code source	`/config/oharris69/sites/sei/code.json`	GitHub `oharris69/sei`
Content source	`/config/oharris69/sites/sei/content.json`	`markup`, `https://content.da.live/oharris69/sei`
Access	`/config/oharris69/sites/sei/access.json`	Two admins, `requireAuth: auto`
Custom headers	`/config/oharris69/sites/sei/headers.json`	Not configured (404)
Production CDN	`/config/oharris69/sites/sei/cdn.json`	Not configured (404)
robots.txt	`/config/oharris69/sites/sei/robots.txt`	Not configured; the default is served
Sidekick	`/config/oharris69/sites/sei/sidekick.json`	Not configured; defaults apply
Bulk metadata	`/config/oharris69/sites/sei/metadata.json`	Not configured
Profiles	`/config/oharris69/profiles.json`	None

Security Headers

Content Security Policy is set in code, not in the Config Service. `head.html` adds a strict, nonce-based policy (`script-src 'nonce-aem' 'strict-dynamic'`, `object-src 'none'`, `frame-src 'self' https:`, Trusted Types

required) that is moved into an HTTP header. The `frame-src https:` rule is what allows the Brightcove player to load in an iframe.

Sitemap and Index

- `https://main--sei--oharris69.aem.live/sitemap.xml` is generated automatically. It lists the published pages, including `/nav`, `/footer` and the home-page variants. It does not list the `/modals/` or `/start/` pages.
- No query index (`/query-index.json`), redirects sheet (`/redirects.json`), metadata sheet or placeholders sheet exists. Nothing on the site depends on them.

Integrations and Assets

Video: Brightcove

- Video plays from SEI's Brightcove account **1232842443001** (player `0sGpJOLgKp`).
- The `video` block takes a Brightcove player URL of the form `https://players.brightcove.net/1232842443001/0sGpJOLgKp_default/index.html?videoId={id}` and plays it in Brightcove's own player (adaptive streaming and captions).
- The live demo uses video **6394264787112** (Summit Wealth Group RIA story, 5:08) on `/insights/videos/summit-wealth-partnering-with-purpose`.
- Several demo video links have no matching video on seic.com yet. The full list, plus the request to SEI for MP4 masters and caption files, is in `reference/sei-video-request.md`.

Audio: Megaphone and Podbean

SEI's podcasts are hosted on **Megaphone** (main host, 49 episodes found) and **Podbean** (older series, including the ETF Revolution series used by the Enterprise RIA podcast block, which is currently a dead link). Episode IDs and the request for MP3 masters are in `reference/sei-video-request.md`, section D.

Fonts

The brand font **CircularXX** (licensed) is stored in `fonts/` (Web and Sub cuts, WOFF and WOFF2) and served from `/fonts/`. Because the GitHub repository is public, these licensed files can be downloaded by anyone. The site owner has reviewed and accepted this. If the licence terms change, remove the files and their history from the repository and switch to a licensed hosting option. Archivo, Source Serif 4 and DM Sans files in the same folder are open-licence fonts.

Analytics and Consent

- **No analytics property is connected yet.** No Adobe Web SDK, Adobe Analytics or Customer Journey Analytics tag is loaded.
- Visitor events are pushed to the Adobe Client Data Layer (`window.adobeDataLayer`) by `scripts/profile.js`, ready for a future Adobe Web SDK / CJA setup. Each event carries the page path, the visitor's persona, journey stage, lifecycle stage, booking status and campaign source.
- Events currently pushed: `page-view`, `campaign-landing`, `journey-step-click`, `adaptive-shown`, `ad-click`, `ai-referral-click`, `talk-to-advisor-click`, `chat-message`, `chat-booking-started`, `booking-confirmed`, `calendar-download`, `readiness-started`, `readiness-completed`, `video-play`, `why-opened`, `presenter-stage`, `profile-reset`.
- Visitor profile data stays in the browser (`localStorage`, key `sei-profile`). Nothing is sent to a server.

- Consent is a placeholder (`scripts/consent-check.js`): consent is declined by default, so `scripts/consented.js` (where analytics would go) does not load. Add `?consent=accept` to a URL to test the consented path. Replace this with the real consent manager before connecting analytics.

To connect analytics later: create the Adobe Experience Platform datastream and Web SDK configuration, load the Web SDK from `scripts/consented.js` (so it respects consent), map the `adobeDataLayer` events to XDM, and verify on a branch URL before merging.

Asset Pack

`exports/sei-site-assets-2026-11-04.zip` (about 26 MB) holds the site's images (84 files), icons (36), brand graphics, the favicon, a `manifest.csv` and a `README.txt`. It is committed to the repository for handover but excluded from the site by `.hlxignore`. Give it to anyone who needs the original assets.

Special Pages

Branded 404 Page

Unknown URLs return HTTP 404 with the branded page "Not part of the demo yet | SEI". The page is `404.html` in the code repository (not a content page) and carries `noindex, nofollow`. To change it, edit `404.html` and merge to `main`.

Pop-ups Under `/modals/`

The demo's dialogs are ordinary content pages in Document Authoring under `/modals/`. Any link to `/modals/{name}` opens that page in a dialog instead of navigating.

Page	Used for
`/modals/assistant`	Default SEI Assistant chat (also the fallback for any missing `assistant-*` page)
`/modals/assistant-advisor`	SEI Assistant for the advisor persona
`/modals/assistant-etf`	SEI Assistant for the ETF persona
`/modals/etf-needs`	ETF needs questionnaire
`/modals/portfolio-evaluator`	Portfolio Evaluator dialog
`/modals/schedule-eric-dunn`	Booking with specialist Eric Dunn
`/modals/schedule-clayton-johnson`	Booking with specialist Clayton Johnson

Pop-ups must be previewed **and** published like any other page; a pop-up that is only previewed works on `aem.page` but is empty on `aem.live`. Do not delete or rename them without changing the code that links to them (`scripts/profile.js`, `blocks/modal`, `blocks/specialist`).

Navigation and Footer

`/nav` and `/footer` are content pages used on every page. Publishing either one changes the whole site at once.

Presenter Mode

For live demos, add `?presenter` to any URL (or press Alt+Shift+P) to open a presenter menu that jumps between journeys, sets the persona and lifecycle stage, books a call or resets the visitor profile. The setting is remembered in that browser until "Hide" is clicked. It is not a security feature and needs no administration.

Common Tasks

Task	Steps
Add new admin	Add the email to `admin.role.admin` in the site admin tool, or POST the updated object to `/config/oharris69/sites/sei/access.json`
Give someone edit access to content	Add them in the Document Authoring configuration (https://da.live/config#/oharris69/) and, if they must preview or publish, in the `author` or `publish` role
Publish a page	Preview in DA, check `aem.page`, then publish; or `POST /live/oharris69/sei/main/{path}`
Republish site	`POST /preview/oharris69/sei/main/*`, then `POST /live/oharris69/sei/main/*`
Take a page offline	`DELETE /live/oharris69/sei/main/{path}` (the page stays in DA and on preview)
Clear all cache	`POST /cache/oharris69/sei/main/*`
Deploy code changes	Merge the pull request to `main` (with its `{branch}--sei--oharris69.aem.page` test link); if needed, `POST /code/oharris69/sei/main/*`
Keep a new folder off the site	Add it to `.hlxignore` in the same commit
Add a Brightcove video	Paste the player URL for account 1232842443001 into a `video` block, then preview and publish
Change the 404 page	Edit `404.html` in the repository and merge to `main`
Check what is live	`GET /status/oharris69/sei/main/{path}`

Open Items for the New Administrator

Item	Detail
Unpublished changes	`/` and `/index-stardust` have newer preview versions than live. Decide whether to publish.
Analytics	No property connected. Data layer events are ready; a consent manager and Web SDK are still needed.
Missing videos and audio	11 demo video links have no source video, and the ETF Revolution podcast link is dead. See `reference/sei-video-request.md`.
Reference material not in GitHub	`reference/`, `.agents/` and `.migration/` exist only in the local working copy (not committed). Commit them (they are already excluded from the site) or archive them, or they will be lost.
Uncommitted ignore rules	The `.claude-plugin/` lines in `.gitignore` and `.hlxignore` are not yet committed.
Production domain	No custom domain or CDN. If the site goes to a real domain, configure `cdn.json`, a custom `robots.txt` and, if needed, `headers.json`.
Sitemap contents	`/nav`, `/footer` and the home-page variants appear in the sitemap. Configure an index in the Config Service to exclude them before a public launch.
Licensed fonts in a public repository	Accepted by the owner; revisit if the licence or the repository visibility changes.

Troubleshooting

Issue	Solution
401 Unauthorized	Token expired. Log in again at https://admin.hlx.page/login/oharris69/sei
403 Forbidden	Your email is not in the right role. Check `access.json`.
404 Not Found from the Admin API	Check the org (`oharris69`), site (`sei`), branch (`main`) and path spelling.
429 Rate Limited	Wait and retry. For bulk jobs, use the `/*` bulk endpoints instead of many single calls.
Page is fine on `aem.page` but old on `aem.live`	The page was previewed but not published. Publish it.
A pop-up opens empty on the live site	The `/modals/` page was not published. Publish it.
Cache not clearing	Purge the path with `POST /cache/oharris69/sei/main/{path}` (use `forceUpdate: true` if offered).
Code change not on the site	Confirm the merge to `main` and that the AEM Code Sync app is installed on `oharris69/sei`; then `POST /code/oharris69/sei/main/*`.
A working file appeared on the site	It was committed without an `.hlxignore` rule. Add the rule, merge to `main`, and purge the path.
Video does not play	Check the Brightcove URL uses account 1232842443001 and a valid video ID, and that the video is published in Brightcove.
Header or footer missing on every page	`/nav` or `/footer` was unpublished or deleted. Restore it in DA and publish.
Someone sees the wrong persona or journey	The profile is stored in their browser. Use the presenter menu's reset, or clear `localStorage` key `sei-profile`.

Resources

Resource	URL
Admin API Docs	https://www.aem.live/docs/admin.html
Config Service	https://www.aem.live/docs/config-service-setup
Site admin tool	https://tools.aem.live/tools/site-admin/index.html
robots.txt editor	https://tools.aem.live/tools/robots-edit/index.html
Authentication and roles	https://www.aem.live/docs/authentication-setup-authoring
Document Authoring	https://da.live/#/oharris69/sei
Code repository	https://github.com/oharris69/sei
AEM Code Sync app	https://github.com/apps/aem-code-sync