SEI - Author Guide

Authoring the SEI site on AEM Edge Delivery Services with Document Authoring

Date: November 4, 2026

Adobe

Table of Contents

SEI - Author Guide 3
- Quick Reference 3
- Getting Started 3
- Content Organization 4
- Block Library 5
- How Blocks Are Authored 6
- Available Blocks 7
- Block Content Models 10
- Page Templates 14
- Personalization: What Authors Should Know 15
- Pop-ups (Modals) 16
- Configuration Sheets 16
- Publishing Workflow 17
- Common Tasks 17
- Sections and Section Metadata 18
- Page Metadata 18
- Images and Media 19
- Troubleshooting 20
- Resources 20
- Support Contacts 20

SEI - Author Guide

This guide is for the SEI content authors who maintain the SEI site on AEM Edge Delivery Services, with Document Authoring (DA) as the content source. It covers where content lives, how each block is authored, how the personalized journeys, pop-ups, chat and video work, and how to preview and publish.

Quick Reference

Resource	URL
Document Authoring (DA)	https://da.live/#/oharris69/sei/
Preview	https://main--sei--oharris69.aem.page/
Live	https://main--sei--oharris69.aem.live/
Block Library	https://da.live/#/oharris69/sei/.da/library
Bulk Operations	https://da.live/apps/bulk
Presenter menu (demo helper)	Add `?presenter` to any page URL, or press Alt+Shift+P

The DA and Block Library paths come from the Config Service site configuration for `sei`: the content source is `https://content.da.live/oharris69/sei`, so the DA path is `oharris69/sei`.

Sites

The Config Service organization `oharris69` hosts many sites. Only one belongs to this project:

Site	Content Source (DA)	Code	Preview	Live
sei	`content.da.live/oharris69/sei`	GitHub `oharris69/sei`	https://main--sei--oharris69.aem.page/	https://main--sei--oharris69.aem.live/

This is a standard (single-site) setup: one code repository, one DA content folder, one language.

Getting Started

Access Requirements

- ☐ A DA account with access to `oharris69/sei` (ask the site admin)
- ☐ Preview and publish permissions for the `sei` site (granted in the Config Service by the admin)
- ☐ Optional: the AEM Sidekick browser extension, for previewing and publishing from the page itself

Your First Page

1. Open DA: https://da.live/#/oharris69/sei/
2. Go to the folder the page belongs in (for example `insights/videos`).
3. Choose **New** → **Document** and give it a lowercase, hyphenated name (the name becomes the URL, for example `summit-wealth-partnering-with-purpose`).
4. Add your content. Insert blocks from the **Library** sidebar instead of typing tables by hand.
5. Separate the page's bands into sections with a horizontal rule (`---`).
6. Add a **Metadata** block at the very bottom with at least `Title` and `Description`.

7. Click **Preview** and check the page on `.aem.page`. When it looks right, click **Publish**.
8. End the page with the standard **Newsletter** block (see "Newsletter" below). Every SEI page has it just above the footer.

Good to know

- Content is written in documents; code (block design and behavior) lives in GitHub and is shipped by developers. Authors never need to touch code.
- Publishing content and shipping code are separate. A content change goes live when you publish it; a design change goes live when developers merge code.
- The floating red **"SEI Assistant: Ask a question"** button, the header experience bar and the "Why am I seeing this?" panel are added automatically. Do not author them.

Content Organization

Site Structure

Path	What it is	Journey / lifecycle stage
`/ (index)`	Home page	Discover
`/bd-breakaway`	Financial advisors: broker-dealer breakaway	Breakaway journey, step 1 (Engage)
`/pathfinder`	SEI Pathfinder program	Breakaway journey, step 2 (Try)
`/pathfinder-specialist`	Meet your SEI specialist	Breakaway journey, step 3 "Meet SEI" (Buy)
`/partner-match`	Your recommended Pathfinder partner	Breakaway journey, step 4 (Expand)
`/enterprise-ria`	Enterprise RIAs: ETF partnership	ETF journey, step 1 (Engage)
`/etfs`	SEI ETFs and fund finder	ETF journey, step 2 (Try)
`/portfolio-evaluator`	Portfolio Evaluator: find a strategy	ETF journey, step 3 (Buy)
`/portfolio-evaluator-results`	Portfolio Evaluator results	ETF journey, step 4 (Expand)
`/asset-managers`	Asset managers: fund administration	Fund administration journey, step 1 (Engage)
`/insights/videos/summit-wealth-partnering-with-purpose`	Summit Wealth RIA story with the Brightcove video	Engage
`/start/linkedin`	Simulated LinkedIn feed with an SEI ad (start of the advisor demo)	Discover
`/start/ai-search`	Simulated AI assistant answer recommending SEI (start of the RIA demo)	Discover
`/index-stardust`	Home page redesign: "The connective tissue of modern finance"	Discover
`/index-uplift-a`	Home page variant A: faithful refresh	(none)
`/index-uplift-b`	Home page variant B: role-first	(none)
`/index-uplift-c`	Home page variant C: cinematic (motion)	(none)

Path	What it is	Journey / lifecycle stage
`/index-rebrand`	Home page rebrand: "The Lobby Floor"	(none)
`/modals/...`	Pop-ups and chat panels (see "Pop-ups")	(n/a)
`/nav`	Header navigation	(n/a)
`/footer`	Footer	(n/a)

The four home page variants and the rebrand are comparison pages. They are not linked from the navigation and use their own blocks (see "Home Page Variant Blocks").

Many navigation and footer links (for example `/solutions/technology` or `/about/careers`) point to pages that are not part of the demo yet. They open the site's "Not part of the demo yet" page (the 404 page). When you create one of those pages, the link starts working right away.

Journeys at a Glance

Journey	Persona	Steps (in order)	Matched specialist
Breakaway to independence	Financial advisor (`advisor`)	Explore `/bd-breakaway` → Pathfinder `/pathfinder` → Meet SEI / `pathfinder-specialist` (done when a call is booked) → Partner match `/partner-match`	Eric Dunn
ETF partnership	Enterprise RIA (`ria`)	Explore `/enterprise-ria` → SEI ETFs `/etfs` → Evaluate / `portfolio-evaluator` → Results `/portfolio-evaluator-results`	Clayton Johnson
Fund administration	Asset manager (`asset-manager`)	Explore `/asset-managers` → Client stories / → Talk to SEI (done when a call is booked)	Clayton Johnson

Journeys, personas, specialists and the stage of each page are set in code. Ask a developer if a journey needs a new step or a new page needs a lifecycle stage.

Languages

The site is English only. There are no language folders and no translation workflow.

Local copies

The project keeps a local copy of every page and pop-up in its `content/` folder (for example `content/bd-breakaway.plain.html`, `content/modals/assistant.plain.html`). These copies are references for developers and for re-imports. **DA is the source of truth.** Edits to the local copies do not reach the site.

Block Library

The **Block Library** is the sidebar in Document Authoring where you browse and insert blocks into your document.

What	Details
Open in DA	Use the Library icon in the DA editor sidebar, or open https://da.live/#/oharris69/sei/.da/library
What's in it	The blocks listed under "Available Blocks" below, with sample content
How to use	Put the cursor where you want the block and click it in the library. Replace the sample text and images with yours

When creating or editing a page, add blocks from the Library sidebar instead of typing block tables by hand. If a block is missing from the library, copy it from an existing page that uses it (the "Used on" column below tells you where).

How Blocks Are Authored

A **block** is a table in the document. The first row holds the block name, with any variants in brackets. Every following row is a row of the block, and each cell is a column.

Cards (promo)		
(image)	**BD to RIA: Your transition roadmap.** (heading 3), description, **Read blog** (bold link)	
(image)	heading, description, bold link	inverse

- **Variants** go in brackets after the name, separated by commas: `Hero (short)`, `Cards (promo, expand)`, `Program (video)`, `Specialist (muted)`, `Tabs (case-study)`, `Entry Mock (social)`.
- **Spell variant names exactly** as listed in this guide. An unknown variant is ignored and the block falls back to its default look.
- Blocks are written to tolerate missing cells, but keep the cell order shown in this guide unless the block says "cells in any order".

Text formatting conventions

These rules apply everywhere: in default content and inside blocks.

You write	You get
A paragraph holding only a **bold** link	Red primary button
A paragraph holding only an *italic* link	Dark (ink) button
A paragraph holding only a ***bold and italic*** link	Outlined accent button (white on dark backgrounds, used for "Client Login" and "Contact Us" in the header)
A paragraph holding only a plain link (in default content)	Text link with a cyan arrow, e.g. "View all insights"
A short ALL-CAPS paragraph (60 characters or fewer) right before a heading	Eyebrow label (small, tracked, uppercase), e.g. `RIA STORY`
Italic words inside a heading (H1 to H3)	Green highlighted words
Bold words inside a heading (H1 to H3)	Cyan highlighted words
Inline code inside a paragraph, e.g. `RIA Channel`	Bordered tag "chip"; put several in one paragraph
`:icon-name:` (for example `:calendar:`)	An icon from the icon set (see below)
A link to `/modals/<name>`	Opens that pop-up instead of navigating (see "Pop-ups")
A link to `/contact`	Opens the scheduler for the visitor's matched specialist
A link to `/fragments/<name>` alone in a paragraph	The fragment's content is inserted in its place

Icons placed inside a red or dark button turn white automatically. Example: a bold link "Schedule a conversation :calendar:".

Available icons

arrow-right, bar-chart, briefcase, building, calendar, captions, chat, check, chevron-down, chevron-left, chevron-right, clock, close, dollar, download, facebook, file-text, grid, info, instagram, linkedin, list, pause, pin, play, rss, search, share, shield, sort, star, target, trending-up, users, volume-off, wallet.

New icons are added by developers (SVG files in the code's `/icons` folder).

Available Blocks

Core page blocks

Block	Purpose	Variants	Usage / Used on
Hero	Full-bleed image banner with white text (800px tall on desktop)	`short` (520px, copy centred), `home` (home page only)	First section of most pages. Rows: image; text (eyebrow, H1, copy, buttons). Rows may come in either order
Cards	Card grids	`promo` (3-up tall art cards), `leadership` (person + article cards), `promo, expand` (desktop accordion: the active tile widens)	Promo: home, journeys. Leadership: "Perspectives from SEI Leadership" on most pages
Spotlight	Video thumbnail beside a head-line, quote and attribution	none	"SEI Spotlight" bands on `/bd-breakaway`, `/enterprise-ria`, `/asset-managers`
Callout	Brand-gradient band, copy on the left, stat on a clipboard on the right	none	`/bd-breakaway`, `/enterprise-ria`
Teaser	Dark split promo band, copy and button left, image right	none	`/asset-managers`, Summit Wealth story page
Stats	Key figures over a map back-ground; one featured figure in a circle	none	Home page
Tabs	Text or logo tabs with panels	`case-study` (dividers between stat columns)	Home "Proof in practice", Pathfinder "Meet the SEI Pathfinder firms"
Columns	Generic side-by-side columns	none	Available; not used on current pages
Benefits	Two columns separated by a verti-cal rule, with icon or orange-titled items	none	`/etfs` "What are the key benefits of ETFs?"
Checklist	Bordered card with an intro and icon columns of bullet lists	none	`/partner-match` "Prepare for your consultation"
Newslet-ter	"Stay connected / What's New at SEI" sign-up band	none	Bottom of every page, above the footer
Video	Poster image that turns into a player when clicked	none	Summit Wealth story page
Podcast	Podcast player card (cover, show, episode, play, waveform)	none	`/enterprise-ria`

Personalization and journey blocks

Block	Purpose	Variants	Usage / Used on
Adaptive	Content that changes with the visitor's persona and lifecycle stage	none	Home page "Tell us who you are"
Personalize	"Choose your path" question card with options	none	`/bd-breakaway`, `/enterprise-ria`, pop-up `/modals/etf-needs`
Readiness	Short interactive quiz, one question at a time, ending in a tailored next step	none	`/bd-breakaway` (sits over the hero)
Program	SEI Pathfinder module: vertical step navigation beside a content panel	`video` (panel styled as a video poster with a control bar)	`/pathfinder`, `/pathfinder-specialist`
Specialist	The SEI person the visitor is matched with, with reasons and a booking link	`muted` (grey person panel)	`/pathfinder-specialist`, `/portfolio-evaluator-results`
Match Header	Personalized page header with copy beside a partner logo	none	`/partner-match`
Entry Mock	Simulated third-party start page (no SEI header, footer or chat; shows a "simulated" label)	`social`, `ai-answer`	`/start/linkedin`, `/start/ai-search`

Fund and strategy tools

Block	Purpose	Variants	Usage / Used on
Fund Finder	Fund search box and category filter dropdowns, with an optional aside	none	`/etfs`; drives the Fund Table on the same page
Fund Table	Sortable, filterable data table of funds	none	`/etfs`
Fund Cards	Bordered "performance leader" cards (ticker, name, description, Explore button)	none	`/etfs`
Top Choice	"SEI top choice" recommendation panel	none	`/etfs`
Strategy Finder	Heading and criteria tiles beside an image with a results button	none	`/portfolio-evaluator`
Strategy Cards	Searchable, filterable strategy family cards with a risk meter	none	`/portfolio-evaluator`
Feature Video	Video thumbnail with presenter caption beside a list of icon features	none	`/portfolio-evaluator`
Result Cards	Matched strategies with tags, key figures and quick actions	none	`/portfolio-evaluator-results`
Bar Chart	Grouped vertical bar chart drawn from a table	none	`/portfolio-evaluator-results`
Fund Compare	List of recommended funds beside a radar chart of their scores	none	`/portfolio-evaluator-results`

Pop-up blocks

Block	Purpose	Used in
Assistant	The "SEI Assistant" chat panel (docked bottom right)	`/modals/assistant`, `/modals/assistant-advisor`, `/modals/assistant-etf`

Block	Purpose	Used in
Scheduler	Book a conversation: Advisor → Date and time → Details → Confirm	`/modals/schedule-eric-dunn`, `/modals/schedule-clayton-johnson`
Promo	Tall image card with centred heading, copy and a white button	`/modals/portfolio-evaluator`
Personalize	Question card (see above)	`/modals/etf-needs`

Home page variant blocks

These blocks belong to the comparison home pages. Each family reuses the content shapes of the main site blocks, so content can be moved between versions easily.

Family	Page	Blocks	Same content shape as
Stardust (`sd-`)	`/index-stardust`	SD Hero, SD Promos, SD Statement, SD Case Studies, SD Reach, SD Perspectives, SD Newsletter	Hero home, Cards promo, statement, Tabs case-study, Stats, Cards leadership, Newsletter
Uplift A (`ua-`)	`/index-uplift-a`	UA Hero, UA Promos, UA Role Panel, UA Statement, UA Case Tabs, UA Stats, UA Leaders, UA Newsletter	Hero home, Cards promo, Adaptive, statement, Tabs case-study, Stats, Cards leadership, Newsletter
Uplift B (`ub-`)	`/index-uplift-b`	UB Hero (headline plus role "doors"), UB Proof Wall, UB Promo Rail, plus UA Statement, UA Stats, UA Leaders, UA Newsletter	Hero + role links, Tabs case-study, Cards promo
Uplift C (`uc-`)	`/index-uplift-c`	The Uplift A blocks plus UC Cinematic (a motion layer with one cell, `kinetic-display`, placed in the first section after UA Hero)	As Uplift A
Rebrand (`rb-`)	`/index-rebrand`	RB Hero, RB Directory, RB Positioning, RB Ledger, RB Spec Sheet, RB Listings, RB Leaders, RB Newsletter	Hero, role links, statement, Tabs case-study, Stats, Cards promo, Cards leadership, Newsletter

Notes for these pages:

- Headlines split into lines with line breaks (Shift+Enter) in SD Hero, UA Hero, UB Hero and RB Hero. Each line becomes its own bar or band.
- A flag cell (`inverse`, `featured`, `lead`) is an instruction, not visible text.
- RB Hero also restyles the header, footer and chat launcher on the rebrand page only.
- UC Cinematic adds motion only when the visitor's device allows it. With "reduce motion" turned on, the page is static.

System blocks (not authored directly)

Block	What it does
Header	Built from the `/nav` document, plus the experience bar (persona menu, journey progress, "Talk to an advisor")
Footer	Built from the `/footer` document
Modal	Opens any `/modals/...` link in a dialog
Fragment	Inserts a document from `/fragments/...` where a link to it appears
Widget	Turns a link to `/widgets/...` into an embedded widget (no widgets exist yet)

Block Content Models

Rows are listed top to bottom; cells within a row are separated by "/".

Hero

Hero (short)
background image
eyebrow (optional ALL-CAPS paragraph), H1, paragraph, optional bold-link button

Use line breaks (Shift+Enter) inside the H1 to control where the headline wraps.

Cards (promo), Cards (promo, expand)

One row per card: image / H3, description, bold-link button / optional `inverse` (white text for dark art).

Cards (leadership)

One row per leader: photo / H4 name, role / H3 that links to the article, summary. Put it in a section with the `heading-link` style, with the H2 "Perspectives from SEI Leadership." and a plain "View all insights" link above it.

Spotlight

One row: image plus an optional link paragraph (for example "Play video: Partnering with purpose" linking to the story page) / H3 headline, *italic* quote, name, role. Put the "SEI Spotlight: …" H2 above the block in the same section.

Callout

One row: H2, **bold** lead paragraph, body copy / clipboard image, H3 stat (italic = green, bold = cyan), text with bold words, bold-link button.

Teaser

One row, cells in any order: image / heading, optional subline paragraphs (shown in cyan), bold-link button.

Stats

First row: background map image. Then one row per figure: value / label / optional `featured` (the featured figure is shown large in a circle).

Tabs and Tabs (case-study)

One row per tab: tab label / panel column / panel column …

- The label can be text or two logos: the first shows on the active tab, the second (white) on inactive tabs.
- Make a label **bold** (or bold the logos) to open that tab first.
- A panel column holding an image becomes rounded media. Its following paragraphs become the caption, and a link in it adds a play button.
- Place Tabs in a `gradient` section with an H2 (and optional paragraph) above it. On the Pathfinder pages the section style is `gradient, ink` (dark heading on the gradient).

Benefits

One row; each cell is a column: H2 plus optional paragraphs (column intro), then items. Each H3 starts an item, and the paragraphs after it are its copy. An image paragraph directly before an H3 becomes that item's icon. Columns without icons get orange item titles.

Checklist
Optional first row: H2, intro. Following rows: one cell per column: icon image, H3 title, bulleted list.

Newsletter
One row: eyebrow (`STAY CONNECTED`), H2 "What's New at SEI", copy / field label ("Business Email"), placeholder ("yourname@company.com"), button text ("Subscribe to SEI Insights") or a link to the form action, disclaimer. Copy the block from an existing page so the wording stays identical across the site.

Adaptive
One row per version: who it is for / content.

Adaptive	
default	RECOMMENDED FOR YOU, H2 "Tell us who you are…", role links as buttons
advisor	image, eyebrow, H2, copy, buttons
advisor buy expand	content for advisors who have reached the Buy or Expand stage
ria	…
ria buy expand	…
asset-manager	…

- The first cell is `default`, or a persona (`advisor`, `ria`, `asset-manager`) optionally followed by lifecycle stages (`discover`, `engage`, `try`, `buy`, `expand`).
- The best match wins: persona plus current stage, then persona alone, then `default`. Always include a `default` row.
- Persona versions show a "Why am I seeing this?" link automatically.

Personalize

Personalize	
label pill text	
question / SEI logo image (optional)	
option (text or link)	
option	

Two short options sit side by side; three or more stack. A **bold** option starts selected. Link options continue the journey on the linked page.

Readiness

Readiness	
H2 "Are you ready to break away?", intro	
Question	question text, bulleted answers from least to most ready
Question	…
Result 4	eyebrow, H3, copy, button (shown when the score is 4 or more)
Result 2	…

Readiness	
Result 0	…
Persona	advisor

Answers score 0, 1, 2 … in list order. The highest `Result N` that the total reaches is shown. `Persona` sets the visitor's persona when they finish. Placed in the hero section, it sits over the hero image.

Program and Program (video)

Row 1: step list / panel.

- **Steps:** a bulleted list of links. Bold marks the active step; without bold, the step linking to the current page is active. Steps with an icon (`:calendar:`, `:download:`) render as compact action rows.
- **Panel:** headings, paragraphs, chips and buttons. A paragraph holding only an icon becomes a cyan badge.
- **Row 2 (video variant only):** duration, e.g. `21:15`.

A Specialist block placed directly after Program in the same section moves into the panel.

Specialist and Specialist (muted)

Row 1: photo (72px), name, role, location / "Why you're matched" plus a bulleted list of reasons / optional bold-link button. Optional row 2: "Next available: **Tomorrow, 10:00 AM**" / booking link (for example `/modals/schedule-eric-dunn`).

Match Header

One row: eyebrow, H1, optional badge (a short paragraph starting with an icon, e.g. `:star: TOP RECOMMENDATION`), body (bold the firm name), a paragraph of chips, button / partner logo image.

Entry Mock

The first cell of each row is a key:

- **Entry Mock (social):** `Profile` (name, headline), `Ad` (sponsor, followers, image, H2, button link, engagement stats), `Post` (name, role, text, stats; repeatable), `Promoted` (title, text; repeatable).
- **Entry Mock (ai-answer):** `Assistant` (product name), `Question` (text), `Answer` (rich text with a link to SEI).

Keep the `utm_*` parameters on the links (for example `/bd-breakaway?utm_source=linkedin&utm_campaign=bd-breakaway`). They tell the landing page where the visitor came from and set their persona. Recognized campaigns: `bd-breakaway` (advisor), `enterprise-ria` (RIA), `ims` (asset manager). These pages should carry the metadata `Robots: noindex, nofollow`.

Fund Finder and Fund Table

Fund Finder rows (any may be left out):

- **Search:** label / placeholder.
- **Filters:** label / one cell per dropdown: dropdown name paragraph, bulleted options.
- **Aside:** H3, copy, link.

Fund Table:

- The first row is the header; every other row is a fund. Column 1 is the fund name (link), column 2 the ticker.
- A cell holding only an icon link (e.g. `:download:` linking to the fact sheet) becomes an icon button.
- **Hidden filter columns:** write the header in *italics* (e.g. *Asset Class*). The column is hidden and its values feed the filters. The italic header text must match the Fund Finder dropdown name exactly ("Asset Class", "Markets & regions").

Fund Cards and Top Choice

- **Fund Cards:** one row per card: heading ticker (e.g. SEIV), fund name, description paragraphs, bold "Explore" link.
- **Top Choice:** row 1: heading and intro ("SEI top choice."); row 2: ticker heading, fund name, bold-link button.

Strategy Finder and Strategy Cards

Strategy Finder:

- Row 1: H1, intro / image, results link.
- One row per criteria group: group label / bulleted options, each starting with an icon (`:trending-up: Grow`) / optional tone (`green`, `orange` or `cyan`).
- The results button carries the visitor's selections.

Strategy Cards:

- Optional first row: search placeholder text.
- One row per card: H3 title, category, tags / risk level 1 to 5 / description, link.
- The filter chips are built from the categories.

Result Cards, Bar Chart, Fund Compare

- **Result Cards:** one row per card: H3, team, chips, description / figures as "Label **value**" paragraphs / optional links with icons. Tags with "growth", "conservative" or "moderate" are colour-coded.
- **Bar Chart:** a header row (any label / series names), then one row per category with numbers (0 to 100). It produces an accessible chart and a hidden data table.
- **Fund Compare:**
  - Optional row 1: heading / pill text.
  - Axis row: label / axis names.
  - One row per fund: ticker, name, details / scores (0 to 100) / optional colour (#hex).

Feature Video

Row 1: image, presenter name, role, optional video link. Then one row per feature: icon / feature title.

Assistant (chat pop-up)

Assistant
H2 title for the red header bar
message: text, lists, or an image followed by a video link (becomes a video thumbnail)
a row holding only links → quick-reply buttons
a row holding only italic text → placeholder text in the message box

Scheduler (booking pop-up)

Scheduler	
H2 "Connect with Eric Dunn, SEI Advisor"	
Advisor	Eric Dunn
Times	bulleted times; ~~strike through~~ the times that are taken
Timezone	EST

Scheduler	
Days	10 (number of bookable weekdays, starting tomorrow)

When a visitor confirms, the booking is saved in their browser. The header then shows the booked call, and the visitor can download a calendar file.

Promo (pop-up card)
One row: image / H2, copy, link button.

Video

Video
poster image
link to the video
optional caption text

Supported video links:

Source	Link format
SEI Brightcove player (preferred)	`https://players.brightcove.net/1232842443001/0sGpJOLgKp_default/index.html?videoId=<video ID>`
AEM Assets (Dynamic Media with OpenAPI)	`https://delivery-pXXXX-eYYYY.adobeaemcloud.com/adobe/assets/urn:aaid:aem:...` (copy the delivery link from AEM Assets)
Plain MP4 file	any link ending in `.mp4`

Any other link shows the poster only. Example on the Summit Wealth story page: Brightcove video ID `6394264787112`, "Why Summit Wealth Group chose SEI (5 min)".

Podcast
One row, cells in any order: cover art image (a second image-only cell becomes the provider logo) / show name paragraph ("SEI Podcasts"), H3 episode title, episode link, optional audio link, optional "RSS feed" link, optional duration (e.g. `32:15`).

If the audio link ends in `.mp3`, the play button plays the episode in the page. SEI's main podcast host is Megaphone, whose audio files follow the pattern `https://traffic.megaphone.fm/<episode ID>.mp3`. Older series are on Podbean. Without an MP3 link the play button opens the episode link.

Page Templates
This project does not use page templates (there is no `template` metadata). Pages are built from blocks and section styles. Use these page "recipes" and copy an existing page as a starting point:

Page type	Start from	Typical structure	Required metadata
Journey landing page	`/bd-breakaway`, `/enterprise-ria`, `/asset-managers`	Hero, Personalize or Readiness, Spotlight, Cards (promo), Callout, Cards (leadership), Newsletter	Title, Description; optional Assistant, Modal, Modal-delay

Page type	Start from	Typical structure	Required metadata
Tool page	`/etfs`, `/portfolio-evaluator`, `/portfolio-evaluator-results`	Hero (short) or Strategy Finder, tool blocks, Newsletter	Title, Description, Assistant
Story or video page	`/insights/videos/summit-wealth-partnering-with-purpose`	Hero, `narrow` section with quote and Video, `dark` stat band, Teaser, Cards (leadership), `narrow`, `footnotes`, Newsletter	Title, Description
Simulated start page	`/start/linkedin`, `/start/ai-search`	One Entry Mock block	Title, Description, Robots `noindex, nofollow`
Pop-up	`/modals/...`	One block (Assistant, Scheduler, Promo or Personalize)	Title; Robots `noindex, nofollow`
Home variant	`/index-stardust`, `/index-uplift-*`, `/index-rebrand`	The variant's own block family	Title, Description

Personalization: What Authors Should Know

The site remembers each visitor's role (persona), journey progress and booked call in their own browser. Nothing is sent to a server. The following features read that profile:

Feature	What it does	What you author
Persona	Set when the visitor picks a role (home "Tell us who you are", the header "I'm a..." menu, Readiness quiz) or arrives from a campaign link with `utm_campaign`	Role links to `/bd-breakaway`, `/enterprise-ria`, `/asset-managers`; campaign links
Journey progress	Visiting a journey page marks its step as done; the header experience bar shows progress and the next step	Nothing; journeys are set in code
Lifecycle stage	Discover → Engage → Try → Buy → Expand, from the pages seen (at least Buy once a call is booked)	Stage words in Adaptive rows
Adaptive content	Shows the version matching persona and stage	Adaptive block rows
SEI Assistant	Opens the chat for the visitor's persona: advisor → `assistant-advisor`, RIA → `assistant-etf`, others → `assistant`	Optional `Assistant` page metadata to force a chat
"Why am I seeing this?"	Side panel that explains the visitor's role, where it came from, stage, journey and booking	Nothing
Start over	"Start over" in the header persona menu clears the profile	Nothing

Presenter menu (for live demos)

Add `?presenter` to any page URL (it is remembered in that browser), or press **Alt+Shift+P**. The menu lets you:

- jump to a journey start (Home page, Broker dealer from the LinkedIn ad, RIA Enterprise from the AI answer, IMS at `/asset-managers`);
- set the role or lifecycle stage;
- book a call;
- reset the profile.

Use **Hide** to turn it off.

Pop-ups (Modals)

Pop-ups are ordinary documents in the DA folder `/modals`. Any link to `/modals/<name>` opens that document in a dialog instead of navigating. Chat documents whose name starts with `assistant` dock to the bottom right as a chat panel.

Pop-up	Content	Opened from
`/modals/assistant`	General SEI Assistant chat	Chat launcher (asset managers and visitors with no role)
`/modals/assistant-advisor`	Advisor chat (breakaway journey)	Chat launcher for advisors
`/modals/assistant-etf`	ETF / RIA chat	Chat launcher for RIAs; forced on `/enterprise-ria`, `/etfs`, `/portfolio-evaluator`, `/portfolio-evaluator-results`
`/modals/etf-needs`	"Tell us about your ETF needs" question card	Opens automatically on `/enterprise-ria` after 8 seconds
`/modals/portfolio-evaluator`	Portfolio Evaluator promo	Opens automatically on `/etfs` after 12 seconds
`/modals/schedule-eric-dunn`	Booking with Eric Dunn	Specialist cards, "Talk to an advisor", `/contact` for advisors
`/modals/schedule-clayton-johnson`	Booking with Clayton Johnson	RIA and asset manager journeys, `/contact` for them

To add a pop-up:

1. Create a document in `/modals`.
2. Add one block (and a Metadata block with Title and `Robots: noindex, nofollow`).
3. Preview and publish it.
4. Link to it from any page with a normal link to `/modals/<name>`.

Automatic pop-ups open once per browser session.

Configuration Sheets

None of the standard configuration sheets exist on this site yet. `/placeholders.json`, `/redirects.json` and `/metadata.json` all return "not found". Create them in DA (as spreadsheets at the site root) when needed:

Sheet	Location	Purpose	When to Update
Placeholders	`/placeholders`	Reusable text strings	Not used by the current blocks; only needed if developers add placeholder support
Redirects	`/redirects`	Forward old URLs to new ones (columns `Source`, `Destination`)	After deleting, moving or renaming a page
Bulk Metadata	`/metadata`	Apply metadata to many pages by URL pattern (column URL with patterns like `/modals/**`, plus metadata columns)	Setting defaults by folder, e.g. `Robots: noindex, nofollow` for `/modals/**` and `/start/**`

Publish a sheet after editing it; it takes effect immediately. A sitemap is generated automatically at `/sitemap.xml`. Robots and headers settings are site configuration managed by the admin.

Publishing Workflow

Environment	Domain	Purpose
Preview	https://main–sei–oharris69.aem.page/	Check changes before going live
Live	https://main–sei–oharris69.aem.live/	The published site

Workflow: Edit in DA → **Preview** → check on `.aem.page` → **Publish** → live on `.aem.live` within about a minute.

- Pop-ups, `/nav` and `/footer` are documents like any other: preview and publish them after editing, or the change will not show.
- Images inside a document are published with it.
- For many pages at once, use Bulk Operations: https://da.live/apps/bulk (paste the list of URLs, then Preview or Publish).

Common Tasks

Task	Steps
Create a page	Open the folder in DA → New → Document → copy the structure of a similar page → add a Metadata block → Preview → Publish
Edit a page	Open it in DA → make changes → Preview → Publish
Delete a page	Add a redirect in `/redirects` → publish the redirects → unpublish and delete the document → update links that pointed to it
Update navigation	Edit `/nav` → Preview → Publish
Update footer	Edit `/footer` → Preview → Publish
Change the chat for a page	Add `Assistant` metadata with the pop-up path, e.g. `/modals/assistant-etf`; use `off` to hide the launcher
Auto-open a pop-up	Add `Modal` metadata (e.g. `/modals/etf-needs`) and optional `Modal-delay` in seconds (default 8)
Add a chat quick reply	Edit the Assistant pop-up → add a link paragraph to the links-only row → Preview → Publish
Change booking times	Edit the Scheduler pop-up → edit the `Times` list (strike through taken times) → Preview → Publish
Add a fund	On `/etfs`, add a row to the Fund Table; fill the italic filter columns with values that exist in the Fund Finder lists
Add a video	Insert a Video block: poster image plus the Brightcove player link with the video ID
Swap a leadership card	Edit the row in Cards (leadership): photo, name and role, linked article title and summary
Demo a journey	Open the page with `?presenter`, choose a journey start, use “Start over” between runs

Navigation (`/nav`)

The nav document has three sections:

1. The SEI logo, linked to `/`.
2. A bulleted list whose top-level items are the menu labels (Solutions, Who We Serve, Our Insights, About SEI), each with a nested list of links that becomes its dropdown.
3. Tools: the search icon link (`:search:`), then ***bold italic*** “Client Login” and “Contact Us” buttons. “Contact Us” links to `/contact`, which opens the visitor’s specialist scheduler.

On screens narrower than 900px the menu collapses behind a menu button.

Footer (`/footer`)

The footer document has three sections:

1. Link columns: an H3 heading followed by a bulleted list for each column (Solutions, Who we serve, Our insights, Contact us).
2. Logo, the corporate link list, and a list of social icon links (`:facebook:`, `:instagram:`, `:linkedin:`).
3. The copyright paragraph and the legal link list.

Sections and Section Metadata

Sections group content into bands. Create a section with a horizontal rule (`---`). Default content (headings, paragraphs, images) and blocks can share a section.

Add styles with a Section Metadata block at the end of the section:

Section Metadata	
style	dark

Combine styles with commas, e.g. `narrow, footnotes` or `gradient, ink`.

Available Section Styles:

Style	Effect	Example
`gradient`	Brand green-to-cyan band with white headings	Home "Proof in practice" tabs
`ink`	With `gradient` and a Tabs block: dark headings and a tighter top	Pathfinder "Meet the SEI Pathfinder firms"
`dark`	Near-black (#131517) band with white text	Story page "44% less time" stat
`light` (or `highlight`)	Light grey (#f9fafb) band	Portfolio Evaluator "Strategy Families"
`green`	Solid brand-green band, white H1 and text	Portfolio Evaluator results header
`display`	Large H2, 20 to 22px lead paragraph and a centred image	Home positioning statement
`heading-link`	H2 on the left and a lone link ("View all insights") on the right	Leadership card sections
`narrow`	Narrower reading width	Story page quote and video
`centered`	Centres the default content	Short intro bands
`flush`	Removes the section's vertical padding	Full-bleed bands
`flush-bottom`	Removes the bottom padding	A band that runs into the next
`footnotes`	Small legal note text	Story page disclosures (`narrow, footnotes`)

Page Metadata

Add a **Metadata** block at the bottom of each document:

Property	Required	Purpose	Example
`Title`	Yes	Page title for browsers and search engines	"Summit Wealth broke away and never looked back | SEI"
`Description`	Yes	Search and social description (about 150 characters)	"See how Summit Wealth moved from broker-dealer to independence with SEI…"
`Image`	No	Social sharing image (defaults to the first image on the page)	an image in the document
`Robots`	No	Keep a page out of search engines	`noindex, nofollow` (pop-ups and `/start/` pages)
`Assistant`	No	Which chat the SEI Assistant launcher opens on this page; `off` hides the launcher	`/modals/assistant-etf`
`Modal`	No	Pop-up that opens automatically (once per session)	`/modals/etf-needs`
`Modal-delay`	No	Seconds before the automatic pop-up opens (default 8)	`12`
`Template`	No	Not used on this site	(none)

Images and Media

Method	How
Drag and drop	Drag images straight into the DA document
AEM Assets	Use the Assets sidebar in DA if it is connected for your organization
Video	Use the Video block with a Brightcove or AEM Assets delivery link; do not upload video files to DA
Audio	Link MP3 files (e.g. from Megaphone) in the Podcast block

Best practices:

- Use descriptive file names and always add alt text. For purely decorative images, such as the map behind Stats, alt text may be left empty.
- Images are resized and converted to modern formats automatically; upload the best quality you have.
- Hero images should be wide (at least 2000px) with space for white text.
- Partner logos in Tabs need two versions: a coloured logo for the active tab and a white logo for inactive tabs.
- The brand font is CircularXX (licensed). It is loaded by the site; authors do not choose fonts.

Videos still to be supplied

Many video links in the demo point to story pages that do not exist yet. Examples:

- the Stratos, Beacon Pointe, Diversified and Merit Pathfinder interviews;
- "Simplify your operations from day one";
- "Making Data Work Harder Than AI";
- "The SEI Portfolio Evaluator in action";
- "Driving the next wave of ETF adoption";
- the H.I.G. Capital and private-market videos.

When SEI supplies them, create the story page with a Video block, the same way as the Summit Wealth page. For an existing Brightcove video, the ID is enough. The Enterprise RIA podcast also needs an MP3 link.

Troubleshooting

Issue	Solution
Page not updating after publish	Wait 1 to 2 minutes for the cache, then hard refresh (Cmd+Shift+R / Ctrl+Shift+R)
Change visible on preview but not live	Publish the page; preview alone does not update `.aem.live`
Pop-up or chat shows old content	Pop-ups are separate documents: preview and publish the `/modals/...` document itself
Block not displaying correctly	Check the block name and variant spelling in the first row and compare the cell order with this guide
Button shows as a plain link	The paragraph must contain only the link, formatted bold, italic or both
Eyebrow not styled	It must be ALL CAPS, 60 characters or fewer, contain no link, and sit directly before a heading
Adaptive block shows the wrong version	Check the first-cell spelling (`advisor`, `ria`, `asset-manager`, stage words). Use “Start over” or the presenter menu to reset your own profile
Fund filters show nothing	The italic Fund Table header must match the Fund Finder dropdown name, and cell values must match the option text
Video shows only the poster	The link must be a Brightcove player URL, an AEM Assets delivery URL or an `.mp4`
Automatic pop-up does not appear again	It opens once per browser session; open a new private window to test
Link opens “Not part of the demo yet”	The target page does not exist yet. Create it, or change the link
Images not showing	Check the image is embedded in the DA document (not linked from a local drive) and that the page was previewed after adding it

Resources

Resource	URL
DA Documentation	https://docs.da.live/
Authoring Guide	https://www.aem.live/docs/authoring
Placeholders Docs	https://www.aem.live/docs/placeholders
Redirects Docs	https://www.aem.live/docs/redirects
Bulk Metadata Docs	https://www.aem.live/docs/bulk-metadata
Sidekick	https://www.aem.live/docs/sidekick

Support Contacts

Need	Contact
DA access, preview and publish permissions	Site administrator for the `oharris69` Config Service organization
New blocks, design changes, journeys, personas, new icons	Project development team (GitHub `oharris69/sei`)
Video and podcast masters (Brightcove, Megaphone, Podbean)	SEI marketing / digital media team