Evaluating Performance of Tarp Classifiers

Tom Lever

06/08/2023

We use 10-fold cross-validation to evaluate the performance of 5 classifiers. A classifier will classify a pixel as belonging to a class in the set $\{Tarp, Vegetation\}$. A pixel is represented by a tuple of 3 integers. These integers represent intensities of color red, green, and blue and lie between 0 and 255 inclusive.

We load a data frame of classes and pixels based on an orthorectified image of Haiti at https://www.kaggle.com/datasets/billbasener/pixel-values-from-images-over-haiti?datasetId=1899167.

```
data_frame_of_classes_and_pixels <- read.csv(file = 'Data_Frame_Of_Classes_And_Pixels.csv')
head(x = data_frame_of_classes_and_pixels, n = 3)

# Class Red Green Blue
# 1 Vegetation 64 67 50
# 2 Vegetation 64 67 50
# 3 Vegetation 64 66 49</pre>
```

TODO: Consider 5 number summaries and means and standard deviations of Red, Green, and Blue. and across classes.

According to https://stats.oarc.ucla.edu/r/dae/multinomial-logistic-regression/, "Below we use the multinom function from the nnet package to estimate a multinomial logistic regression model... we need to choose the level of our outcome that we wish to use as our baseline and specify this in the relevel function. Then, we run our model using multinom. The multinom package does not include p-value calculation for the regression coefficients, so we calculate p-values using Wald tests (here [two-tailed] z-tests)."

```
library(nnet)
factor_Class <- factor(x = data_frame_of_classes_and_pixels$Class)
data_frame_of_classes_and_pixels$Class <- relevel(
    x = factor_Class,
    ref = "Blue Tarp"
)
logistic_regression_model <- nnet::multinom(
    formula = Class ~ Red + Green + Blue,
    data = data_frame_of_classes_and_pixels
)</pre>
```

```
# # weights: 25 (16 variable)
# initial value 101782.463020
# iter 10 value 77447.218043
# iter 20 value 29230.666252
# iter 30 value 24123.130528
# iter 40 value 23510.543863
```

```
# iter 50 value 23143.504515
# final value 23072.994639
# converged
summary_of_logistic_regression_model <- summary(object = logistic_regression_model)</pre>
summary_of_logistic_regression_model
# Call:
# nnet::multinom(formula = Class ~ Red + Green + Blue, data = data_frame_of_classes_and_pixels)
#
# Coefficients:
#
                   (Intercept)
                                      Red
                                                Green
                                                            Blue
                     -3.001052 0.2394754 0.08565332 -0.3060410
# Rooftop
# Soil
                    -11.994187 0.3168945 0.13645875 -0.4121712
# Various Non-Tarp -2.917270 0.2516826 0.12434250 -0.3717489
# Vegetation
                     18.034812 0.1572812 0.38224636 -0.8164165
#
# Std. Errors:
#
                   (Intercept)
                                                  Green
                                                              Blue
                                        R.e.d
                   0.062157114 0.009033954 0.01213455 0.01209590
# Rooftop
# Soil
                   0.086030376 0.008986432 0.01224512 0.01220922
# Various Non-Tarp 0.065428816 0.009095895 0.01226350 0.01221860
                   0.003927454 0.011140036 0.01380552 0.01443139
# Vegetation
# Residual Deviance: 46145.99
# AIC: 46177.99
coefficients <- summary_of_logistic_regression_model$coefficients</pre>
standard_errors <- summary_of_logistic_regression_model$standard.errors
z_scores <- coefficients / standard_errors</pre>
magnitudes_of_z_score <- abs(x = z_scores)</pre>
cumulative_density_function_values <- pnorm(q = magnitudes_of_z_score, mean = 0, sd = 1)</pre>
areas in one tail <- 1 - cumulative density function values
p_values <- areas_in_one_tail * 2</pre>
p_values
```

```
(Intercept) Red
                                            Green Blue
# Rooftop
                              0
                                  0 1.681544e-12
# Soil
                                  0 0.000000e+00
                                                     0
                              0
# Various Non-Tarp
                              0
                                  0 0.000000e+00
                                                     0
                                  0 0.000000e+00
                                                     0
# Vegetation
                              0
```

The final negative log-likelihood l of our logistic regression model is 23,072.995. The residual deviance d = 2l = 46,145.990.

TODO: Compare nested logistic regression models using residual deviance d.

The summary for our logistic regression model includes a data frame of coefficients. Each row of coefficients corresponds to a model equation. Interpreting the rows,

```
ln\left[\frac{P(Class=Rooftop)}{P(Class=Blue\ Tarp)}\right] = \beta_{Rooftop,\ Intercept} + \beta_{Rooftop,\ Red}\ Red + \beta_{Rooftop,\ Green}\ Green + \beta_{Rooftop,\ Blue}\ Blue= -3.001 + 0.239\ Red + 0.0857\ Green - 0.306\ Blue
```

```
ln\left[\frac{P(Class=Soil)}{P(Class=Blue\ Tarp)}\right] = \beta_{Soil,\ Intercept} + \beta_{Soil,\ Red}\ Red + \beta_{Soil,\ Green}\ Green + \beta_{Soil,\ Blue}\ Blue= -11.994 + 0.317\ Red + 0.136\ Green - 0.412\ Blue
```

Odds and relative risk are synonymous. An increase of 1 unit in predictor Red is associated with a change of 0.239 in the log odds of a pixel depicting a rooftop versus a pixel depicting a blue tarp. An increase of 1 unit in predictor Blue is associated with a change of -0.412 in the log odds of a pixel depicting soil versus a pixel depicting a blue tarp. Each predictor coefficient represents the log odds for a change of 1 unit in the predictor.

```
exp(x = coefficients)
```

```
# Rooftop 4.973474e-02 1.270582 1.089429 0.7363565
# Soil 6.180031e-06 1.372858 1.146208 0.6622109
# Various Non-Tarp 5.408115e-02 1.286188 1.132404 0.6895274
# Vegetation 6.798597e+07 1.170325 1.465573 0.4420128
```

The odds of a pixel depicting various non-tarp objects versus a pixel depicting a blue tarp is 1.132 for an increase of 1 unit in predictor *Green*. The odds of a pixel depicting vegetation versus a pixel depicting a blue tarp is 0.442 for an increase of 1 unit in predictor *Blue*.

The predicted probabilities for our first 3 observations and each class are presented below.

```
predicted_probabilities <- fitted(object = logistic_regression_model)
head(x = predicted_probabilities, n = 3)

# Blue Tarp Rooftop Soil Various Non-Tarp Vegetation
# 1 2.521696e-06 3.992604e-05 1.049958e-07 4.741077e-05 0.9999100
# 2 2.521696e-06 3.992604e-05 1.049958e-07 4.741077e-05 0.9999100
# 3 1.633587e-06 3.224178e-05 8.961114e-08 3.933451e-05 0.9999267</pre>
```

The below data frame allows us to consider the changes in predicted probability associated with holding the intensity of color Red equal to the mean intensity of color Red, holding the intensity of color Green equal to the mean intensity of color Green, and increasing the intensity of color Blue from 0 to 255 inclusive linearly across 10 intensities. As the intensity of color Blue increases from 0 to 255, the predicted probability of a pixel depicting a blue tarp increases from 0 to 1 and the predicted probability of a pixel depicting vegetation decreases from 1 to 0.

```
library(pracma)
mean_intensity_of_color_Red <- mean(data_frame_of_classes_and_pixels$Red)
mean_intensity_of_color_Green <- mean(data_frame_of_classes_and_pixels$Green)
linearly_spaced_intensities <- pracma::linspace(x1 = 0, x2 = 255, n = 10)
data_frame <- data.frame(
    Red = mean_intensity_of_color_Red,
    Green = mean_intensity_of_color_Green,
    Blue = linearly_spaced_intensities
)
predicted_probabilities <- predict(
    object = logistic_regression_model,
    newdata = data_frame,
    type = "probs"
)
predicted_probabilities</pre>
```

```
Blue Tarp
                     Rooftop
                                      Soil Various Non-Tarp
                                                            Vegetation
# 1 3.355845e-45 7.744803e-24 7.139919e-19
                                               2.351567e-20 1.000000e+00
    3.730912e-35 1.476340e-17 6.728758e-14
                                               6.966213e-15 1.000000e+00
# 3 4.147898e-25 2.814247e-11 6.341275e-09
                                               2.063650e-09 1.000000e+00
# 4 4.605674e-15 5.357846e-05 5.968569e-04
                                               6.105587e-04 9.987390e-01
   1.504899e-07 3.001701e-01 1.653153e-01
                                               5.315791e-01 2.935305e-03
   2.239992e-03 7.660713e-01 2.085838e-02
                                               2.108303e-01 3.929878e-09
# 7 9.423066e-01 5.525580e-02 7.437979e-05
                                               2.363225e-03 1.487003e-16
# 8 9.999899e-01 1.005412e-05 6.690936e-10
                                               6.682435e-08 1.419391e-26
# 9 1.000000e+00 1.723897e-09 5.671786e-15
                                               1.780596e-12 1.276713e-36
# 10 1.000000e+00 2.955794e-13 4.807822e-20
                                               4.744513e-17 1.148366e-46
```