

Supplementary Materials for Reaffirming the Role of the Hazard Ratio in Causal Inference

Contents

1	Extended simulations	6
2	Simulation results (type 1 and 2 error)	9
2.1	Low frailty heterogeneity	9
2.2	High frailty heterogeneity	11
3	Kaplan-Meier plots for simulations	12
3.1	Null true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity	12
3.2	Null true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity	13
3.3	Null true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity	14
3.4	Null true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity	15
3.5	Null true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity	16
3.6	Null true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity	17
3.7	Null true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity	18
3.8	Null true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity	19
3.9	Null true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity	20
3.10	Null true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity	21
3.11	Null true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity	22
3.12	Null true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity	23
3.13	Null true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity	24

3.14	Null true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity	25
3.15	Null true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity	26
3.16	Null true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity	27
3.17	Null true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity	28
3.18	Null true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity	29
3.19	Null true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity	30
3.20	Null true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity	31
3.21	Null true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity	32
3.22	Null true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity	33
3.23	Null true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity	34
3.24	Null true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity	35
3.25	Multiplicative true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity	36
3.26	Multiplicative true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity	37
3.27	Multiplicative true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity	38
3.28	Multiplicative true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity	39
3.29	Multiplicative true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity	40
3.30	Multiplicative true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity	41
3.31	Multiplicative true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity	42
3.32	Multiplicative true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity	43
3.33	Multiplicative true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity	44
3.34	Multiplicative true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity	45
3.35	Multiplicative true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity	46

3.36	Multiplicative true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity	47
3.37	Multiplicative true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity	48
3.38	Multiplicative true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity	49
3.39	Multiplicative true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity	50
3.40	Multiplicative true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity	51
3.41	Multiplicative true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity	52
3.42	Multiplicative true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity	53
3.43	Multiplicative true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity	54
3.44	Multiplicative true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity	55
3.45	Multiplicative true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity	56
3.46	Multiplicative true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity	57
3.47	Multiplicative true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity	58
3.48	Multiplicative true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity	59
3.49	Additive true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity	60
3.50	Additive true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity	61
3.51	Additive true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity	62
3.52	Additive true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity	63
3.53	Additive true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity	64
3.54	Additive true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity	65
3.55	Additive true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity	66
3.56	Additive true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity	67
3.57	Additive true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity	68

3.58 Additive true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity	69
3.59 Additive true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity	70
3.60 Additive true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity	71
3.61 Additive true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity	72
3.62 Additive true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity	73
3.63 Additive true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity	74
3.64 Additive true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity	75
3.65 Additive true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity	76
3.66 Additive true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity	77
3.67 Additive true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity	78
3.68 Additive true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity	79
3.69 Additive true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity	80
3.70 Additive true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity	81
3.71 Additive true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity	82
3.72 Additive true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity	83
3.73 Multiplicative (Large) true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity	84
3.74 Multiplicative (Large) true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity	85
3.75 Multiplicative (Large) true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity	86
3.76 Multiplicative (Large) true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity	87
3.77 Multiplicative (Large) true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity	88
3.78 Multiplicative (Large) true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity	89
3.79 Multiplicative (Large) true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity	90

3.80	Multiplicative (Large) true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity	91
3.81	Multiplicative (Large) true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity	92
3.82	Multiplicative (Large) true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity	93
3.83	Multiplicative (Large) true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity	94
3.84	Multiplicative (Large) true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity	95
3.85	Multiplicative (Large) true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity	96
3.86	Multiplicative (Large) true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity	97
3.87	Multiplicative (Large) true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity	98
3.88	Multiplicative (Large) true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity	99
3.89	Multiplicative (Large) true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity	100
3.90	Multiplicative (Large) true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity	101
3.91	Multiplicative (Large) true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity	102
3.92	Multiplicative (Large) true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity	103
3.93	Multiplicative (Large) true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity	104
3.94	Multiplicative (Large) true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity	105
3.95	Multiplicative (Large) true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity	106
3.96	Multiplicative (Large) true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity	107
3.97	Additive (Large) true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity	108
3.98	Additive (Large) true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity	109
3.99	Additive (Large) true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity	110
3.100	Additive (Large) true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity	111
3.101	Additive (Large) true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity	112

3.102	Additive (Large) true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity	113
3.103	Additive (Large) true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity	114
3.104	Additive (Large) true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity	115
3.105	Additive (Large) true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity	116
3.106	Additive (Large) true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity	117
3.107	Additive (Large) true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity	118
3.108	Additive (Large) true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity	119
3.109	Additive (Large) true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity	120
3.110	Additive (Large) true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity	121
3.111	Additive (Large) true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity	122
3.112	Additive (Large) true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity	123
3.113	Additive (Large) true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity	124
3.114	Additive (Large) true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity	125
3.115	Additive (Large) true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity	126
3.116	Additive (Large) true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity	127
3.117	Additive (Large) true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity	128
3.118	Additive (Large) true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity	129
3.119	Additive (Large) true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity	130
3.120	Additive (Large) true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity	131

1 Extended simulations

In addition to the simulations described in the main manuscript, additional simulation scenarios were explored. The results are included in this section.

The following additional variants were executed:

True effect size: for both the additive and multiplicative true effect sizes we included variants with 10 times large sizes. The *multiplicative (large) effect* uses the following function:

$$\log(HR(t)) = 10\mu_m Weibull(1.5, 10)$$

the *additive (large) effect* uses:

$$RD(t) = 10\mu_m Weibull(1, 10)$$

Incidence: The background incidence in the original simulations are quite *high*:

$$h(i, 0)(t) = c_i Weibull(1, 50)$$

Here we include a variant with *low* incidence:

$$h(i, 0)(t) = 0.1c_i Weibull(1, 50)$$

Frailty heterogeneity: The original simulations used a relatively *low* heterogeneity of frailty, differing at most by a factor of 4:

$$c_i \sim U(0.5, 2)$$

Here we include a variant with *high* heterogeneity:

$$c_i \sim U(0.1, 10)$$

2 Simulation results (type 1 and 2 error)

2.1 Low frailty heterogeneity




Figure 1: Type 1 and 2 error under different simulation scenarios when using low frailty heterogeneity

2.2 High frailty heterogeneity




Figure 2: Type 1 and 2 error under different simulation scenarios when using high frailty heterogeneity

3 Kaplan-Meier plots for simulations

This section contains one Kaplan Meier plot per simulation settings. Each simulation scenarios was executed multiple times (to compute type 1 and 2 error), and the actual plot in each simulation run may differ from what is depicted here.

3.1 Null true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 3: Kaplan Meier curves using simulation parameters: Null true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.2 Null true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 4: Kaplan Meier curves using simulation parameters: Null true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.3 Null true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 5: Kaplan Meier curves using simulation parameters: Null true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.4 Null true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 6: Kaplan Meier curves using simulation parameters: Null true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.5 Null true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 7: Kaplan Meier curves using simulation parameters: Null true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.6 Null true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 8: Kaplan Meier curves using simulation parameters: Null true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.7 Null true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 9: Kaplan Meier curves using simulation parameters: Null true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.8 Null true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 10: Kaplan Meier curves using simulation parameters: Null true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.9 Null true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 11: Kaplan Meier curves using simulation parameters: Null true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.10 Null true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 12: Kaplan Meier curves using simulation parameters: Null true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.11 Null true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 13: Kaplan Meier curves using simulation parameters: Null true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.12 Null true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 14: Kaplan Meier curves using simulation parameters: Null true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.13 Null true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 15: Kaplan Meier curves using simulation parameters: Null true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.14 Null true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 16: Kaplan Meier curves using simulation parameters: Null true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.15 Null true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 17: Kaplan Meier curves using simulation parameters: Null true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.16 Null true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 18: Kaplan Meier curves using simulation parameters: Null true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.17 Null true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 19: Kaplan Meier curves using simulation parameters: Null true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.18 Null true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 20: Kaplan Meier curves using simulation parameters: Null true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.19 Null true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 21: Kaplan Meier curves using simulation parameters: Null true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.20 Null true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 22: Kaplan Meier curves using simulation parameters: Null true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.21 Null true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 23: Kaplan Meier curves using simulation parameters: Null true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.22 Null true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 24: Kaplan Meier curves using simulation parameters: Null true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.23 Null true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 25: Kaplan Meier curves using simulation parameters: Null true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.24 Null true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 26: Kaplan Meier curves using simulation parameters: Null true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.25 Multiplicative true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 27: Kaplan Meier curves using simulation parameters: Multiplicative true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.26 Multiplicative true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 28: Kaplan Meier curves using simulation parameters: Multiplicative true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.27 Multiplicative true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 29: Kaplan Meier curves using simulation parameters: Multiplicative true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.28 Multiplicative true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 30: Kaplan Meier curves using simulation parameters: Multiplicative true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.29 Multiplicative true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 31: Kaplan Meier curves using simulation parameters: Multiplicative true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.30 Multiplicative true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 32: Kaplan Meier curves using simulation parameters: Multiplicative true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.31 Multiplicative true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 33: Kaplan Meier curves using simulation parameters: Multiplicative true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.32 Multiplicative true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 34: Kaplan Meier curves using simulation parameters: Multiplicative true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.33 Multiplicative true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 35: Kaplan Meier curves using simulation parameters: Multiplicative true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.34 Multiplicative true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 36: Kaplan Meier curves using simulation parameters: Multiplicative true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.35 Multiplicative true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 37: Kaplan Meier curves using simulation parameters: Multiplicative true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.36 Multiplicative true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 38: Kaplan Meier curves using simulation parameters: Multiplicative true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.37 Multiplicative true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 39: Kaplan Meier curves using simulation parameters: Multiplicative true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.38 Multiplicative true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 40: Kaplan Meier curves using simulation parameters: Multiplicative true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.39 Multiplicative true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 41: Kaplan Meier curves using simulation parameters: Multiplicative true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.40 Multiplicative true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 42: Kaplan Meier curves using simulation parameters: Multiplicative true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.41 Multiplicative true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 43: Kaplan Meier curves using simulation parameters: Multiplicative true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.42 Multiplicative true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 44: Kaplan Meier curves using simulation parameters: Multiplicative true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.43 Multiplicative true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 45: Kaplan Meier curves using simulation parameters: Multiplicative true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.44 Multiplicative true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 46: Kaplan Meier curves using simulation parameters: Multiplicative true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.45 Multiplicative true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 47: Kaplan Meier curves using simulation parameters: Multiplicative true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.46 Multiplicative true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 48: Kaplan Meier curves using simulation parameters: Multiplicative true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.47 Multiplicative true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 49: Kaplan Meier curves using simulation parameters: Multiplicative true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.48 Multiplicative true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 50: Kaplan Meier curves using simulation parameters: Multiplicative true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.49 Additive true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 51: Kaplan Meier curves using simulation parameters: Additive true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.50 Additive true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 52: Kaplan Meier curves using simulation parameters: Additive true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.51 Additive true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 53: Kaplan Meier curves using simulation parameters: Additive true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.52 Additive true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 54: Kaplan Meier curves using simulation parameters: Additive true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.53 Additive true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 55: Kaplan Meier curves using simulation parameters: Additive true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.54 Additive true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 56: Kaplan Meier curves using simulation parameters: Additive true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.55 Additive true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 57: Kaplan Meier curves using simulation parameters: Additive true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.56 Additive true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 58: Kaplan Meier curves using simulation parameters: Additive true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.57 Additive true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 59: Kaplan Meier curves using simulation parameters: Additive true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.58 Additive true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 60: Kaplan Meier curves using simulation parameters: Additive true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.59 Additive true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 61: Kaplan Meier curves using simulation parameters: Additive true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.60 Additive true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 62: Kaplan Meier curves using simulation parameters: Additive true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.61 Additive true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 63: Kaplan Meier curves using simulation parameters: Additive true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.62 Additive true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 64: Kaplan Meier curves using simulation parameters: Additive true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.63 Additive true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 65: Kaplan Meier curves using simulation parameters: Additive true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.64 Additive true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 66: Kaplan Meier curves using simulation parameters: Additive true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.65 Additive true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 67: Kaplan Meier curves using simulation parameters: Additive true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.66 Additive true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 68: Kaplan Meier curves using simulation parameters: Additive true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.67 Additive true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 69: Kaplan Meier curves using simulation parameters: Additive true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.68 Additive true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 70: Kaplan Meier curves using simulation parameters: Additive true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.69 Additive true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 71: Kaplan Meier curves using simulation parameters: Additive true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.70 Additive true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 72: Kaplan Meier curves using simulation parameters: Additive true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.71 Additive true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 73: Kaplan Meier curves using simulation parameters: Additive true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.72 Additive true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 74: Kaplan Meier curves using simulation parameters: Additive true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.73 Multiplicative (Large) true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 75: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.74 Multiplicative (Large) true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 76: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.75 Multiplicative (Large) true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 77: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.76 Multiplicative (Large) true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 78: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.77 Multiplicative (Large) true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 79: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.78 Multiplicative (Large) true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 80: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.79 Multiplicative (Large) true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 81: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.80 Multiplicative (Large) true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 82: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.81 Multiplicative (Large) true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 83: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.82 Multiplicative (Large) true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 84: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.83 Multiplicative (Large) true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 85: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.84 Multiplicative (Large) true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 86: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.85 Multiplicative (Large) true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 87: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.86 Multiplicative (Large) true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 88: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.87 Multiplicative (Large) true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 89: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.88 Multiplicative (Large) true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 90: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.89 Multiplicative (Large) true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 91: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.90 Multiplicative (Large) true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 92: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.91 Multiplicative (Large) true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 93: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.92 Multiplicative (Large) true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 94: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.93 Multiplicative (Large) true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 95: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.94 Multiplicative (Large) true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 96: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.95 Multiplicative (Large) true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 97: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.96 Multiplicative (Large) true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 98: Kaplan Meier curves using simulation parameters: Multiplicative (Large) true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.97 Additive (Large) true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 99: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, effect depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.98 Additive (Large) true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 100: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, effect depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.99 Additive (Large) true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 101: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, effect depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.100 Additive (Large) true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 102: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, effect depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.101 Additive (Large) true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 103: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, effect depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.102 Additive (Large) true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 104: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, effect depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.103 Additive (Large) true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 105: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, effect depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.104 Additive (Large) true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 106: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, effect depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.105 Additive (Large) true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 107: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, outcome depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.106 Additive (Large) true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 108: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, outcome depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.107 Additive (Large) true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 109: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, outcome depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.108 Additive (Large) true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 110: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, outcome depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.109 Additive (Large) true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 111: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, outcome depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.110 Additive (Large) true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 112: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, outcome depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.111 Additive (Large) true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 113: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, outcome depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.112 Additive (Large) true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 114: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, outcome depletion, 1,250 patients, low incidence, high frailty heterogeneity

3.113 Additive (Large) true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity




Figure 115: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, no depletion, 2,500 patients, high incidence, low frailty heterogeneity

3.114 Additive (Large) true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity




Figure 116: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, no depletion, 2,500 patients, high incidence, high frailty heterogeneity

3.115 Additive (Large) true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity




Figure 117: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, no depletion, 2,500 patients, low incidence, low frailty heterogeneity

3.116 Additive (Large) true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity




Figure 118: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, no depletion, 2,500 patients, low incidence, high frailty heterogeneity

3.117 Additive (Large) true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity




Figure 119: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, no depletion, 1,250 patients, high incidence, low frailty heterogeneity

3.118 Additive (Large) true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity




Figure 120: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, no depletion, 1,250 patients, high incidence, high frailty heterogeneity

3.119 Additive (Large) true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity




Figure 121: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, no depletion, 1,250 patients, low incidence, low frailty heterogeneity

3.120 Additive (Large) true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity




Figure 122: Kaplan Meier curves using simulation parameters: Additive (Large) true effect, no depletion, 1,250 patients, low incidence, high frailty heterogeneity