
University of Stuttgart
Institute of electrical and optical communications

Advanced optical fiber communications


Wintersemester 2025/26

Lecture 9




Prof. Dr.-Ing. Georg Rademacher

Optical fibers for space-division multiplexing



Record SDM fiber demonstrations

13 km 38-few-mode multi-core fiber (MCF)




305 µm

2020
10.66 Pb/s
(C+L band)

2023
22 Pb/s
(S/C/L band)


31.4 km 22-core MCF



260 µm


2015
2.15 Pb/s

30 km 19-core MCF



220 µm


3.5 km 4-core few-mode MCF.



160 µm


2018
1.2 Pb/s

53.7 km 7-core MCF



160 µm

54-100 km 4-core MCF



125 µm

2022
1.02 Pb/s

66 km randomly coupled MCF


2023
1.7 Pb/s

26 km 55-mode fiber

2023
3.56 Pb/s

Weakly coupled Homogenous-core MCF

University of Stuttgart
Germany



Design and fabrication of ultra-low crosstalk and low-loss multi-core fiber

Tetsuya Hayashi,* Toshiki Taru, Osamu Shimakawa, Takashi Sasaki, and Eisuke Sasaoka

Optical Communications R&D Laboratories, Sumitomo Electric Industries, Ltd., 1 Taya-cho, Sakae-ku, Yokohama, 244-8588 Japan
**t-hayashi@sei.co.jp*

Multi-core fiber design and analysis: coupled-mode theory and coupled-power theory

Masanori Koshiba,[1,*] Kunimasa Saitoh,[1] Katsuhiro Takenaga[2], and Shoichiro Matsuo[2]

[1]Division of Media and Network Technologies, Hokkaido University, Sapporo 060-0814, Japan
[2]Optics and Electronics Laboratory, Fujikura Ltd., Sakura 285-8550, Japan
**koshiba@ist.hokudai.ac.jp*

- Biggest trouble: Crosstalk!


Research Article | Vol. 25, No. 10 | 15 May 2017 | OPTICS EXPRESS 12020
Optics EXPRESS

University of Stuttgart
Germany


Crosstalk dynamics in multi-core fibers

GEORG RADEMACHER,* RUBEN S. LUÍS, BENJAMIN J. PUTTNAM, YOSHINARI AWAJI, AND NAOYA WADA

Photonics Systems Research Laboratory, National Institute of Information and Communications Technology (NICT), 4-2-1, Nukui-Kitamachi, Koganei, Tokyo, 184-8795, Japan
**georg.rademacher@nict.go.jp*



Modeling of inter-core crosstalk




T. Hayashi et al., “Behavior of Inter-Core Crosstalk as a Noise and Its Effect on Q -Factor in Multi-Core Fiber,” IEICE Trans. Commun., 2014


R. Luís et al., “Time and Modulation Frequency Dependence of Crosstalk in Homogeneous Multi-Core Fibers,” *JLT,* 2016

Influence of random phase / inter-core skew on transfer function

University of Stuttgart
Germany

$$H_{XT}(L,\omega) = -jK_{nm}\sum_{k=1}^{N} e^{-j\boldsymbol{\phi_k}} e^{-j s_{nm}\boldsymbol{z_k}\omega}$$






Variance of average crosstalk-power

University of Stuttgart
Germany

$$H_{XT}(L,\omega) = -jK_{nm}\sum_{k=1}^{N} e^{-j\boldsymbol{\phi_k}} e^{-js_{nm}\boldsymbol{z_k}\omega}$$




Variance of average crosstalk-power


University of Stuttgart
Germany

$$\mathrm{VAR}_{\mathrm{XT}} \propto \sum_{l=1}^{M} \mathrm{VAR}(\boldsymbol{\Omega_l}) + \sum_{l \neq p}^{M} \sum_{p \neq l}^{M} \mathrm{COV}(\boldsymbol{\Omega_l}, \boldsymbol{\Omega_p})$$


0.025 ns skew




0.25 ns skew



250 ns skew



Variance of average crosstalk power



Spectrum of inter-core crosstalk



2dB/
div




75
GHz

Randomly-Coupled Multi-Core Fiber Technology


This article considers an even higher density spatially parallel integration technique that allows for random coupling between the cores of multi-core fibers.


By Tetsuya Hayashi, *Senior Member IEEE*, Taiji Sakamoto, *Member IEEE*, Yusuke Yamada, Roland Ryf, *Fellow IEEE*, René-Jean Essiambre, *Fellow IEEE*, Nicolas Fontaine, *Senior Member IEEE*, Mikael Mazur, *Member IEEE*, Haoshuo Chen, *Senior Member IEEE*, and Takemi Hasegawa, *Member IEEE*

Properties for CC-MCF




Properties for CC-MCF





Temporal spread of signals in SDM fibers




Randomly Coupled 19-Core Multi-Core Fiber with Standard Cladding Diameter

Georg Rademacher[(1)], Menno van den Hout[(1,2)], Ruben S. Luís[(1)], Benjamin J. Puttnam[(1)], Giammarco Di Sciullo[(1,3)], Tetsuya Hayashi[(4)], Ayumi Inoue[(4)], Takuji Nagashima[(4)] Simon Gross[(5)], Andrew Ross-Adams[(6)], Michael J. Withford[(6)], Jun Sakaguchi[(1)], Cristian Antonelli[(3)], Chigo Okonkwo[(2)], Hideaki Furukawa[(1)]

[(1)] NICT, 4-2-1, Nukui-Kitamachi, Koganei, Tokyo, 184-8795, Japan,
[(2)] High Capacity Optical Transmission Lab, Eindhoven University of Technology, Eindhoven, The Netherlands
[(3)] University of L'Aquila and CNIT, 67100, L'Aquila, Italy
[(4)] Sumitomo Electric Industries, Ltd., 1 Taya-cho, Sakae-ku, Yokohama 244-8588, Japan
[(5)] MQ Photonics Research Centre, School of Engineering, Macquarie Univ., Sydney, Australia.
[(6)] MQ Photonics Research Centre, School of Math. and Physical Sciences, Macquarie Univ., Sydney, Australia.
georg.rademacher@nict.go.jp


Input single mode fiber array




Output RC-19-MCF


S. Gross and M.J. Withford, "Ultra fast-laser-inscribed 3D integrated photonics," Nanophotonics 4 (1) (2015)







Geo
rg



(a)





Λ=16.00 µm
Λ=16.25 µm
Λ=16.50 µm
Λ=16.75 µm
Λ=17.00 µm
SMD [ps]
0
10
20
30
40
50
60
0
200
400
600
800
1000
Propagation distance [m]
(e)


SMD growth rate
0
0.5
1
Linear growth
Square root growth
(d)
14
16
18
20
Core pitch Λ [µm]

Fabry-Perrot interferometer



Fabry-Perrot interferometer



Hollow Core Fiber

nature photonics

Article

https://doi.org/10.1038/s41566-025-01747-5

Broadband optical fibre with an attenuation lower than 0.1 decibel per kilometre

Received: 4 April 2025

Accepted: 22 July 2025


Published online: 1 September 2025

Check for updates


Marco Petrovich[1,3], Eric Numkam Fokoua[1,3], Yong Chen[1], Hesham Sakr[1], Abubakar Isa Adamu[1], Rosdi Hassan[1], Dong Wu[1], Ron Fatobene Ando[1], Athanasios Papadimopoulos[1], Seyed Reza Sandoghchi[1], Gregory Jasion[2] & Francesco Poletti[1,2]

Hollow Core Fiber

a



c






University of Stuttgart
Germany


New Topic!

Principle of an optical fiber transmission link

University of Stuttgart
Germany



Phase modulation: Pockels-effect



Phase modulation: Pockels-effect


University of Stuttgart
Germany




Mach-Zehnder Interferometer




Modulators: Mach Zehnder Interferometer (MZI)





IQ-Modulation






IQ-Modulation







Higher order QAM: Measurements

University of Stuttgart
Germany







University of Stuttgart
Institute of electrical and optical communications

Thank you!



Prof. Dr.-Ing. Georg Rademacher

e-mail georg.rademacher@int.uni-stuttgart.de
phone +49 (0) 711 6856 7901
www. int.uni-stuttgart.de/

University of Stuttgart
Institute of electrical and optical communications

