

# Project Title

## DNS Record Enumeration Using the `host` Command

### Objective

To gain practical experience in querying and analyzing DNS records using the `host` command-line utility, enabling insight into how domain name resolution works and understanding different types of DNS data like A, MX, NS, and SOA records.





### Skills Learned

- DNS fundamentals and record types (A, MX, NS, SOA)
- How to query specific DNS servers
- Analysis of domain resolution paths
- Troubleshooting DNS issues via direct queries
- Working with terminal-based DNS utilities

### Tools Used

- **Operating System:** Kali Linux (or any Linux distro)
- **Command-Line Utility:** `host`


### Tasks Performed

Level	Description
 <b>Basic</b>	Queried <code>openai.com</code> using <code>host</code> to obtain its A (IP address) record.
 <b>Intermediate</b>	Queried the domain's MX records to find the mail servers responsible for handling email.
 <b>Advanced</b>	Used <code>host -t ns</code> and <code>host -t soa</code> to examine name servers and SOA records for deeper DNS metadata.
 <b>Advanced</b>	Queried a <b>custom DNS server</b> using <code>host</code> and compared results with default resolver.

### Why This Matters (Real-World Impact)

In cybersecurity and IT support roles, DNS misconfigurations and domain hijacking are critical concerns. Mastery of tools like `host` enables fast domain diagnostics, aids in blue team

investigations, and prepares you to troubleshoot and secure enterprise DNS infrastructures with confidence.



```
(kali@kali)~$ host openai.com
openai.com has address 104.18.33.45
openai.com mail is handled by 5 alt1.aspmx.l.google.com.
openai.com mail is handled by 10 alt3.aspmx.l.google.com.
openai.com mail is handled by 10 alt4.aspmx.l.google.com.
openai.com mail is handled by 1 aspmx.l.google.com.
openai.com mail is handled by 5 alt2.aspmx.l.google.com.

(kali@kali)~$ host -t mx gmail.com
gmail.com mail is handled by 20 alt2.gmail-smtp-in.l.google.com.
gmail.com mail is handled by 5 gmail-smtp-in.l.google.com.
gmail.com mail is handled by 30 alt3.gmail-smtp-in.l.google.com.
gmail.com mail is handled by 40 alt4.gmail-smtp-in.l.google.com.
gmail.com mail is handled by 10 alt1.gmail-smtp-in.l.google.com.

(kali@kali)~$ host -t ns example.com
example.com name server b.iana-servers.net.
example.com name server a.iana-servers.net.

(kali@kali)~$ host -t soa example.com
example.com has SOA record ns.icann.org. noc.dns.icann.org. 2025011670 7200 3600 1209600 3600

(kali@kali)~$ host openai.com 1.1.1.1
Using domain server:
Name: 1.1.1.1
Address: 1.1.1.1#53
Aliases:

openai.com has address 172.64.154.211
openai.com mail is handled by 5 alt1.aspmx.l.google.com.
openai.com mail is handled by 10 alt3.aspmx.l.google.com.
openai.com mail is handled by 10 alt4.aspmx.l.google.com.
```

```
kali@kali: ~  
File Actions Edit View Help  
gmail.com mail is handled by 5 gmail-smtp-in.l.google.com.  
gmail.com mail is handled by 30 alt3.gmail-smtp-in.l.google.com.  
gmail.com mail is handled by 40 alt4.gmail-smtp-in.l.google.com.  
gmail.com mail is handled by 10 alt1.gmail-smtp-in.l.google.com.  
  
(kali@kali)~  
$ host -t ns example.com  
  
example.com name server b.iana-servers.net.  
example.com name server a.iana-servers.net.  
  
(kali@kali)~  
$ host -t soa example.com  
  
example.com has SOA record ns.icann.org. noc.dns.icann.org. 2025011670 7200 3600 1209600 3600  
  
(kali@kali)~  
$ host openai.com 1.1.1.1  
  
Using domain server:  
Name: 1.1.1.1  
Address: 1.1.1.1#53  
Aliases:  
  
openai.com has address 172.64.154.211  
openai.com mail is handled by 5 alt1.aspmx.l.google.com.  
openai.com mail is handled by 10 alt3.aspmx.l.google.com.  
openai.com mail is handled by 10 alt4.aspmx.l.google.com.  
openai.com mail is handled by 1 aspmx.l.google.com.  
openai.com mail is handled by 5 alt2.aspmx.l.google.com.  
  
(kali@kali)~  
$ host openai.com  
  
openai.com has address 104.18.33.45  
openai.com mail is handled by 5 alt1.aspmx.l.google.com.  
openai.com mail is handled by 10 alt3.aspmx.l.google.com.  
openai.com mail is handled by 10 alt4.aspmx.l.google.com.  
openai.com mail is handled by 1 aspmx.l.google.com.  
openai.com mail is handled by 5 alt2.aspmx.l.google.com.  
  
(kali@kali)~  
$
```