

HW 3 - Michael Snider

Generated by Doxygen 1.8.16

1 Standard Deviation Homework	1
1.1 Project Information	1
1.2 Where to find hw_fixed.cc	1
2 File Index	3
2.1 File List	3
3 File Documentation	5
3.1 src/hw_fixed.cc File Reference	5
3.1.1 Function Documentation	5
3.1.1.1 deviation()	5
3.1.2 How this function calculates standard deviation	6
Index	7

Chapter 1

Standard Deviation Homework

1.1 Project Information

Author: Michael Snider

Date: 2/11/19

Class: Software Tools

1.2 Where to find hw_fixed.cc

Look in Files > File List

The file [hw_fixed.cc](#) is in the src directory.

Chapter 2

File Index

2.1 File List

Here is a list of all documented files with brief descriptions:

src/ hw_fixed.cc	5
--	---

Chapter 3

File Documentation

3.1 src/hw_fixed.cc File Reference

```
#include <iostream>
#include <vector>
#include <cmath>
```

Functions

- double [deviation](#) (double *a, int n)

This function calculates the standard deviation of an array.

3.1.1 Function Documentation

3.1.1.1 deviation()

```
double deviation (
    double * a,
    int n )
```

This function calculates the standard deviation of an array.

3.1.2 How this function calculates standard deviation

Standard Deviation Equation

$$SD = \sqrt{\frac{\sum_{i=0}^n |a[i] - \mu|^2}{n}}$$

1. Find the mean (mean = μ) of all elements in array a using n as the base
2. For each member in a, find the square of its difference from the mean (example below).
 - $\mu = 2$
 - $a[1] = 5$
 - Equation: $(a[1] - \mu)^2 = (5 - 2)^2 = 9$
3. Sum all the values from step 2
4. Find them mean of step 3 using n as the base
5. Take the square of step 4

Parameters

in	<i>a</i>	A pointer to an array of type double.
in	<i>n</i>	The total number of elements in array a.

Returns

Returns the standard deviation of the array a as type double.

Index

deviation
 hw_fixed.cc, [5](#)

hw_fixed.cc
 deviation, [5](#)

src/hw_fixed.cc, [5](#)