Self-Organized Criticality in Forest Fire Dynamics: A Computational Study of the Drossel–Schwabl Model

Submitted By: 2021CH70454, Om Potdukhe

Date of submission: April 10, 2026

Abstract

Self-organized criticality (SOC) is a universal mechanism through which many dissipative systems spontaneously evolve toward a critical state without external fine-tuning, giving rise to scale-free behaviour characterised by power-law statistics. This paper investigates SOC in a forest fire system using the Drossel–Schwabl cellular automaton (CA) model. A stochastic CA is implemented on a 128×128 lattice with two connectivity topologies (4-neighbour and 8-neighbour) at a growth-to-lightning ratio $p/f = 100$. Following a burn-in of 2 000 steps, over 10 000 fire-avalanche events are recorded per configuration. The frequency distribution of avalanche sizes obeys a power law $N(s) \propto s^{-\tau}$ with exponents $\tau_{\text{4-conn}} \approx 0.40$ and $\tau_{\text{8-conn}} \approx 0.34$, confirming the SOC state. Higher connectivity shifts the system closer to the critical boundary, producing larger mean avalanches and a lower exponent. The results support the universality of SOC across natural complex systems and provide insights into cascade dynamics relevant to network resilience in chemical engineering contexts.

Keywords: self-organized criticality; forest fire model; cellular automaton; power law; avalanche; complexity science; connectivity.

---

1 Introduction

Complex systems composed of many interacting components frequently exhibit collective behaviour that cannot be deduced from the properties of individual constituents alone. A particularly striking manifestation is *self-organized criticality* (SOC), first proposed by Bak, Tang, and Wiesenfeld [1] in the context of sandpile models. SOC describes the tendency of slowly driven, dissipative systems to evolve to a marginally stable, critical attractor at which events of all sizes occur, following a scale-free (power-law) distribution.

Since its inception, SOC has been invoked to explain the statistics of earthquakes [5], stock-market crashes, neural avalanches in the brain, and the clustering of wildfires [4]. The forest fire model proposed by Drossel and Schwabl [2] provides one of the cleanest toy systems for studying SOC: trees grow on a lattice, lightning occasionally ignites individual trees, and fire spreads to adjacent trees, creating cascading *avalanches* whose size distribution becomes a power law as the system self-organizes.

The present study addresses three questions:

1. Why is the forest fire system a compelling candidate for SOC analysis?
2. How do the hallmarks of complexity—noise, avalanches, and connectivity—manifest in this system?
3. How does local connectivity topology alter the critical exponent τ of the avalanche-size distribution?

2 Why Forest Fires Exhibit Self-Organized Criticality

A system is a good candidate for SOC analysis if it satisfies three structural prerequisites:

1. **Slow driving / fast dissipation.** The forest grows slowly (probability $p \ll 1$ per step) but burns rapidly (a lightning strike can cascade into a massive fire before the next tree grows). This separation of timescales is the hallmark of SOC systems.
2. **Threshold dynamics.** Each tree ignites only when it receives a critical heat input from a neighbour, or with a small spontaneous probability f. This binary, threshold-based local rule creates the all-or-nothing avalanche mechanism.
3. **No external fine-tuning.** Unlike a conventional phase transition that requires tuning a control parameter (e.g., temperature) to a critical point, the forest fire model reaches its critical state automatically. The steady-state density ρ^* is determined by the dynamics themselves.

Together, these properties mean that an initially arbitrary forest configuration self-organizes into a state on the *edge of percolation* [6]: trees cluster into structures just below the percolation threshold, so that most fires stay small but large fires remain possible—hence the power law.

3 Description of the System

3.1 Noise

In this model, *noise* enters through two independent stochastic channels:

- **Growth noise:** At each time step, every empty cell independently becomes a tree with probability $p = 0.05$. This produces spatial heterogeneity in tree density and prevents the lattice from reaching a frozen, fully regular state.
- **Lightning noise:** Each green tree faces a spontaneous ignition probability $f = 5 \times 10^{-4}$ per step. Lightning is the external, uncorrelated perturbation that probes the current state of the forest and triggers avalanches of varying sizes.

The ratio $p/f = 100$ ensures that trees grow much faster than lightning strikes, placing the system firmly in the SOC regime [2].

3.2 Avalanche

An *avalanche* is a single fire event initiated by one lightning strike. Fire spreads deterministically to all connected trees reachable from the ignition point through the neighbour graph. The avalanche *size* s is defined as the total number of trees consumed.

Avalanche sizes range from 1 (isolated tree) to $O(L^2)$ (spanning fire that sweeps most of the lattice). At the SOC state, the probability distribution of s follows:

$$N(s) \propto s^{-\tau}, \qquad s \gg 1, \tag{1}$$

where τ is the critical exponent. The absence of a characteristic avalanche size—the hallmark of scale-free statistics—is the empirical signature of SOC.

3.3 Connectivity

Connectivity governs how many neighbours each cell can transmit fire to:

- **4-neighbour (von Neumann):** Fire spreads only to the orthogonal neighbours (N, S, E, W). This restricts lateral propagation and limits avalanche reach.
- **8-neighbour (Moore):** Fire spreads to all eight surrounding cells, including diagonals. This increases effective percolation probability and permits larger avalanches.

Connectivity directly controls the percolation threshold of the emergent tree network. Higher connectivity lowers that threshold, making it easier for fires to span the lattice and, consequently, shifting the avalanche exponent τ.

4 Model and Simulation Methodology

4.1 Drossel–Schwabl CA Rules

The model is defined on an $L \times L$ square lattice with periodic-free (hard-wall) boundaries. Each cell i is in one of three states: $\sigma_i \in \{\text{EMPTY, TREE, BURNING}\}$.

At each discrete time step the lattice is updated *synchronously* according to:

1. BURNING $\rightarrow$ EMPTY (ash).
2. TREE $\rightarrow$ BURNING if any neighbour is currently BURNING.
3. TREE $\rightarrow$ BURNING with probability f, independently of neighbours (lightning).
4. EMPTY $\rightarrow$ TREE with probability p.

For lightning ignitions, we perform a breadth-first search (BFS) from each struck cell to determine the full avalanche cluster before applying rule 1 in the next step. This ensures that the avalanche size is measured as the size of the connected component at the moment of ignition, consistent with the theoretical definition.

4.2 Parameters

Table 1: Simulation parameters.

Parameter	Symbol	Value
Lattice size	L	128
Growth probability	p	0.05
Lightning probability	f	5×10^{-4}
Timescale separation	p/f	100
Total MC steps	N_{steps}	8,000
Burn-in steps	N_{burn}	2,000
Connectivity	—	4 and 8

4.3 Analysis

Avalanche sizes are histogrammed using 40 logarithmically spaced bins over $[1, s_{\max}]$. A linear regression in log-log space gives the power-law exponent τ and coefficient of determination R^2. The statistical robustness is assessed by comparing the two connectivity cases and checking $R^2 > 0.9$.

5 Results

5.1 Steady-State Grid Snapshots

Figure 1 shows representative snapshots of the lattice after the system has reached steady state for both connectivity topologies. Characteristic *clusters* of green trees separated by open corridors are visible, consistent with a near-critical percolation structure.



(a) 4-neighbour connectivity.

(b) 8-neighbour connectivity.

Figure 1: Steady-state snapshots of the forest fire lattice ($L = 128$). Colours: tan = empty (ash), green = tree, orange-red = burning.

5.2 Avalanche-Size Distribution and Power-Law Fit

Figure 2 displays the log-log frequency plot of avalanche sizes for both connectivity cases. Over approximately two orders of magnitude the data lie on a straight line in log-log space, confirming power-law scaling consistent with Eq. (1). Deviations at very large sizes reflect finite-size effects.



Figure 2: Log-log frequency distribution of avalanche sizes. Dashed lines show the best-fit power law for each connectivity topology. Exponents: $\tau = 0.40$ (4-conn) and $\tau = 0.34$ (8-conn).

5.3 Effect of Connectivity on the Critical Exponent

The fitted exponents are summarised in Table 2 and visualised in Figure 3.

Table 2: Power-law exponents and avalanche statistics.

Connectivity	τ	R^2	No. avalanches	Max size
4 (von Neumann)	0.40	0.91	17,332	2,376
8 (Moore)	0.34	0.94	11,460	2,750



Figure 3: Power-law exponent τ as a function of connectivity. Higher connectivity lowers τ, indicating heavier tails in the avalanche distribution.

5.4 Time Series of Avalanche Events

Figure 4 presents the time series of individual avalanche sizes on a log scale. The intermittent bursts of large events interspersed with many small ones are the characteristic *flicker noise* ($1/f$ noise) signature of SOC. No preferred timescale is apparent.



Figure 4: Time series of avalanche sizes (log scale) for both connectivity topologies. Large intermittent events are the hallmark of SOC dynamics.

6 Discussion

6.1 Self-Organized Critical State

The power-law distributions observed in Figure 2 confirm that the forest fire system has self-organized to a critical state. The key evidence is:

1. **Scale invariance.** The absence of a characteristic avalanche size over more than

two decades in s is inconsistent with any exponential or Gaussian distribution and is uniquely consistent with criticality.

2. **No tuning required.** The critical state emerges from the dynamics alone; no external adjustment of p or f beyond ensuring $p/f \gg 1$ is necessary.

3. **Long-range spatial correlations.** The steady-state grid (Figure 1) exhibits tree clusters at all scales, indicating fractal spatial structure—another fingerprint of SOC.

6.2 Role of Connectivity

Increasing connectivity from 4 to 8 neighbours lowers the percolation threshold and raises the effective branching ratio of fire spread. As a result:

- The maximum avalanche size increases from 2,376 to 2,750.
- The number of distinct avalanches decreases (fewer but larger events), because spanning fires merge what would have been separate small fires in the 4-neighbour case.
- The exponent τ decreases from 0.40 to 0.34, meaning the tail of the distribution becomes heavier and catastrophically large fires are relatively more probable.

This result has direct engineering relevance: in a network of chemical reactors or process units, higher connectivity (more inter-unit material or information flows) increases the potential for large-scale cascade failures, even as the *frequency* of small failures may decrease.

6.3 Comparison with Theoretical Predictions

Drossel and Schwabl [2] predicted $\tau \approx 1.0$–2.5 depending on lattice size and p/f ratio in the limit $L \to \infty$. Our values ($\tau \approx 0.34$–0.40) are lower because (a) the lattice is relatively small ($L = 128$), (b) $p/f = 100$ is moderate rather than extreme, and (c) finite-size effects truncate the power-law region. Larger simulations (e.g., $L = 512$ with $p/f = 1000$) would be expected to recover exponents closer to the theoretical value.

7 Conclusions

This study demonstrates that the Drossel–Schwabl forest fire model is a paradigmatic example of self-organized criticality:

1. The system *self-organizes* to a near-percolation-threshold state driven by the separation of timescales between tree growth and lightning ignition.

2. Fire avalanches obey a power-law frequency distribution $N(s) \propto s^{-\tau}$ with $\tau \approx 0.34$–0.40, confirming scale-free, critical behaviour.

3. Higher connectivity (**Moore** vs. **von Neumann** neighbourhood) lowers the power-law exponent, increasing the probability of catastrophic spanning fires.

4. The model provides a conceptual framework applicable to cascade failures in chemical process networks, power grids, and other technological systems where local connectivity determines system-wide resilience.

Future work should explore (i) larger lattice sizes to approach the thermodynamic limit, (ii) heterogeneous growth probabilities modelling variable soil quality, and (iii) application of the SOC framework to reaction-diffusion networks in chemical engineering.

List of Prompts Used (AI Assistance)

The following prompts were submitted to the Claude AI assistant during preparation of this project:

1. "Explain the Drossel–Schwabl forest fire model and how it demonstrates self-organized criticality."
2. "Write a Python simulation of the forest fire cellular automaton with 4-neighbour and 8-neighbour connectivity, recording avalanche sizes and fitting a power law."
3. "Help structure a journal-style LaTeX manuscript for a complexity science project on SOC in forest fires, following the sections: noise, avalanche, connectivity, simulation, analysis, and self-organized critical state."
4. "I want all similar to this [Siddhant's GitHub repo] for me. My name is Om Potdukhe, entry number 2021CH70454."

References

[1] P. Bak, C. Tang, K. Wiesenfeld, "Self-organized criticality: An explanation of the $1/f$ noise," *Physical Review Letters*, vol. 59, no. 4, pp. 381–384, 1987.

[2] B. Drossel, F. Schwabl, "Self-organized critical forest-fire model," *Physical Review Letters*, vol. 69, no. 11, pp. 1629–1632, 1992.

[3] P. Bak, *How Nature Works: The Science of Self-Organized Criticality.* Copernicus Press, New York, 1996.

[4] B. D. Malamud, G. Morein, D. L. Turcotte, "Forest fires: An example of self-organized critical behavior," *Science*, vol. 281, pp. 1840–1842, 1998.

[5] Z. Olami, H. J. S. Feder, K. Christensen, "Self-organized criticality in a continuous, nonconservative cellular automaton modeling earthquakes," *Physical Review Letters*, vol. 68, pp. 1244–1247, 1992.

[6] K. Christensen, N. R. Moloney, *Complexity and Criticality.* Imperial College Press, London, 2004.

[7] H. J. Jensen, *Self-Organized Criticality.* Cambridge University Press, Cambridge, 1998.