

PIN eBrief Spacing Template


If you have any questions, our
ServiceCenter team is here for you,
Monday to Friday from 8 a.m. to 6 p.m.
☎ +49 (0)30 577978-800



Window of a
DIN long envelope



Printed machine code for
internal page sorting



Your Address 6pt

84 mm

89 mm

54 mm

Recipient's address

85 mm

27 mm

Start of Text 111 mm

Subject line

25 mm

Dear Sir or Madam,


Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua.

At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua.

At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Best regards

First name Last name



PIN eBrief Spacing Template

Specifications for eTracked letter

If you have any questions, our ServiceCenter team is here for you,
Monday to Friday from 8 a.m. to 6 p.m.
☎ +49 (0)30 577978-800



Window of a
DIN long envelope



Printed machine code for
internal page sorting



No text zone
PIN AG coding zone

Subject line

Dear Sir or Madam,

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua.

At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua.

At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Best regards

First name Last name

Print template for cover letter A4

Page margin

210 x 297 mm

Safety distance

Place important information 3 mm away from the final format

Font

Embed completely

Resolution

Minimum 150 dpi is sufficient (recommended, for example, for logos with a size of 50 x 20 mm)
Maximum 300 dpi (special offers available upon request)

Miscellaneous

- Graphics must be created at their actual final size (e.g., logo 50 × 50 mm).
- Do not embed graphics in A4 size or as a full page if they are only intended to be displayed at a small size.
- Graphic elements should be cropped, embedded without unnecessary layers, and without superfluous white space.
- Transparencies, comment fields, and form fields are automatically removed.
- Auxiliary layers, dimensions, and technical markings must be deleted before saving.
- Colors and spot colors created in RGB are automatically converted to CMYK (color variations are possible).
- Avoid using large graphic elements larger than 3 cm at the top, bottom, or sides of the address.

Information about the address

Sans-serif fonts generally offer good machine readability, such as the following standard fonts: Arial, Frutiger, Helvetica, Univers.

A **font size of 10 pt to 12 pt** in the „regular“ (normal) style is considered optimal for many fonts.

Ensure **consistent spacing** (character spacing) from the end of one character (letter or number) to the beginning of the next character.

The **space between blocks of numbers** and words must be one or two spaces. The leading (line spacing) between the lines in the address should be 0.5 to 2.5 mm.



1 Sample recipient
2 Sample street 123
3 12345 City
4 Country

1. Font size: 10 to 12 pt
2. Word spacing: 1 to 2 spaces
3. Character spacing: 0.2 to 0.4 mm
4. Line spacing / leading: 0.5 to 2.5 mm