

OnionGrade AI

VISIBLE BULB HEALTH ANALYSIS

Id: 2ad1107e-b06d-4b9a-8cec-ea55be259771

Created At: 2026-09-29T09:46:22.725274+00:00

Inspector: inspector

Variety: Unspecified

Model Version: bulb-health-v1

Grading Spec: ONION-VISUAL-DEMO-v2

Measure	Result
Detected / marked regions	1
Grade A (resolved subset)	Unavailable
Pending review	1
URS	Unavailable
AI Visual Quality Score (unofficial)	Unavailable
Mean model confidence	0.9993
Diameter avg / min / max (mm)	Unavailable / Unavailable / Unavailable

0 resolved Grade A decisions / 1 detections. 1 unresolved decisions excluded; percentage is partial when review is pending.

URS calculation requires the configured official grading specification.

100 - sum(class count × configured penalty) / visually resolved onion count. Not an official grade.

Score weights: {'DAMAGED': 15.0, 'GOOD': 0.0, 'ROTTEN': 30.0, 'SPROUTED': 20.0, 'UNDERSIZED': 10.0}

Weighted deductions: {'DAMAGED': 0.0, 'GOOD': 0.0, 'ROTTEN': 0.0, 'SPROUTED': 0.0, 'UNDERSIZED': 0.0}

Calibration: Physical size cannot be reliably estimated without a reference scale.

Limitations


AI detects visible characteristics only. Internal rot, pesticide residue, moisture, firmness, smell, microbial infection and hidden defects cannot be reliably determined from these images.

Physical size needs a reference in the same plane; overlapping or partially hidden onions cannot be measured reliably.


The health model was trained on broad image-level labels. It cannot identify rot/damage/sprouting subtypes or certify Grade A. User outlines are not learned segmentation.

Image evidence

Original image



Annotated image - user regions / trained health predictions



Per-onion findings

Class	Count
DAMAGED	0
GOOD	1
REVIEW_REQUIRED	0
ROTTEN	0
SPROUTED	0
UNDERSIZED	0

Onion #1 - HEALTHY_BULB

Class: GOOD | Confidence: 99.9% | Diameter: Unavailable | Grade A: UNRESOLVED

Region source: user_confirmed_single_image

Defects: No specific defect finding

This model predicts broad bulb health only. Specific defect checks needed for Grade A were not trained; manual review is required.

Verification



SHA-256 of canonical analysis record (not a digital signature):

0b88928b0071028997bf6eb5e1c30d25220439976bdf7638be7c1d94889f2ac

The separate PDF byte hash is supplied by the report endpoint and public verification API. Scan the QR to compare. Grading rules are illustrative, not legally authoritative.