BAAAM design system (as implemented)

The design system the Angular frontend actually uses, documented from its CSS for Document 3 (BAAAM-44 / BAAAM-97). Nothing here is a proposal except the last section.

Sources (as of Nov 5, 2026)

- Global stylesheet: `src/frontend/src/styles.css`
- Font loading: `src/frontend/src/index.html`
- 24 component stylesheets under `src/frontend/src/app/**/*.css`. The signup-provider page has no stylesheet of its own; it reuses `signup.component.css`.

All counts come from scanning those files. A "count" is the number of declarations (or color values) with that exact value.

Global design tokens: defined, not yet adopted

`styles.css` defines these tokens on `:root`:

Token	Value
`--color-brand`	`#1f6feb`
`--color-ink`	`#1f2933`
`--color-ink-muted`	`#52606d`
`--color-surface`	`#ffffff`
`--color-surface-muted`	`#f4f7fb`
`--color-border`	`#d9e2ec`
`--radius`	`8px`
`--display`	`block`

Status: **defined, not yet adopted.** Only the `body` rule in `styles.css` uses them (`--color-ink` and `--color-surface-muted`). No component stylesheet references any `--color-*` token or `--radius` . Components hard-code their colors instead (380 color values across the 24 component stylesheets), so changing a brand color today means editing many files rather than one token.

Page-scoped tokens

Six stylesheets define their own variables instead of using the global ones. Five of them repeat the same three warm values (`#f7f5f1` , `#344945` , `#e0dcd1`) under different names.

Stylesheet	Tokens
`login`	`--login-background #f7f5f1`, `--login-foreground #344945`, `--login-border #e0dcd1`, `--login-font "Inter"`, `--login-input-radius 14px`, `--login-panel-radius 24px`, `--login-button-radius 999px`
`signup`, `signup-selection` (identical)	`--signup-background #f7f5f1`, `--signup-foreground #344945`, `--signup-border #e0dcd1`, `--signup-font "Inter"`
`appointments`	`--appointments-paper #f7f5f1`, `--appointments-ink #344945`, `--appointments-soft #e0dcd1`
`review-request`	`--paper #f7f5f1`, `--ink #344945`, `--blue #d5e3e8`, `--fitness #e4e3bc`, `--soft #e0dcd1`

`notification-popup`	`--toast-accent`: `#4c8a5c` (default and success), `#1f6feb` (info), `#b7791f` (reminder)

Color palette in use

The app's real palette is a warm "paper and ink" set, not the blue-gray global tokens. Most-used values across all CSS:

Hex	Count	Where it's used
`#344945`	69	Ink: text color in 14 stylesheets, fill for primary buttons (19 backgrounds), and the value behind `--*-foreground` / `--ink`
`#f7f5f1`	49	Paper: page and panel backgrounds, text on dark buttons, the nav pill
`#e0dcd1`	43	Soft: borders and secondary button fill
`#344b48`	24	Shell text (brand, nav links) and toast text
`#d5e3e8`	15	Pale blue accent (`--blue` in review-request)
`#526460`	13	Muted text (loading label, toast message, notifications status)
`#344f4b`	11	Dark control color (loading spinner, settings Save, notification toggle)
`#e4e3bc`	10	Fitness category tint (`--fitness`)
`#faf9f6`	6	Header background
`#dce9ed`	4	Active nav link
`#1f6feb`	7	Global brand token, info toast accent, focus outlines on notifications

Status colors:

Purpose	Values
Error text	`#9a3412` (signup and login), `#7a2222` (alerts), `#9c2b2b` (settings and notifications field errors)
Error background and border	`#fdecec` with border `#c04949` (alerts), `#fbeaea` (create-slots and edit-appointment-admin error box)
Success	Background `#e7f3ea`, border `#4c8a5c`, text `#234d2e` (alerts); `#4c8a5c` success toast
Reminder	`#b7791f` reminder toast accent

Typography

Font families

Font stack	Used by
`"Segoe UI", system-ui, -apple-system, "Helvetica Neue", Arial, sans-serif`	Global default (`body` in `styles.css`), so every page that doesn't set its own
`Inter` (loaded from Google Fonts at weights **400 and 500 only**)	login, signup, signup-selection, signup-provider, review-request, confirmation
`system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif`	accounts, activity, appointments-admin (set on `:host`)

`"Inter:Medium", Inter, Arial, sans-serif`	One dark pill button each in activity and appointments-admin. `"Inter:Medium"` is not a real font name (it looks copied from a design tool), so browsers skip it and use `Inter`.

Font sizes (declaration counts)

Size	Count	Examples
14px	60	`.primary` buttons, settings inputs, toast titles
13px	55	Nav links, account chip, loading label, toast messages
12px	26	Settings hints and field errors
15px	14	
32px	15	Page titles: mostly `h1`, plus the login, signup, and signup-selection titles
20px	8	Brand name in the header
26px, 28px, 30px	5, 4, 3	
38px to 48px	8 in total	
10px, 11px	4, 5	

There is no type scale: 21 different sizes appear, from 10px to 48px. Body copy sits at 13px to 15px.

Font weights: 500 (62 declarations), 400 (18), 600 (5), 700 (1). Inter is only loaded at 400 and 500, so a 600 or 700 rule on an Inter page is faked by the browser.

Spacing and corner radius

Spacing mostly follows a 4px grid. There are no spacing tokens.

Property	Most common values (count)
`gap`	12px (27), 16px (24), 24px (19), 8px (18), 4px (16), 10px (12), 20px (9)
`padding`	20px (10), 24px (9), 14px 20px (8), 24px 18px (7), 12px 16px (6); buttons use 14px 24px or 12px 24px

Off-grid values also appear (10px, 14px, 18px, 5px).

`border-radius`	Count	Used for
999px	54	Pill shape: buttons, nav, toggles
24px	28	Large panels and auth cards
16px	12	Cards
12px	10	Toasts, notification panels, error boxes
28px, 18px, 20px	9, 7, 4	Other card and panel variants
50%	5	Circles: spinner, today marker, toggle knob, unread dot, icon buttons
8px (the `--radius` token value)	1	Only one hard-coded use; the token itself is never used

Shared UI pieces

There is no shared button, form, or card component. Each page styles its own copies, which mostly agree on colors but differ in class names and sizes.

App shell (`app.component.css`)

- Header with the brand name (`.app-brand` , 20px), a centered pill nav (`.app-nav__list` , `#f7f5f1` with `#dedbd2` border), pill links (`.app-nav__link` , 13px; hover `#f0efea` ; active `#dce9ed`), an account chip, and Sign out.
- A provider variant (`.app-header--provider`).
- Hidden on login and the signup pages, which use a full-page layout.

Buttons

Style	Class names	Pages
Primary: ink fill `#344945`, paper text `#f7f5f1`, pill	`.primary`	home, home-admin, requests, review-request, home-provider, create-slots, edit-appointment-admin, appointments (uses `--appointments-ink`)
Primary (different name)	`.primary-button` (min-height 44px)	book-appointment
Primary (different name)	`.primary-action`	edit-account
Primary (different name)	`.confirmation-prompt__button--confirm`	confirmation
Secondary: `#e0dcd1` fill or `#e0dcd1` border	`.secondary`, `.secondary-button`, `.secondary-action`, `.confirmation-prompt__button--back`	create-slots, edit-appointment-admin, book-appointment, edit-account, confirmation
Outline / destructive	`.danger` (transparent with ink border), `.confirmation-prompt__button--reject`	appointments, confirmation
Review actions	`.action-button` with `.approve` (filled)	review-request
Text link button	`.text-button`	book-appointment
Dark save button	`.settings-save` (`#344f4b` fill, white text)	settings
Dark pill in the page header	Unnamed rule with `#344945` fill and the `"Inter:Medium"` font	activity, appointments-admin

The Edit links on accounts and appointments-admin have `class="primary"` in the HTML, but those stylesheets have no `.primary` rule. They are styled by `.account-card a` and `.appointment-card a` instead.

Form fields

Pattern	Pages
`.login-field__input`, `.login-password__input` (14px radius via `--login-input-radius`)	login
`.signup-field__input` with `__label`, `__hint`, `__error`; invalid fields get a `#9a3412` border	signup, signup-provider
`.field` with `.field-error` (settings also has `.field-hint`; its inputs use 12px 14px padding, a `#d5d1c6` border, and a white fill)	settings, edit-account
`.form-grid` (edit-account and edit-appointment-admin collapse it to one column at 650px)	create-slots, edit-account, edit-appointment-admin

`.search-field`, `.type-field`, `.time-field`, `.date-field` (filter bars)	accounts, activity, appointments-admin

Cards and panels

Pattern	Pages
`.signup-card`, `.login-panel` (large rounded auth panels)	signup, signup-selection, login
`.stat-card` (dashboard numbers)	home, home-admin
`.appointment-card`	home, home-provider, appointments-admin, activity
`.request-card`, `.review-card`, `.comments-card`	requests, home-admin, review-request
`.account-card`	accounts
`.upcoming-card`	appointments
`.provider-panel`, `.slots-panel`, `.review-panel`, `.slot-card`, `.confirmation-card`	book-appointment
`.notifications-panel` (white, `#e3ded2` border, 12px radius)	notifications

Toasts (`shared/notification-popup`)

- A fixed stack in the top-right corner (`.toast-stack` , up to 360px wide).
- Each toast is a white card with a 4px colored left border from `--toast-accent` : success `#4c8a5c` , info `#1f6feb` , reminder `#b7791f` .
- It has a close button, a timer bar, and slide-in / slide-out animations (`.toast--leaving` , 350ms).
- Adjusts at 480px and turns off motion when the user prefers reduced motion.

Loading indicator (`core/components/loading`)

- An inline 15px ring spinner (`#c7d3d1` track, `#344f4b` moving segment) with a 13px muted label (`#526460`).
- Stops spinning when the user prefers reduced motion.

Inline alerts

- Error and success banners with a 3px left border: `.settings-alert--error/--success` and `.notifications-alert--error/--success` .
- Colors are listed under Status colors above.

Confirmation dialog (`pages/confirmation`)

- A dialog with confirm, reject, and back buttons, used inside review-request.
- It uses Inter and has no width media queries.

Responsive breakpoints

All breakpoints are `max-width` except one range on login. Thirteen distinct widths are in use: 380, 480, 560, 600, 620, 650, 700, 760, 800, 860, 900 (with 901 as the start of a range), 980, and 1150px. **650px and 760px are the most common, with 6 queries each.**

Stylesheet	Breakpoints
`app.component.css` (shell)	1150px, 650px
`login`	901px to 1150px, 900px, 380px
`book-appointment`	980px, 860px, 700px, 560px

`notifications`	800px
`settings`	800px
`home`	760px
`home-admin`	760px
`appointments`	760px
`requests`	760px
`review-request`	760px
`statistics`	760px
`home-provider`	700px
`activity`	700px
`create-slots`	650px
`edit-account`	650px
`edit-appointment-admin`	650px
`accounts`	650px
`appointments-admin`	650px
`signup` (and signup-provider)	620px
`signup-selection`	620px
`calendar`	600px
`notification-popup`	480px

Not responsive: the confirmation page (`confirmation.component.css`) has no width media queries. The loading component has none either, but it is a small inline element.

Earlier versions of the app also had no media queries on accounts and appointments-admin. Both got a 650px breakpoint with BAAAM-148.

Reduced motion: `styles.css` (page transitions), `app.component.css` , `login` , `signup` , `signup-selection` , `settings` , `notification-popup` , and `loading` turn off animations when the user's OS asks for reduced motion.

Gaps and recommendations

1. **Adopt one set of tokens.** Either point the `:root` tokens at the warm palette the app really uses (`#344945` , `#f7f5f1` , `#e0dcd1`) or drop them, then replace the hard-coded colors with `var()` references.
2. **Merge the duplicate page-scoped tokens.** `--login-*` , `--signup-*` , `--appointments-*` , and review-request's `--paper` / `--ink` / `--soft` define the same three colors five times over.
3. **Standardize breakpoints** on two or three widths (for example 650px and 1150px, plus 760px if needed) instead of thirteen.
4. **Share button, form, and card styles.** One `.primary` / `.secondary` style (or shared Angular components) would replace `.primary-button` , `.primary-action` , and the confirmation button classes.
5. **Make the confirmation dialog responsive.**
6. **Fix the font setup.** Load Inter at 600 if it's needed, settle on one font stack (three are in use), and replace `"Inter:Medium"` with `Inter` plus `font-weight: 500` .