

1. Look around for the latest phishing trends. Use GoPish, an open-source phishing toolkit, to create and test the campaign with your own email (or set up a dummy email account): "<https://getgophish.com>". Report the steps, cues, and methods you used to create your campaign. Include screenshots from the GoPish dashboard documenting the successful execution of the test phishing campaign.

Creating a Campaign:

1. Before creating a Campaign, make a dummy password Outlook
2. I then created a new sending profile (Filled out "Name", "Username", and "Password", I also filled SMTPForm and Host). I avoid filling out the Email headers.
3. The SMTPForm & Username must have the same dummy email
4. As for the Host, I wrote "smtp-mail.outlook.com:587". "smtp-mail.outlook.com" must be present so that it can detect the dummy email properly. "587" I've added it as a random routing number, without it, it's going to run slow.

Both emails have to be the same based on the dummy email

5. Before sending I had to create an authentication for my dummy email along with creating a new app password or else it won't work

Account security

To increase the security of your account, remove your password or require two steps to sign in.

**Passwordless account**
OFF
[Turn on](#)

**Two-step verification**
ON
[Turn off](#)

[Learn more about removing your password](#)
[Learn more about two-step verification](#)

App passwords

Some apps and devices (such as Xbox 360, Windows Phone, or mail apps on your other devices) don't support security codes for two-step verification. In these cases, you need to create an app password to sign in. [Learn more about app passwords.](#)

[Create a new app password](#)
[Remove existing app passwords](#)

Sign out everywhere

If you think someone might have unauthorized access to your account, we can protect you by signing you out from your trusted devices. You will be signed out of browsers, apps and anywhere else your account is used to sign in, where possible, within 24 hours. We can't sign you out of Xbox.

[Sign out everywhere](#)

Windows Hello lets you sign in to your device apps, online services and networks using your face, fingerprint or a PIN. You can also reset Windows Hello so that nobody can use it to access your Microsoft account services, including Xbox cloud services. You will still be able to unlock your devices.

[Reset Windows Hello on all of my Windows devices](#)

gophish

Dashboard
Campaigns
Users & Groups
Email Templates
Landing Pages
Sending Profiles
Account Settings
User Management
Webhooks
User Guide
API Documentation

Edit Sending Profile

Name: testProfile

Interface Type: SMTP

SMTP From: runroot95@outlook.com

Host: smtp-mail.outlook.com:587

Username: runroot95@outlook.com

Password:

☒ Ignore Certificate Errors

Email Headers: X-Custom-Header, [{{URL}}]-gophish

[+ Add Custom Header](#)

Showing 1 to 1 of 1 entries

Search:

Previous 1 Next

9 pm

admin

- Then I select "Send test email" to send it to my dummy Outlook account that I created (I was testing it to make sure it's working).

1 to 1 of

Email Headers:

Show entries

Search:

Header	Value
No data available in table	

Showing 0 to 0 of 0 entries

7. I've also created an email template

Name:

Envelope Sender: ?

Subject:

Text **HTML**

lucky creek
 FINAL WARNING
 CONFIRMATION REQUIRED

 USER:
 ACCOUNT: 10183847
 DATE: TODAY

 , Consider yourself warned, This is not a joke. Today's inactivity could be the
 biggest mistake you'll ever make as it affects your \$5,000.00 Bonus.

☐ Add Tracking Image

Show entries

Search:

8. Then I created a Landing page


×

Name:

Test is fun

 Import Site

HTML

☐ Capture Submitted Data ?

Save Page

9. Then I create a “Users & Groups” where I can send to any specific email user. I only have a dummy user so I’ll add him to my group.

Edit Group

Name:

[+ Bulk Import Users](#)

[Download CSV Template](#)

[+ Add](#)

Show entries

Search:

First Name	Last Name	Email	Position
		runroot95@outl...	

Showing 1 to 1 of 1 entries

[Previous](#) [1](#) [Next](#)

[Close](#)

[Save changes](#)

10. Then I create a New Campaign

No groups specified

Name:

Email Template:

You win BIG MONEY!!!!!!

Landing Page:

Test is fun

URL: ?

Launch Date

Send Emails By (Optional) ?

July 15th 2024, 12:08 am

Sending Profile:

testProfile

Send Test Email

Groups:

x rootTest1

[Close](#)

[Launch Campaign](#)

No groups specified

Name:

Email Template:

You win BIG MONEY!!!!!!

Landing Page:

Test is fun

URL: ?

Launch Date

Send Emails By (Optional) ?

July 15th 2024, 12:08 am

Sending Profile:

testProfile

Send Test Email

Groups:

x rootTest1

[Close](#)

[Launch Campaign](#)



Campaign Scheduled!

This campaign has been scheduled for launch!

[OK](#)

11. Once created, It will create a data chart along with the list of users that have been sent with this email.

Results for The New Kids On The Block

[Back](#) [Export CSV](#) [Complete](#) [Delete](#) [Refresh](#)

Campaign Timeline

.

00:12:02.522



Details

Show 10 entries

Search:



Details


Show 10 entries

Search:

First Name	Last Name	Email	Position	Status	Reported
		runroot95@outlook.com	IT	Email Sent	
Timeline for Email: runroot95@outlook.com Result ID: SETU3Om Campaign Created July 15th 2024 12:11:58 am Email Sent July 15th 2024 12:12:02 am					

Showing 1 to 1 of 1 entries

[Previous](#) [1](#) [Next](#)



2. Write a hypothetical post-phishing exploitation scenario.

ATTACKER:

-The attacker has to find the victim's email first before sending him or her an unwanted email.

-Once the attacker gets the email, the attacker will create a fake Email to target a specific victim within the group

VICTIM:

-Once he or she receives the email, the victim will open the link, which will cause the attacker to steal personal data within the victim's computer.

ATTACKER:

-The Attacker convinces the victim to share the data and uses it to commit a malicious act.

-Once the attacker receives the victim's data, the attacker will use the victim's credentials to access a website.