

Copiar

```
1 class Node:
2     data: str
3
4     def __init__(self, data, next=None):
5         self.data = data
6         self.next = next
7
8 class Queue(LinkedList):
9     def enqueue(self, new_node):
10         current_node = self.head
11         next_node = current_node.next
12         while (next_node is not None):
13             current_node = next_node
14             next_node = current_node.next
15
16         current_node.next = new_node
17
18     def dequeue(self):
19         self.head = self.head.next
20
21
22 tercer_nodo = Node("Soy el tercer nodo")
23 segundo_nodo = Node("Soy el segundo nodo", tercer_nodo)
24 primer_nodo = Node("Soy el primer nodo", segundo_nodo)
25
26 queue = Queue(primer_nodo)
27
28 print("Agregando un elemento")
29
30 queue.enqueue(Node("Soy el nuevo nodo!"))
31 queue.print_structure()
32
33 print("Quitando un elemento")
34
35 queue.dequeue()
36 queue.print_structure()
```



Copiar

```
1 class Node:
2     data: str
3     next: "Node"
4
5     def __init__(self, data, next=None):
6         self.data = data
7         self.next = next
8
9
10 class Queue:
11     head: Node
12
13     def __init__(self, head):
14         self.head = head
15
16     def print_structure(self):
17         current_node = self.head
18
19         while current_node is not None:
20             print(current_node.data)
21             current_node = current_node.next
22
23     def enqueue(self, new_node):
24         current_node = self.head
25
26         while current_node.next is not None:
27             current_node = current_node.next
28
29         current_node.next = new_node
30
31     def dequeue(self):
32         if self.head:
33             self.head = self.head.next
34
35
36 first_node = Node("Hola")
37 my_queue = Queue(first_node)
38 # my_queue.print_structure()
39
40 second_node = Node("Mundo")
```

```
41 my_queue.enqueue(second_node)
42
43 third_node = Node("third")
44 my_queue.enqueue(third_node)
45
46 forth = Node("forth")
47 my_queue.enqueue(forth)
48
49 my_queue.print_structure()
50
51 print("DEQUEUE")
52
53 my_queue.dequeue()
54 my_queue.print_structure()
55
56 print("DEQUEUE")
57
58 my_queue.dequeue()
59 my_queue.print_structure()
60
61 print("DEQUEUE")
62
63 my_queue.dequeue()
64 my_queue.print_structure()
65
66 print("DEQUEUE")
67
68 my_queue.dequeue()
69 my_queue.print_structure()
70
71
72 print("DEQUEUE")
73
74 my_queue.dequeue()
75 my_queue.print_structure()
```