

CID font test: HeiseiMin-W3

Adobe-Japan1 (Mincho/serif) encoding≈UniJIS-UCS2-H (non-embedded by name)

Latin ASCII: The quick brown fox jumps over 0123456789

Punctuation: () [] { } ! ? , . : ; " ' & % # @ + - = / \

Markers ISRT ABCDEF abcdef <-- watch these for garbling

漢字とひらがな カタカナ 日本語テキスト

Mixed: start 漢字とひらが end ABC 123

CID font test: HeiseiKakuGo-W5

Adobe-Japan1 (Gothic/sans) encoding≈UniJIS-UCS2-H (non-embedded by name)

Latin ASCII: The quick brown fox jumps over 0123456789

Punctuation: () [] { } ! ? , . : ; " ' & % # @ + - = / \

Markers ISRT ABCDEF abcdef <-- watch these for garbling

ゴシック体 漢字 ひらがな カタカナ

Mixed: start ゴシック体 end ABC 123

CID font test: STSong-Light

Adobe-GB1 (Song/serif) encoding≈UniGB-UCS2-H (non-embedded by name)

Latin ASCII: The quick brown fox jumps over 0123456789

Punctuation: () [] { } ! ? , . : ; " ' & % # @ + - = / \

Markers ISRT ABCDEF abcdef <-- watch these for garbling

简体中文 测试文本 宋体

Mixed: start 简体中文 测 end ABC 123

CID font test: MSung-Light

Adobe-CNS1 (Sung/serif) encoding≈UniCNS-UCS2-H (non-embedded by name)

Latin ASCII: The quick brown fox jumps over 0123456789

Punctuation: () [] { } ! ? , . : ; " ' & % # @ + - = / \

Markers ISRT ABCDEF abcdef <-- watch these for garbling

繁體中文 測試文字 宋體

Mixed: start 繁體中文 測 end ABC 123

CID font test: HYSMyeongJo-Medium

Adobe-Korea1 (Myeongjo/serif) encoding≈UniKS-UCS2-H (non-embedded by name)

Latin ASCII: The quick brown fox jumps over 0123456789

Punctuation: () [] { } ! ? , . : ; " ' & % # @ + - = / \

Markers ISRT ABCDEF abcdef < - - watch these for garbling

한국어 명조체 테스트

Mixed: start 한국어 명조 end ABC 123

CID font test: HYGothic-Medium

Adobe-Korea1 (Gothic/sans) encoding≈UniKS-UCS2-H (non-embedded by name)

Latin ASCII: The quick brown fox jumps over 0123456789

Punctuation: () [] { } ! ? , . : ; " ' & % # @ + - = / \

Markers ISRT ABCDEF abcdef <-- watch these for garbling

한국어 고딕체 테스트

Mixed: start 한국어 고딕 end ABC 123