ASP.NET WEBAPI S2 DAY1

Q. Which one of the following is a WebApi controller class?Complete the following code by dragging and dropping class MyApiController:
{ //Action methods
Attempted
1. ApiController
Solution
1. ApiController
2. WebApiController
3. Controller

Q.Sam wants to create a web api method that should be called on HttpGet request and Returns a Li st of products

What is the valid method signature to achieve the task?

- 1). public List<Product> SelectAllProducts() { //code to return values }
- 2). public List<Product> RetrieveAllProducts(HttpGet) { //code to return values }
- 3). [HttpGet] public List<string> RetrieveProducts() { //code to return values }
- **4)**. [Get] public List<string> RetrieveValues() { //code to return values }
- Q. Identity the correct statements about WebApi
- A. WebApi uses http protocol for communication
- b. Messages are exchanged in SOAP format in WebApi
- 1). Both statement A & B are true
- 2). Statement A is true and Statement B is false
- 3). Statement A is false and Statement B is true
- 4). Both Statement A & B are false
- **Q.**Which one of the following request header should be added to request webapi to return data in xm I format?
- 1). ReturnData: "application/xml"
- 2). Accept: "application/xml"
- 3). Return-DataFormat: "application/xml"
- 4). None of the above

- Q. Which of the following technologies supports only SOAP as message exchange format
- 1). Web API
- 2). Web Service
- 3). WCF Service
- 4). None of the above
- **Q.** Which of the following statements are correct about Web API Statement A: Web API supports multiple protocols for communication like http, tcp, named pipes Statement B: Web ApI services can be hosted in IIS
- 1). Statement A is true Statement B is false
- 2). Statement A is false Statement B is true
- 3). Both are true
- 4). both are false
- Q. Which one of the following helper methods returns HttpStatus=200?
- 1). NotFound()
- 2). Unauthorized()
- 3). Ok()
- 4). All the above
- Q. Which one of the following is correct URI to invoke the following webapi method

```
[RoutePrefix("api/Products")]
  public class ProductController : ApiController
{
    [HttpGet]
    [Route("{id}/Find")]
    public IHttpActionResult GetProductById(int id)
    {
       return Ok();
    }
}
```

- 1). /101/Find
- 2). Product/101/Find
- 3). /api/Products/101/Find
- 4). All the above
- **Q.**Identify the signature of Web API method that passes the password to the AuthenticateUser method in request body
- 1). [HttpPost] public IActionResult AuthenticateUser(string userName, [FromBody]string password) { //Code for authentication }
- **2)**. [HttpPost] public IActionResult AuthenticateUser([FromBody]string userName, [FromBody]string password) { //Code for authentication }

- **3)**. [HttpPost] public IActionResult AuthenticateUser(string userName, [FromRequestBody]string password) { //Code for authentication }
- 4). None of the above
- **Q.** A Web API service can be consumed by using which one of the following methods?
- 1). Using HttpClient class
- 2). Using Jquery AJAX
- 3). Using XMLHttpRequest
- 4). All the above