


< Rev History >

1) '23. 8. 14 - 초안 작성


Title			P0. REV HISTORY
Size	Document Number		Rev
A3	<Doc >		<0.1 >
Date	Wednesday, August 23, 2023	Sheet	1 of 5

LOGIC POWER STANDBY

YW396-02V/1R*2-2 pin, 3.96mm, ST, #16~247, 96A, DIP, Mate YH396-02V




XD12 VCC





VLED POWER

"Control for VLED 9V"

"L" = VLED_9V -> 9V



VREF




커넥터사양_210427.PPT
참조


55KS8000T/AJUN
55KS8000T/AJUN

P1. POWER LOGIC		
Doc Number	55KS8000T/AJUN	Rev
Customer Doc		0.1
Date	Tuesday, August 29, 2023	Sheet 2 of 5


MCU




ADC




FREQUENCY DIVIDER




XD12-SOCKET




XD12-SOCKET_DAISY




XC24-SMT




Switch



Buzzer




CONNECTOR




File P3. XD12, XC24

Size	Document Number	Rev
A3	<Doc>	<Rev Code>
Date:	Wednesday, August 23, 2023	Sheet 4 of 5


Current Sensing ~60mA sensing



Output Select



4-16 Decoder



INVERTER

