



LOGIC POWER STANDBY

YW396-02V/1R*2-2pin,3.96mm,ST,#16-24,7.96A,DIP,Mate YH396-02V




VREF


VREF 전원
REF02HSZ 0.5%
REF02CSZ 1%



XD12 VCC




XC24 VCC




Global Technologies 주식회사 글로벌 테크놀로지			Design	Check
Size	Project name XD12, XC24 TRIM JIG	Rev	P.C.G	
Custom	Page name P1. POWER	2.0		
	Sheet 1 of 5			
	Date: Friday, May 23, 2025			


XC24 - QFN6060 48PIN SOCKET




FREQUENCY DIVIDER
XC 주파수 TRIM - PIN35 (DACO)




FREQUENCY DIVIDER
XD 주파수 TRIM - PIN13 (DDIO)




FREQUENCY TRIM SELECT



XD12 - QFN3030 24PIN SOCKET




XD12-ZIF SOCKET




 Global Technologies 글로벌 테크놀로지스			Design	Check
Size	Project name	Rev	P.C.G	-
	XD12, XC24 TRIM JIG			
	Page name	2.0		
	P3. XD12, XC24			
Custom	Sheet 3 of 5		P.C.G	-
	Date: Friday, May 23, 2025			

"L" = VLED_9V -> 9V




60mA - 10ohm




 Global Technologies 주식회사 글로벌테크놀로지			Design	Check
Size	Project name XD12, XC24 TRIM JIG	Rev	P.C.G	-
A4	Page name P4. VLED	2.0		
	Sheet 4 of 5			
	Date: Friday, May 23, 2025			

Current Sensing



Output Select



 Global Technologies 주식회사 글로벌테크놀로지			Design	Check
Size	Project name XD12, XC24 TRIM JIG	Rev	P.C.G	-
Custom	Page name P5. CURRENT MEASURE	2.0		
	Sheet 5 of 5			
	Date: Friday, May 23, 2025			