



LOGIC POWER STANDBY

YW396-02V/1R*2 pin, 3.96mm, ST, #16-24, 7.96A, DIP, Male YH396-02V




VREF

VREF 전원
REF02HSZ 0.5%
REF02CSZ 1%



XD12 VCC




$$V_{out} = 2.495(1 + (R2/R1)), R1 = RA || RB$$

$$5.7V = 2.495(1 + (21/1.55)), 1.55 = 2 * 6.8 / (2 + 6.8)$$


VLED POWER

"Control for VLED 9V"

"L" = VLED_9V -> 9V





XC24 VCC




Global Technologies			Design	Check
Size	Project name	Rev	C.G	
Custom	Page name	2.0		
	Sheet	1 of 5		
	Date:	Thursday, November 14, 2024		

MCU NUCLEO-F446RE




INVERTER




ADC


< ADC FOR XD12 >




BUFFER - 5V



4-16 Decoder




FREQUENCY DIVIDER




Global Technologies 주식회사 글로벌테크놀로지			Design	Check
Size A3	Project name	XD12 PWM JIG	2.0	C.G
	Page name	P2. MCU, ADC		
	Sheet	2 of 5		
	Date:	Thursday, November 14, 2024		


Leakage




VLED_SHORT



Potentiometer




VLED_FB




 Global Technologies 주식회사 글로벌테크놀로지			Design	Check
Size	Project name XD12 PWM JIG	Rev	C.G	A
A3	Page name P4_VLED	2.0		
	Sheet 4 of 5			
	Date: Thursday, November 14, 2024			

Current Sensing



Output Select



Global Technologies			Design	Check
Size	Project name XD12 PWM JIG	Rev	C.G	
Custom	Page name P5 CURRENT MEASURE	2.0		
	Sheet 5 of 5			
	Date: Thursday, November 14, 2024			