
A
TGA
coding sequence starts at codon 109, 79 codons after the TGA (codon 30)
RefSeq
XP_081635792.1
OKI2018
gold standard
GC-AG
SECIS 18 bits
TGA
11 more exons
TGA exon skipped; fused with the upstream gene
ANISEED
S25.g14713.01.t
OSKA2016
gold standard
SECIS 32 bits
TGA
CBY08599.1: other frame
CBY08598.1: starts at an internal ATG
GenBank
CBY08599.1, CBY08598.1
OdB3
gold standard
SECIS 20 bits
exons: coding (thick), UTR (thin)
coding sequence in another frame
SECIS element (current model)
0
500
1000
1500
2000
nucleotides from the 5′ end of the gold-standard transcript (gene orientation)
B
U60
AIRS (PF00586)
AIRS_C (PF02769)
human SEPHS2
UniProt Q99611
448 aa
Ciona intestinalis SEPHS
XP_002129526.1
483 aa
OKI2018 gold standard
393 aa
OKI2018 RefSeq
XP_081635792.1
285 aa
OSKA2016 gold standard
391 aa
OdB3 gold standard
392 aa
OdB3 GenBank
CBY08598.1
270 aa
0
100
200
300
400
position in human SEPHS2 (through global alignments)