

Overview



1 Why Git?

2 What is Version Control

3 Terminal Talk

4 Git basics

- Local code
- Nonlocal repos / github

5 Working alone

Skill Pill

2020-11-18

└ Overview

- Why Git? I'll tell you what my motivations are, but what are your motivations for being here?

• Why Git?

• What is Version Control

• Terminal Talk

• Git basics

- Local code
- Nonlocal repos / github

• Working alone

Why Git?

- Version control
- Easily compare and merge changes between any version
- Organize your work items



Before

After



2020-11-18

Skill Pill

└ Why Git?

└ Why Git?

Why Git?

- Version control
- Easily compare and merge changes between any version
- Organize your work items



Before

After

Imagine I asked you to remove the red sharpie marker from the left hand side?

- Difficulty finding it
- Could dive right in, but might get poked by lot of sharp things on the way in
- Or you could dump everything out and start all over



Why Git?



Skill Pill

└ Why Git?

└ Why Git?

2020-11-18

Imagine I asked you to remove this chair. What difficulties would you face?

- How to access it safely
- Can't remove it without fearing everything will fall

- What changed when
- Not limited to file name length to inform user of changes



Traditional vs. Git Versioning

- What changed when
- Not limited to file name length to inform user of changes

```
christopher@christopher-ThinkPad-W541:~/git/mythesis$ ls -ltr
total 4
-rw-rw-r-- 1 christopher 51 Nov 17 18:22 thesis
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_v1
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_v2
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_v3
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_v4
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_final
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_final1
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_final2
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_final3
-rw-rw-r-- 1 christopher 0 Nov 18 12:07 thesis_finalfinal
christopher@christopher-ThinkPad-W541:~/git/mythesis$
```

```
christopher@christopher-ThinkPad-W541:~/git/mythesis$ git log --reverse
commit 839a47e257310df071ac8290cdedfc04a60b86944 (master)
Author: Christopher Buckley <15166572+topherbuckley@users.noreply.github.com>
Date: Tue Nov 17 18:14:52 2020 +0900

    Added empty thesis template

commit e017bf79743fa7724d4c35f430e1e78064823e1a
Author: Christopher Buckley <15166572+topherbuckley@users.noreply.github.com>
Date: Tue Nov 17 18:19:14 2020 +0900

    Added initial title

commit 750455880517cbdd5db25054e0e9815ed67da185
Author: Christopher Buckley <15166572+topherbuckley@users.noreply.github.com>
Date: Tue Nov 17 18:20:38 2020 +0900

    Added initial summary section

commit a83135a00c134372a7973a879e2431008b5a466
Author: Christopher Buckley <15166572+topherbuckley@users.noreply.github.com>
Date: Tue Nov 17 18:21:09 2020 +0900

    Added initial bulk of main body section

commit 98c17b7472ef14bd75804d4ddb990de92f211ba
Author: Christopher Buckley <15166572+topherbuckley@users.noreply.github.com>
Date: Tue Nov 17 18:21:31 2020 +0900

    Added initial conclusions

commit aa3034ffh24084d3f95e37ae222f265da07d3590
Author: Christopher Buckley <15166572+topherbuckley@users.noreply.github.com>
Date: Tue Nov 17 18:22:03 2020 +0900

    Changed conclusions to reflect new findings on Mars

commit d918fbfe43cf474a34c6cd86ccf845f63e9cb4 (HEAD -> new_versioning)
Author: Christopher Buckley <15166572+topherbuckley@users.noreply.github.com>
Date: Tue Nov 17 18:22:31 2020 +0900

    Changed title after finding typo in teh the word
```

Skill Pill


What is Version Control

Traditional vs. Git Versioning

2020-11-18

Terminal Talk

- There are multiple GUIs available for Git, such as one from GitHub called the **GitHub Desktop**. We will not be using this for religious perfectly scientific reasons.
- These reasons primarily revolve around flexibility and improved understanding of the Git tools.
- Everything we do will be usable on Deigo.
- The **Pro Git** book is available online at git-scm.com/book
- There is a cheatsheet for Git available here: <https://www.git-tower.com/learn/cheatsheets/git>



Skill Pill

└ Terminal Talk

2020-11-18

└ Terminal Talk

- I personally struggled with the terminal interface at first because most of the man pages use so much vocab I don't know to explain terms I don't know. Hopefully by the end of this mini-course you'll have the basic vocab down so you can help yourselves more efficiently going forward.

- There are multiple GUIs available for Git, such as one from GitHub called the **GitHub Desktop**. We will not be using this for religious perfectly scientific reasons.
- These reasons primarily revolve around flexibility and improved understanding of the Git tools.
- Everything we do will be usable on Deigo.
- The **Pro Git** book is available online at git-scm.com/book
- There is a cheatsheet for Git available here: <https://www.git-tower.com/learn/cheatsheets/git>

What is git?



- A **repository** is a place to store code.

- There are many sites to host your repository on (github, bitbucket), including your own local machine.
- All of the essential parts of your repository can be found in the **.git** directory
- GitHub (a website hosting Git repositories) \neq Git (a set of tools for creating and managing those repositories).



Skill Pill


└ Git basics
 └ Local code
 └ What is git?

2020-11-18

- A **repository** is a place to store code.
 - There are many sites to host your repository on (github, bitbucket), including your own local machine.
 - All of the essential parts of your repository can be found in the **.git** directory
 - GitHub (a website hosting Git repositories) \neq Git (a set of tools for creating and managing those repositories).




File Lifecycle



2020-11-18

Skill Pill
└ Git basics
 └ Local code
 └ File Lifecycle



Cleaning the stage



Finally, what is actually happening with your commits under the hood?

- Git has a staging area before commits that can be checked with **git status**. Anything in **green** is staged.
- If you wish to unstage the commit, simply type **git reset**.
- git reset** will work for individual files and you may go back to any commit in the history.

```
git reset HEAD~1
```

- If you wish to undo a commit entirely, use the **git revert** command.
- git clean** (with appropriate flags!) will remove any untracked files.



2020-11-18

Skill Pill

└ Git basics

└ Local code

└ Cleaning the stage

Cleaning the stage

Finally, what is actually happening with your commits under the hood?

- Git has a staging area before commits that can be checked with **git status**. Anything in **green** is staged.
- If you wish to unstage the commit, simply type **git reset**.
- git reset** will work for individual files and you may go back to any commit in the history.
`git reset HEAD~1`
- If you wish to undo a commit entirely, use the **git revert** command.
- git clean** (with appropriate flags!) will remove any untracked files.





EXERCISE

- ① Stage a commit
- ② Unstage the commit
- ③ Make a commit
- ④ Undo the commit (**DON'T DO THIS AFTER YOU PUSH!!!!!!11111!!!11!!**)

Skill Pill

└ Git basics
 └ Local code
 └ Quick Exercise

2020-11-18

EXERCISE

- ① Stage a commit
- ② Unstage the commit
- ③ Make a commit
- ④ Undo the commit (**DON'T DO THIS AFTER YOU PUSH!!!!!!11111!!!11!!**)



The local repo




Let's **git** started.

- To initialize a git repository, simply type **git init** in a directory (preferably empty for now)
- This creates a folder **.git/**, where all your repository information is held.
- Git tracks **commits**. Check these commits with **git log**.
- **git status** checks any changes since the last commit.
- **git add** adds new files.
- **git commit** commits anything in the *staging area* - git status shows these files in **green** by default.



2020-11-18
Skill Pill



- Let's **git** started.
- To initialize a git repository, simply type **git init** in a directory (preferably empty for now)
 - This creates a folder **.git/**, where all your repository information is held.
 - Git tracks **commits**. Check these commits with **git log**.
 - **git status** checks any changes since the last commit.
 - **git add** adds new files.
 - **git commit** commits anything in the *staging area* - git status shows these files in **green** by default.



EXERCISE

- ① Open a terminal
- ② Create a new directory and run **git init**
- ③ Create a file and run **git status**
- ④ Use a combination of **git add** and **git commit** to add a new file to the git repository.
- ⑤ Check the **git log**.

- Keep your repository clean! Do your best to commit as few images and data files as possible!
- You can do this by ignoring certain file extensions in a `.gitignore` file.
- Great templates for projects of many types found at <https://github.com/github/gitignore>




Ignorance is bliss



- Keep your repository clean! Do your best to commit as few images and data files as possible!
- You can do this by ignoring certain file extensions in a `.gitignore` file.
- Great templates for projects of many types found at <https://github.com/github/gitignore>

Example gitignore configuration

```
*.log
*.tar
*.gz
*.exe
*.dat
*.lvp
```



Skill Pill

- Git basics
 - Local code
 - Ignorance is bliss

2020-11-18



EXERCISE

- ① Touch multiple files with various extensions, one of which should be **.dat**.
- ② Ignore the **.dat** file, but commit all the others.
- ③ Be sure to write a clear message describing what you did.
- ④ Check the **git log**



git with it!



Now we move to the fun* stuff: working with **online repositories**.

- For this, we will be using **github**.
- We'll begin by creating a GitHub repository using the website.
 - If we're working on a project that's already hosted on a remote Git server, we can skip this step.
- Next, we use **git clone** to download a copy.
- From here, you can do the following:
 - **git push** to push any changes you may have to the online repository.
 - **git pull** to take any changes from the repository.

*Here, the word *fun* is subject to interpretation.



2020-11-18

Skill Pill

└ Git basics

└ Nonlocal repos / github

└ git with it!

Now we move to the fun* stuff: working with **online repositories**.

- For this, we will be using **github**.
- We'll begin by creating a GitHub repository using the website.
 - If we're working on a project that's already hosted on a remote Git server, we can skip this step.
- Next, we use **git clone** to download a copy.
- From here, you can do the following:
 - **git push** to push any changes you may have to the online repository.
 - **git pull** to take any changes from the repository.

*Here, the word *fun* is subject to interpretation.



EXERCISE

- ① Create a new GitHub repository using a browser.
- ② Clone the new repository* to our local disk:

```
git clone git@github.com:oist/skillpill-git.git
```

or

```
git clone https://github.com/oist/skillpill-git.git
```

- ③ Make some simple commits and test the process of **pushing** and (with the help of a partner) **pulling** stuff from that repo.

*The examples here show cloning the SkillPill Git repository - replace the links as appropriate!

Skill Pill

- └ Git basics
- └ Nonlocal repos / github
- └ Quick Exercise

2020-11-18

Quick Exercise

EXERCISE

- ① Create a new GitHub repository using a browser.
- ② Clone the new repository* to our local disk.

```
git clone git@github.com:oist/skillpill-git.git
```


or

```
git clone https://github.com/oist/skillpill-git.git
```
- ③ Make some simple commits and test the process of **pushing** and (with the help of a partner) **pulling** stuff from that repo.

*The examples here show cloning the SkillPill Git repository - replace the links as appropriate!

What it will feel like...

- git is not intuitive to start with, but it's a powerful tool for storing and restoring history, and working collaboratively with other people.
- The more you use it, the more you will like it. Think Stockholm syndrome.
- Operations that you use frequently will become easy.
- Operations you use infrequently, you can Google!



Skill Pill

└ Git basics

└ Nonlocal repos / github

└ What it will feel like...

2020-11-18

- git is not intuitive to start with, but it's a powerful tool for storing and restoring history, and working collaboratively with other people.
- The more you use it, the more you will like it. Think Stockholm syndrome.
- Operations that you use frequently will become easy.
- Operations you use infrequently, you can Google!



Write clear commit messages!



COMMENT	DATE
CREATED MAIN LOOP & TIMING CONTROL	14 HOURS AGO
ENABLED CONFIG FILE PARSING	9 HOURS AGO
MISC BUGFIXES	5 HOURS AGO
CODE ADDITIONS/EDITS	4 HOURS AGO
MORE CODE	4 HOURS AGO
HERE HAVE CODE	4 HOURS AGO
AAAAAAA	3 HOURS AGO
ADKFJSLKDFJSOKLFJ	3 HOURS AGO
MY HANDS ARE TYPING WORDS	2 HOURS AGO
HAAAAAAAAANDS	2 HOURS AGO

AS A PROJECT DRAGS ON, MY GIT COMMIT MESSAGES GET LESS AND LESS INFORMATIVE.

Skill Pill

Git basics

Nonlocal repos / github

Write clear commit messages!

2020-11-18

COMMENT	DATE
CREATED MAIN LOOP & TIMING CONTROL	14 HOURS AGO
ENABLED CONFIG FILE PARSING	9 HOURS AGO
MISC BUGFIXES	5 HOURS AGO
CODE ADDITIONS/EDITS	4 HOURS AGO
MORE CODE	4 HOURS AGO
HERE HAVE CODE	4 HOURS AGO
AAAAAAA	3 HOURS AGO
ADKFJSLKDFJSOKLFJ	3 HOURS AGO
MY HANDS ARE TYPING WORDS	2 HOURS AGO
HAAAAAAAAANDS	2 HOURS AGO

AS A PROJECT DRAGS ON, MY GIT COMMIT MESSAGES GET LESS AND LESS INFORMATIVE.

Checking out your versions



We now know how to work with both local and online repositories, but what about using different versions?

- **git checkout** allows you to view the repository at any commit (found with **git log**).
- You may also checkout specific files like so:

```
git checkout a1e8fb5 hello.py
```

- Note that the most recent commit is **HEAD** and the one just before that is **HEAD~1**
- This command will be used later, so keep it in mind!

Skill Pill

Git basics

Nonlocal repos / github

Checking out your versions

2020-11-18


We now know how to work with both local and online repositories, but what about using different versions?

- **git checkout** allows you to view the repository at any commit (found with **git log**).
- You may also checkout specific files like so:
`git checkout a1e8fb5 hello.py`
- Note that the most recent commit is **HEAD** and the one just before that is **HEAD~1**
- This command will be used later, so keep it in mind!

Final Comments



- git is weird. It's not intuitive, but it's the best way to collaborate with people on open projects.
- It's also great even if you don't collaborate!
- Whenever you are using git, think about other people and how they will perceive your comments. **Would you be able to understand your own cryptic commit messages?**
- You will make mistakes. Don't worry about it. Your entire history is backed up already. Learn from your mistakes and don't make them again!
- Read error messages carefully - they can be useful/informative/instructive.



Skill Pill

Working alone

Final Comments

2020-11-18



Final Comments

- git is weird. It's not intuitive, but it's the best way to collaborate with people on open projects.
- It's also great even if you don't collaborate!
- Whenever you are using git, think about other people and how they will perceive your comments. **Would you be able to understand your own cryptic commit messages?**
- You will make mistakes. Don't worry about it. Your entire history is backed up already. Learn from your mistakes and don't make them again!
- Read error messages carefully - they can be useful/informative/instructive.