













Run app
and inject fault



Bespoke
Alert




Investigate




Report



"I think it works?!"





Observed
Application



Data Store



Observability
Platform



Slack



OpenAI



GitHub



ECS

*scheduling, service definitions,
desired task count, health
checks, etc.*

manages



ECS Task



Agent Logic
and Sandbox




OTel
Sidecar


runs on




Fargate

serverless compute







Codebase Agent




GitHub MCP Tools

```
list_releases,  
get_latest_release,  
get_file_contents,  
search_code,  
list_commits,  
get_commit,  
...
```

tool use



GitHub
repo



Observability
Platform

Bots and
bad actors



alert
webhook

Deterministic processing
authenticate, validate, depupe,
normalize, persist

normalized alert


**Agent investigation
and report generation**

live updates & final report


Deterministic processing
distribute, persist



User



Database
alerts
investigations
reports



Alert



Agent



Report

Alert




Research Agent



Report Agent
Single LLM call with
structured outputs



Report



Workflow

Telemetry Agent

Tool Wrapper

MCP Tool

enriched
telemetry


Observability
Platform

use in workflow

record intent

Investigation Steps

```
{
  toolUseIntent: "...",
  input: "...",
  output: "...",
},
{
  toolUseIntent: "...",
  input: "...",
  output: "...",
}
```



Telemetry Agent

```
graph LR; TA[Telemetry Agent] --> AL((Agent Loop)); AL --> R1[get_query_results  
{isError: true}]; AL --> R2[get_query_results  
{isError: true}]; AL --> R3[get_query_results  
{isError: true}];
```

Agent
Loop

get_query_results

`{isError: true}`


get_query_results

`{isError: true}`

get_query_results

`{isError: true}`

Telemetry Agent



```
graph LR; TA[Telemetry Agent] --> AL((Agent Loop)); AL --> EA[enrich_alert]; AL --> RQ1[run_query]; AL --> RQ2[run_query];
```

The diagram illustrates the workflow of a Telemetry Agent. It begins with a light green rectangular box labeled 'Telemetry Agent'. An arrow points from this box to a circular loop labeled 'Agent Loop'. From the right side of the 'Agent Loop', three arrows branch out to three separate green rounded rectangular boxes. The top box is labeled 'enrich_alert', and the two bottom boxes are both labeled 'run_query'.

Agent
Loop

enrich_alert

run_query

run_query