COURSE CURRICULUM

Storefront Masterclass

Build a web and mobile storefront where sellers open a store, list items and get paid. Guests can buy without an account.

Next.js 15 · Supabase · Paystack · Resend · Capacitor · Vercel · GitHub Actions

10 MODULES one video each · ● Noah 1, 3, 5, 6, 9 ○ Co-founder 2, 4, 7, 8, 10

	MODULE	WHAT GETS BUILT	OWNER	END STATE
01	**Setup Everything**	Repo, Next.js app (static export), Supabase project, tables (stores, products, orders, order_items), Row Level Security, buy the domain, deploy to Vercel on the domain, verify the domain with Resend, .env.local and Vercel env vars, set up Claude safely with SQL migrations on a dev project	● Noah	Blank app live on the domain, database secured, email ready; no more setup
02	**Capacitor & Build Pipeline**	Wrap the app in Capacitor for Android, GitHub Actions builds a signed APK on every push to main using one release keystore stored in GitHub secrets, version number goes up with each build, web deploys to Vercel	○ Co-founder	Each push gives an APK that updates the old one
03	**Seller Accounts & Store Creation**	Supabase Auth, store profile, add and edit products with image upload	● Noah	A seller can sign up and list an item
04	**Storefront, Cart & Guest Checkout**	Public store page, product listing, cart state, checkout with no login, account prompt only at the pay step	○ Co-founder	A guest can fill a cart and reach checkout
05	**Payments & Orders**	Paystack checkout, Edge Function webhook to verify payment, order saved as paid	● Noah	A test-mode payment creates a paid order
06	**Email Verification & Notifications**	Email verification code at checkout, order confirmation and receipt emails to the buyer, new-order emails to the seller (Resend)	● Noah	A sale triggers emails to buyer and seller
07	**Seller Dashboard**	Orders list and order detail, mark as fulfilled, simple sales summary	○ Co-founder	A seller can see and manage their orders
08	**Native Features & iOS**	Push notifications (FCM), splash screen and icons, deep links, iOS build and TestFlight	○ Co-founder	A sale sends a push to the seller's phone
09	**Go Live**	Switch Paystack to live, Supabase production settings, production env vars, Play Store release	● Noah	Real payments on the real domain and in the store
10	**Onboarding Assessment**	Students sign up on the live app and complete the assessment; Terms and Privacy published	○ Co-founder	Students onboarded on the MVP

KEY HANDLING RULES taught in Module 1

Assume the app bundle is public. Anything prefixed NEXT_PUBLIC_ is bundled into the website and the APK. Only three values ship in the app: the Supabase URL, the Supabase anon key and the API URL.

The anon key is safe because of Row Level Security. Plain reads and writes (products, cart, store profile) go straight to Supabase.

Sensitive actions go through Edge Functions. Create order, verify payment and send email run in Supabase Edge Functions that check the user's login token. Allow the Capacitor origins (https://localhost, capacitor://localhost) in CORS.

Secrets live only in Edge Function secrets. The service-role key, Paystack secret key and Resend key are set with supabase secrets set. They never go in the app, the repo or Vercel.

Local and Vercel setup. Public values go in .env.local (gitignored) with a blank .env.example committed, and the same public values go in Vercel environment variables.

Claude and the database. Claude writes SQL migrations applied with the Supabase CLI against a separate dev project. It never gets the service-role key, and a deny rule stops it reading .env files.

Safety nets. GitHub push protection and secret scanning. If a key leaks, rotate it in the dashboard immediately.

DECISIONS AND RISKS TO SETTLE BEFORE RECORDING

Updates that install over the old app

Android only accepts an update if it is signed with the same key and has a higher version number. Use one release keystore in GitHub secrets and set the version from the build number. CI debug builds use a random key each run and will not upgrade. Firebase App Distribution can notify testers of each new build.

Resend free tier

Notes say about 300 emails a month. I believe the free plan is higher (about 3,000 a month, 100 a day). Confirm on their pricing page.

Android build tools

An APK still needs the Android SDK. GitHub Actions builds it for students, but Module 2 needs Android Studio or the SDK locally to test.

iOS

Needs a Mac and a paid Apple Developer account (about $99 a year). Say so up front.

Paystack

Test mode until Module 9. Going live needs business verification, so start early. Decide how sellers get paid (split payments or subaccounts) before Module 5.

Static export

No server-rendered pages. Use client-side routing for stores and products, and put webhooks in Edge Functions.