

UI/UX Specialist

UCS542



THAPAR INSTITUTE
OF ENGINEERING & TECHNOLOGY
(Deemed to be University)

Submitted by: - Ojus Aggarwal

Roll Number: - 102495015

Assignment 7

Question1 : Create a simple webpage that allows users to add tasks to a to-do list. Each task should have a title and description. Users should be able to mark tasks as completed, edit task details, and remove tasks from the list.

Webpage that includes:

- A heading (<h1>) with the title **“To-Do List”**.
- An input form that allows users to enter a task title and description.
- A button labeled **“Add Task”** that will add the task to the list when clicked.
- When the **“Add Task”** button is clicked:
 - Create a new div for each task.
 - Inside this div, display the task title and description.
 - Add a **“Mark as Completed”** button, **“Edit”** button, and **“Delete”** button for each task.
- When the **“Mark as Completed”** button is clicked:
 - Add a class called **“completed”** to the task’s title and description to apply a line-through effect.
 - Update the button text to **“Mark as Incomplete”** and toggle the task’s completion status.
- When the **“Delete”** button is clicked:
 - Remove the task div from the taskList.
- When the **“Edit”** button is clicked:
 - Allow the user to edit the task title and description. Replace the static text with input fields pre-filled with the current task data.
 - After editing, the button text should change to **“Save”**, and clicking **“Save”** should update the task with the new details.

Solution:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>To-Do List</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f4f4f4;
      padding: 30px;
    }
  </style>
</head>
<body>
```

```
h1 {
  text-align: center;
  color: #333;
}

#taskForm {
  display: flex;
  flex-direction: column;
  align-items: center;
  margin-bottom: 20px;
}

label {
  font-weight: bold;
  margin-top: 10px;
  align-self: flex-start;
  margin-left: calc(50% - 150px);
}

input, textarea {
  width: 300px;
  padding: 8px;
  margin: 5px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

button {
  padding: 8px 15px;
  margin: 5px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}

#addTaskBtn {
  background-color: #4CAF50;
  color: white;
}

.task {
  background: white;
  padding: 15px;
```

```

    margin: 10px auto;
    border-radius: 8px;
    box-shadow: 0 0 5px rgba(0,0,0,0.1);
    width: 350px;
}

.completed {
    text-decoration: line-through;
    color: gray;
}

.btn-complete {
    background-color: #2196F3;
    color: white;
}

.btn-edit {
    background-color: #FFC107;
    color: white;
}

.btn-delete {
    background-color: #F44336;
    color: white;
}

.buttons {
    margin-top: 10px;
}
</style>
</head>
<body>

<h1>To-Do List</h1>

<div id="taskForm">
    <label for="titleInput">Task Title:</label>
    <input type="text" id="titleInput" placeholder="Enter task title" required>

    <label for="descInput">Task Description:</label>
    <textarea id="descInput" placeholder="Enter task description"
required></textarea>

    <button id="addTaskBtn">Add Task</button>

```

```
</div>
```

```
<div id="taskList"></div>
```

```
<script>
```

```
const addTaskBtn = document.getElementById('addTaskBtn');
```

```
const taskList = document.getElementById('taskList');
```

```
addTaskBtn.addEventListener('click', () => {
```

```
  const title = document.getElementById('titleInput').value.trim();
```

```
  const desc = document.getElementById('descInput').value.trim();
```

```
  if (title === '' || desc === '') {
```

```
    alert('Please enter both title and description.');
```

```
    return;
```

```
  }
```

```
  const taskDiv = document.createElement('div');
```

```
  taskDiv.classList.add('task');
```

```
  let titleEl = document.createElement('h3');
```

```
  titleEl.textContent = title;
```

```
  let descEl = document.createElement('p');
```

```
  descEl.textContent = desc;
```

```
  const buttonDiv = document.createElement('div');
```

```
  buttonDiv.classList.add('buttons');
```

```
  const completeBtn = document.createElement('button');
```

```
  completeBtn.textContent = 'Mark as Completed';
```

```
  completeBtn.classList.add('btn-complete');
```

```
  completeBtn.addEventListener('click', () => {
```

```
    titleEl.classList.toggle('completed');
```

```
    descEl.classList.toggle('completed');
```

```
    completeBtn.textContent = titleEl.classList.contains('completed') ? 'Mark  
as Incomplete' : 'Mark as Completed';
```

```
  });
```

```
  const editBtn = document.createElement('button');
```

```
  editBtn.textContent = 'Edit';
```

```
  editBtn.classList.add('btn-edit');
```

```
  editBtn.addEventListener('click', () => {
```

```
    if (editBtn.textContent === 'Edit') {
```

```

    const editTitleLabel = document.createElement('label');
    editTitleLabel.textContent = 'Edit Title: ';
    const editTitle = document.createElement('input');
    editTitle.type = 'text';
    editTitle.value = titleEl.textContent;

    const editDescLabel = document.createElement('label');
    editDescLabel.textContent = 'Edit Description: ';
    const editDesc = document.createElement('textarea');
    editDesc.value = descEl.textContent;

    taskDiv.insertBefore(editTitleLabel, titleEl);
    taskDiv.insertBefore(editTitle, titleEl);
    taskDiv.insertBefore(editDescLabel, descEl);
    taskDiv.insertBefore(editDesc, descEl);
    taskDiv.removeChild(titleEl);
    taskDiv.removeChild(descEl);

    editBtn.textContent = 'Save';
  } else {
    const newTitle = taskDiv.querySelector('input').value.trim();
    const newDesc = taskDiv.querySelector('textarea').value.trim();

    titleEl = document.createElement('h3');
    titleEl.textContent = newTitle;

    descEl = document.createElement('p');
    descEl.textContent = newDesc;

    // remove edit fields
    taskDiv.querySelectorAll('label, input, textarea').forEach(el =>
el.remove());

    taskDiv.insertBefore(titleEl, buttonDiv);
    taskDiv.insertBefore(descEl, buttonDiv);

    editBtn.textContent = 'Edit';
  }
});

const deleteBtn = document.createElement('button');
deleteBtn.textContent = 'Delete';
deleteBtn.classList.add('btn-delete');
deleteBtn.addEventListener('click', () => {

```

```

        taskList.removeChild(taskDiv);
    });

    buttonDiv.appendChild(completeBtn);
    buttonDiv.appendChild(editBtn);
    buttonDiv.appendChild(deleteBtn);

    taskDiv.appendChild(titleEl);
    taskDiv.appendChild(descEl);
    taskDiv.appendChild(buttonDiv);

    taskList.appendChild(taskDiv);

    document.getElementById('titleInput').value = '';
    document.getElementById('descInput').value = '';
    });
</script>

</body>
</html>

```

Output:-

To-Do List

Task Title:

Task Description:

To-Do List

Task Title:

Task Description:

Add Task

UI/UX

Assignment 6

Mark as Incomplete

Edit

Delete

UI/UX

Assignment 7

Mark as Completed

Edit

Delete

To-Do List

Task Title:

Task Description:

Add Task

UI/UX

Assignment 6

Mark as Incomplete

Edit

Delete

Edit Title:

Edit Description:

Mark as Completed

Save

Delete