



/api-docs

Explore

OpenAPI definition

/api-docs

v0 OAS 3.0

Servers

http://localhost:8080 - Generated server url

product-controller



payment-controller



GET /payments/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int64)

(path)

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

Code	Description	Links				
	<p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "paymentId": 0, "paymentName": "string", "paymentCode": "string", "paymentAddress": "string" }</pre>					
PUT	/payments/{id}	^				
Parameters		Try it out				
<table border="1"><thead><tr><th>Name</th><th>Description</th></tr></thead><tbody><tr><td>id * required integer(\$int64)</td><td>id (path)</td></tr></tbody></table>			Name	Description	id * required integer(\$int64)	id (path)
Name	Description					
id * required integer(\$int64)	id (path)					
Request body required		application/json				
<p>Example Value Schema</p> <pre>{ "paymentId": 0, "paymentName": "string", "paymentCode": "string", "paymentAddress": "string" }</pre>						
Responses						
Code	Description	Links				
200	OK	<i>No links</i>				
<p>Media type</p> <pre>/*</pre>						
<p>Controls Accept header.</p>						

Code	Description	Links
------	-------------	-------

Example Value Schema

```
{  
    "paymentId": 0,  
    "paymentName": "string",  
    "paymentCode": "string",  
    "paymentAddress": "string"  
}
```

DELETE /payments/{id} ^

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int64)

(path)

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

Controls Accept header.

Example Value Schema

string

GET /payments ^

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
------	-------------	-------

200	OK	<i>No links</i>
-----	----	-----------------

Media type

```
*/*
```

Controls Accept header.

Example Value Schema

```
[  
  {  
    "paymentId": 0,  
    "paymentName": "string",  
    "paymentCode": "string",  
    "paymentAddress": "string"  
  }  
]
```

POST /payments ^

Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{  
  "paymentId": 0,  
  "paymentName": "string",  
  "paymentCode": "string",  
  "paymentAddress": "string"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "paymentId": 0,  
    "paymentName": "string",  
    "paymentCode": "string",  
    "paymentAddress": "string"  
}
```

order-controller



GET /orders/{id}



Parameters

Try it out

Name Description

id * required

integer(\$int64) id
(path)

Responses

Code Description

Links

200

OK

No links

Media type

/*

Controls Accept header.

Code	Description	Links
	<p>Example Value Schema</p> <pre>{ "orderId": 0, "orderName": "string" }</pre>	

PUT /orders/{id} ^

Parameters Try it out

Name	Description
id * required integer(\$int64) (path)	<input type="text" value="id"/>

Request body required application/json

Example Value Schema

```
{  
    "orderId": 0,  
    "orderName": "string"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type */*

Controls Accept header.

Example Value Schema

```
{  
    "orderId": 0,  
    "orderName": "string"  
}
```

Code	Description	Links
------	-------------	-------

```
        "orderName": "string"  
    }
```

DELETE /orders/{id} ^

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int64)
(path)

Responses

Code	Description	Links
------	-------------	-------

200 [No links](#)

OK

Media type

Controls Accept header.

Example Value Schema

GET /orders ^

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
[  
  {  
    "orderId": 0,  
    "orderName": "string"  
  }  
]
```

POST /orders ^

Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{  
  "orderId": 0,  
  "orderName": "string"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

Code	Description	Links
<pre>/*</pre>	<p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "orderId": 0, "orderName": "string" }</pre>	

department-controller



GET /departments/{id} ^

Parameters Try it out

Name	Description
id * required integer(\$int64)	<input type="text" value="id"/>

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "departmentId": 0,  
    "departmentName": "string",  
    "departmentCode": "string",  
    "departmentAddress": "string"  
}
```

PUT /departments/{id} ^**Parameters**Try it out

Name	Description
id * required integer(\$int64)	id (path)

Request body requiredapplication/json**Example Value** Schema

```
{  
    "departmentId": 0,  
    "departmentName": "string",  
    "departmentCode": "string",  
    "departmentAddress": "string"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "departmentId": 0,  
    "departmentName": "string",  
    "departmentCode": "string",  
    "departmentAddress": "string"  
}
```

DELETE /departments/{id} ^

Parameters Try it out

Name Description

id * required	integer(\$int64)
	id (path)

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
string
```

Code	Description	Links
GET	/departments	^

Parameters

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
[  
  {  
    "departmentId": 0,  
    "departmentName": "string",  
    "departmentCode": "string",  
    "departmentAddress": "string"  
  }  
]
```

POST	/departments	^
Parameters	Try it out	

No parameters

Request body required

application/json

Example Value Schema

```
{  
    "departmentId": 0,  
    "departmentName": "string",  
    "departmentCode": "string",  
    "departmentAddress": "string"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "departmentId": 0,  
    "departmentName": "string",  
    "departmentCode": "string",  
    "departmentAddress": "string"  
}
```

cart-controller



GET /carts/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int64)
(path)

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "cartId": 0,  
    "products": [  
        {  
            "productId": 0,  
            "productName": "string",  
            "productPrice": 0,  
            "productStock": 0  
        }  
    ]  
}
```

PUT /carts/{id} ^

Parameters Try it out

Name	Description
id * required	integer(\$int64) id (path)

Request body required application/json

Example Value Schema

```
{  
    "cartId": 0,  
    "products": [  
        {  
            "productId": 0,  
            "productName": "string",  
            "productPrice": 0,  
            "productStock": 0  
        }  
    ]  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "cartId": 0,  
    "products": [  
        {  
            "productId": 0,  
            "productName": "string",  
            "productPrice": 0,  
            "productStock": 0  
        }  
    ]  
}
```

DELETE /carts/{id} ^

Parameters

Try it out

Name	Description
id * required integer(\$int64)	<input type="text" value="id"/> (path)

Responses

Code	Description	Links
200	OK	No links

Code	Description	Links
	<p>Media type</p> <div style="border: 2px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>string</p>	

PUT /carts/{cid}/product/add/{pid} ^

Parameters **Try it out**

Name	Description
cid * required integer(\$int64) (path)	cid
pid * required integer(\$int64) (path)	pid

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "cartId": 0,  
    "products": [  
        {  
            "id": 1,  
            "name": "Product A",  
            "quantity": 1,  
            "unitPrice": 10.0  
        },  
        {  
            "id": 2,  
            "name": "Product B",  
            "quantity": 2,  
            "unitPrice": 20.0  
        }  
    ]  
}
```

Code	Description	Links
------	-------------	-------

```
        "productId": 0,
        "productName": "string",
        "productPrice": 0,
        "productStock": 0
    }
]
}
```

GET /carts ^

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
------	-------------	-------

200 OK *No links*

Media type

/

Controls Accept header.

[Example Value](#) [Schema](#)

```
[
  {
    "cartId": 0,
    "products": [
      {
        "productId": 0,
        "productName": "string",
        "productPrice": 0,
        "productStock": 0
      }
    ]
  }
]
```

POST /carts ^

Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{  
    "cartId": 0,  
    "products": [  
        {  
            "productId": 0,  
            "productName": "string",  
            "productPrice": 0,  
            "productStock": 0  
        }  
    ]  
}
```

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type

/

Controls Accept header.

Example Value Schema

```
{  
    "cartId": 0,  
    "products": [  
        {  
            "productId": 0,  
            "productName": "string",  
            "productPrice": 0,  
            "productStock": 0  
        }  
    ]  
}
```

DELETE /carts/{cid}/product/del/{pid} ^

Parameters

Try it out

Name	Description
------	-------------

cid * required

integer(\$int64)

(path)

cid

pid * required

integer(\$int64)

(path)

pid

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "cartId": 0,  
    "products": [  
        {  
            "productId": 0,  
            "productName": "string",  
            "productPrice": 0,  
            "productStock": 0  
        }  
    ]  
}
```

user-controller ▼**registration-controller** ^

POST /register

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  
    "firstName": "string",  
    "lastName": "string",  
    "email": "string",  
    "password": "string",  
    "profilePicture": "string",  
    "phoneNumber": "string",  
    "role": "ADMIN"  
}
```

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type

/

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "message": "string",  
    "data": {}  
}
```

POST /login ^

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  
    "username": "string",  
    "password": "string"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "jwtToken": "string",  
    "message": "string",  
    "success": true,  
    "email": "string",  
    "role": "string"  
}
```

GET /verifyRegistration ^

Parameters

Try it out

Name	Description
------	-------------

token * required

string
(query)

token

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

string

GET /resendVerifytoken ^

Parameters

[Try it out](#)

Name	Description
------	-------------

token * required

string
(query)

token

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

string

Code	Description	Links

error-controller



GET /error/error



Parameters

[Try it out](#)

No parameters

Responses

Code Description

Links

200

OK

No links

Media type

/

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
    "timestamp": "2024-02-23T09:07:20.566Z",  
    "code": 0,  
    "status": "string",  
    "message": "string",  
    "stackTrace": "string",  
    "data": {},  
    "success": true  
}
```

GET /error



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }</pre>	No links

PUT /error ^

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }</pre>	No links

POST /error ^**Parameters****Try it out**

No parameters

Responses

Code	Description	Links
------	-------------	-------

200	OK	<i>No links</i>
-----	----	-----------------

Media type

/

Controls Accept header.

Example Value Schema

```
{  
    "additionalProp1": {},  
    "additionalProp2": {},  
    "additionalProp3": {}  
}
```

DELETE /error ^**Parameters****Try it out**

No parameters

Responses

Code	Description	Links
------	-------------	-------

200	OK	<i>No links</i>
-----	----	-----------------

Media type

Code	Description	Links
	<pre>/*</pre> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }</pre>	

OPTIONS /error ^								
Parameters		Try it out						
No parameters								
Responses								
<table border="1"><thead><tr><th>Code</th><th>Description</th><th>Links</th></tr></thead><tbody><tr><td>200</td><td>OK</td><td><i>No links</i></td></tr></tbody></table>			Code	Description	Links	200	OK	<i>No links</i>
Code	Description	Links						
200	OK	<i>No links</i>						
<p>Media type</p> <pre>/*</pre> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }</pre>								

HEAD /error ^		
Parameters		Try it out
No parameters		

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "additionalProp1": {},  
    "additionalProp2": {},  
    "additionalProp3": {}  
}
```

PATCH /error ^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

Example Value Schema

```
{  
    "additionalProp1": {},  
    "additionalProp2": {},  
    "additionalProp3": {}  
}
```

Code	Description	Links
	<pre>"additionalProp3": {}</pre>	

Schemas



Product

Payment

Orders

Department

Cart

UserProfile

ApiResponse

UserModel

JwtRequest

JwtResponse

ErrorResponse