

Automated Test Case Runner for Reports.php

Function 1: createReport

This is used to create a Report, used in the student pages for a "Loss Report", "Surrender Form", "Claim Request"

Test 1: Create a Valid Report, expected fields are provided

INPUT:

```
{
  "student_id": 1,
  "item_name": "Blue Backpack",
  "item_description": "Nylon bag",
  "category_id": 1,
  "brand_id": 99,
  "item_id": 99,
  "room_id": 1,
  "area_id": null,
  "when_lost": "2026-08-01 10:00:00",
  "when_found": null,
  "extra_details": "Has books",
  "type": "Loss Report"
}
```

OUTPUT:

```
true
```

Expected Result: PASS

Actual Result: PASS

Test 2: Create an Invalid Report, report type is not in the ENUM value of the database

INPUT:

```
{
  "student_id": 2,
  "item_name": "Blue Backpack",
```

```
    "item_description": "Nylon bag",
    "category_id": 1,
    "brand_id": 99,
    "item_id": 99,
    "room_id": 1,
    "area_id": null,
    "when_lost": "2026-08-01 10:00:00",
    "when_found": null,
    "extra_details": "Has books",
    "type": "NonExisting Form"
}
```

OUTPUT:

false

Expected Result: FAIL

Actual Result: FAIL

Function 2: getReportsByStudent

Retrieve a student's own submitted reports

Test 3: Retrieve active reports for student with existing reports**INPUT:**

```
{
  "student_id": 1
}
```

OUTPUT:

```
[
  {
    "report_id": 1,
    "student_id": 1,
    "item_name": "Blue Backpack",
    "item_description": "Nylon bag",
    "category_id": 1,
    "brand_id": 99,
    "item_id": 99,
    "room_id": 1,
    "area_id": null,
    "when_found": null,
    "when_lost": "2026-08-01 10:00:00",
```

```
        "extra_details": "Has books",
        "reviewed_by": null,
        "status": "Active",
        "type": "Loss Report",
        "created_at": "2026-08-05 10:45:59",
        "last_updated": "2026-08-05 10:45:59",
        "deleted": "0"
    }
]
```

Expected Result: PASS

Actual Result: PASS

Test 4: Retrieve reports for non-existent student ID returns empty array

INPUT:

```
{
  "student_id": 999
}
```

OUTPUT:

```
[]
```

Expected Result: PASS

Actual Result: PASS

Function 3: getReportById

Retrieve a single report by ID

Test 5: Retrieve an existing report by valid ID

INPUT:

```
{
  "report_id": "1"
}
```

OUTPUT:

```
{
  "report_id": 1,
  "student_id": 1,
  "item_name": "Blue Backpack",
  "item_description": "Nylon bag",
}
```

```
"category_id": 1,
"brand_id": 99,
"item_id": 99,
"room_id": 1,
"area_id": null,
"when_found": null,
"when_lost": "2026-08-01 10:00:00",
"extra_details": "Has books",
"reviewed_by": null,
"status": "Active",
"type": "Loss Report",
"created_at": "2026-08-05 10:45:59",
"last_updated": "2026-08-05 10:45:59",
"deleted": "0"
}
```

Expected Result: PASS

Actual Result: PASS

Test 6: Retrieve report by non-existent ID returns false

INPUT:

```
{
  "report_id": 9999
}
```

OUTPUT:

```
false
```

Expected Result: PASS

Actual Result: PASS

Function 4: addImage

Attach an uploaded proof image to a report

Test 7: Attach valid image file path to an existing report

INPUT:

```
{
  "report_id": "1",
  "img_filepath": "assets/uploads/proof1.jpg"
}
```

OUTPUT:

true

Expected Result: PASS

Actual Result: PASS

Test 8: Attach secondary image file path to the same report**INPUT:**

```
{
  "report_id": "1",
  "img_filepath": "assets/uploads/proof2.jpg"
}
```

OUTPUT:

true

Expected Result: PASS

Actual Result: PASS

Function 5: getReportImages

Retrieve all images attached to a report

Test 9: Retrieve images for a report containing attached photos**INPUT:**

```
{
  "report_id": "1"
}
```

OUTPUT:

```
[
  {
    "image_id": 1,
    "img_filepath": "assets/uploads/proof1.jpg"
  },
  {
    "image_id": 2,
    "img_filepath": "assets/uploads/proof2.jpg"
  }
]
```

Expected Result: PASS

Actual Result: PASS

Test 10: Retrieve images for a report with no attached photos returns empty array

INPUT:

```
{  
  "report_id": 9999  
}
```

OUTPUT:

```
[]
```

Expected Result: PASS

Actual Result: PASS

Function 6: getReportImagesByIds

Fetch exact image rows for a report limited to specific image IDs

Test 11: Fetch specific images using array of valid image IDs

INPUT:

```
{  
  "report_id": "1",  
  "image_ids": [  
    1  
  ]  
}
```

OUTPUT:

```
[  
  {  
    "image_id": 1,  
    "img_filepath": "assets/uploads/proof1.jpg"  
  }  
]
```

Expected Result: PASS

Actual Result: PASS

Test 12: Fetch images passing empty image ID array returns empty list

INPUT:

```
{
  "report_id": "1",
  "image_ids": []
}
```

OUTPUT:

```
[]
```

Expected Result: PASS**Actual Result:** PASS

Function 7: deleteReportImagesByIds

Delete specific images that belong to a report

Test 13: Delete image by valid image ID removes image from database**INPUT:**

```
{
  "report_id": "1",
  "image_ids": [
    1
  ]
}
```

OUTPUT:

```
true
```

Expected Result: PASS**Actual Result:** PASS**Test 14: Delete images passing empty array returns true without deleting****INPUT:**

```
{
  "report_id": "1",
  "image_ids": []
}
```

OUTPUT:

```
true
```

Expected Result: PASS

Actual Result: PASS

Function 8: getLastInsertId

Get the last inserted ID in the active connection

Test 15: getLastInsertId returns numeric value corresponding to recent insert

INPUT:

None

OUTPUT:

2

Expected Result: PASS

Actual Result: PASS

Function 9: getStatistics

Get report summary count statistics for a given student ID

Test 16: Get statistics for student returns array with expected keys and count

INPUT:

```
{  
  "student_id": 1  
}
```

OUTPUT:

```
{  
  "loss-reports": 1,  
  "found-reports": 0,  
  "approved-reports": 0,  
  "pending-reports": 1  
}
```

Expected Result: PASS

Actual Result: PASS

Test 17: Get statistics for student with no records returns zero counts**INPUT:**

```
{  
  "student_id": 9999  
}
```

OUTPUT:

```
{  
  "loss-reports": 0,  
  "found-reports": 0,  
  "approved-reports": 0,  
  "pending-reports": 0  
}
```

Expected Result: PASS**Actual Result: PASS****Function 10: getHistory**

Get report history list for a student dashboard

Test 18: Get history returns recent reports for valid student**INPUT:**

```
{  
  "student_id": 1  
}
```

OUTPUT:

```
[  
  {  
    "report_id": 1,  
    "item_name": "Blue Backpack",  
    "date": "August 05, 2026",  
    "type": "Loss Report",  
    "status": "Active",  
    "editable": true  
  }  
]
```

Expected Result: PASS**Actual Result: PASS**

Test 19: Get history for non-existent student returns empty array

INPUT:

```
{
  "student_id": 9999
}
```

OUTPUT:

```
[]
```

Expected Result: PASS

Actual Result: PASS

Function 11: getLocationFrequency

Count reported items grouped by location for a student

Test 20: getLocationFrequency returns array grouped by location

INPUT:

```
{
  "student_id": 1
}
```

OUTPUT:

```
[
  {
    "location": "Gokongwei Building",
    "total": 1
  }
]
```

Expected Result: PASS

Actual Result: PASS

Function 12: updateReport

Update fields of an existing report

Test 21: Update report with valid parameters updates database values

INPUT:

```
{
  "report_id": "1",
  "item_name": "Updated Backpack",
  "item_description": "Updated Desc",
  "category_id": 1,
  "brand_id": 99,
  "room_id": 1,
  "area_id": null,
  "when_lost": "2026-08-01 10:00:00",
  "when_found": null,
  "extra_details": "New details"
}
```

OUTPUT:

```
{
  "report_id": 1,
  "student_id": 1,
  "item_name": "Updated Backpack",
  "item_description": "Updated Desc",
  "category_id": 1,
  "brand_id": 99,
  "item_id": 99,
  "room_id": 1,
  "area_id": null,
  "when_found": null,
  "when_lost": "2026-08-01 10:00:00",
  "extra_details": "New details",
  "reviewed_by": null,
  "status": "Active",
  "type": "Loss Report",
  "created_at": "2026-08-05 10:45:59",
  "last_updated": "2026-08-05 10:45:59",
  "deleted": "0"
}
```

Expected Result: PASS**Actual Result:** PASS

Function 13: normalizeImagePath

Normalizes individual image paths for display

Test 22: Normalize relative asset path adds prefix**INPUT:**

```
assets/images/item.jpg
```

OUTPUT:

```
../../assets/images/item.jpg
```

Expected Result: PASS**Actual Result:** PASS**Test 23: Normalize absolute URL returns unchanged string****INPUT:**

```
http://example.com/image.jpg
```

OUTPUT:

```
http://example.com/image.jpg
```

Expected Result: PASS**Actual Result:** PASS

Function 14: normalizeImageValue

Normalizes comma-separated lists of image paths

Test 24: Normalize CSV string of paths correctly transforms all paths**INPUT:**

```
assets/img1.jpg,assets/img2.jpg
```

OUTPUT:

```
../../assets/img1.jpg,../../assets/img2.jpg
```

Expected Result: PASS**Actual Result:** PASS

Function 15: normalizeImageFields

Normalizes image columns across a data row array in-place

■

Test 25: normalizeImageFields normalizes targeted image array keys**INPUT:**

```
{
  "item_name": "Watch",
  "image_paths": "assets\\watch.jpg",
  "proof_images": "assets\\proof.jpg"
}
```

OUTPUT:

```
{
  "item_name": "Watch",
  "image_paths": "..\\..\\assets\\watch.jpg",
  "proof_images": "..\\..\\assets\\proof.jpg"
}
```

Expected Result: PASS**Actual Result:** PASS**Function 16: runAutoDisposalReports**

Automatically flags active reports older than 1 month as deleted

Test 26: runAutoDisposalReports marks active reports older than 1 month as deleted**INPUT:**

```
{
  "active_report_created": "35 days ago",
  "report_id": "2"
}
```

OUTPUT:

```
{
  "report_id": 2,
  "student_id": 1,
  "item_name": "Old Lost Item",
  "item_description": null,
  "category_id": null,
  "brand_id": null,
  "item_id": null,
  "room_id": null,
  "area_id": null,
}
```

```
"when_found": null,  
"when_lost": null,  
"extra_details": null,  
"reviewed_by": null,  
"status": "Active",  
"type": "Loss Report",  
"created_at": "2026-07-01 10:45:59",  
"last_updated": "2026-08-05 10:45:59",  
"deleted": "1"  
}
```

Expected Result: PASS

Actual Result: PASS

Function 17: getLastInsertedItem

Get the most recently inserted item ID for a specific surrendered_by user

Test 27: getLastInsertedItem returns latest item ID for valid user

INPUT:

```
{  
  "surrendered_by": 1  
}
```

OUTPUT:

```
1
```

Expected Result: PASS

Actual Result: PASS

Test 28: getLastInsertedItem returns null for user who surrendered no items

INPUT:

```
{  
  "surrendered_by": 9999  
}
```

OUTPUT:

```
null
```

Expected Result: PASS

Actual Result: PASS

Function 18: insertItemImage

Insert a new image reference for a physical item

Test 29: insertItemImage inserts valid image reference for physical item

INPUT:

```
{
  "item_id": 1,
  "img_filepath": "assets\items\keys.jpg"
}
```

OUTPUT:

```
true
```

Expected Result: PASS

Actual Result: PASS

Function 19: getSurrenderForms

Get active surrender form reports

Test 30: getSurrenderForms returns active surrender forms

INPUT:

No input from user, just retrieves from db

OUTPUT:

```
[
  {
    "report_id": 3,
    "item_name": "Found Wallet",
    "date_found": "2026-08-01",
    "time_found": "10:00:00",
    "filed_on": "2026-08-05",
    "student_name": "Angelo Tester",
    "student_email": "Angelo@example.com",
    "location_found": "G302",
    "image_paths": null
  }
]
```

Expected Result: PASS

Actual Result: PASS

Test 31: getSurrenderForms with non-matching search term returns empty array

INPUT:

```
{  
  "search": "NonExistentQuery"  
}
```

OUTPUT:

```
[]
```

Expected Result: PASS

Actual Result: PASS

Function 20: getClaimRequests

Get active claim requests

Test 32: getClaimRequests returns active claim requests

INPUT:

No input from user, just retrieves from db

OUTPUT:

```
[  
  {  
    "report_id": 4,  
    "claim_item_name": "Claim Wallet",  
    "claim_description": "Brown leather",  
    "date_lost": "2026-08-01",  
    "time_lost": "10:00:00",  
    "filed_on": "2026-08-05",  
    "proof_of_ownership_text": "Proof text",  
    "student_id": 4,  
    "student_name": "Daniel Tester",  
    "student_email": "Daniel@example.com",  
    "item_id": null,  
    "found_item_name": null,  
    "date_found": null,  
    "time_found": null,  
  }  
]
```



```
        "location_found": "Unknown Location",
        "found_item_image": null,
        "proof_images": null,
        "location_lost": "G302"
    }
]
```

Expected Result: PASS

Actual Result: PASS

Function 21: getLossReports

Get active loss reports

Test 33: getLossReports returns active loss reports

INPUT:

No input from user, just retrieves from db

OUTPUT:

```
[
  {
    "report_id": 1,
    "item_name": "Updated Backpack",
    "date_lost": "2026-08-01",
    "time_lost": "10:00:00",
    "filed_on": "2026-08-05",
    "student_name": "Marc Tester",
    "student_email": "Marc@example.com",
    "location_lost": "G302",
    "image_paths": "..\\..\\assets\\uploads\\proof2.jpg"
  }
]
```

Expected Result: PASS

Actual Result: PASS

Function 22: getPossibleMatches

Get possible matching found items based on loss item name keywords

Test 34: getPossibleMatches returns matching storage items by keyword**INPUT:**

```
{
  "keyword": "Found Keys"
}
```

OUTPUT:

```
[
  {
    "item_id": 1,
    "item_name": "Found Keys",
    "description": null,
    "location_found": "Unknown Location",
    "when_found": null,
    "primary_image": "assets\items\keys.jpg"
  }
]
```

Expected Result: PASS**Actual Result: PASS****Function 23: getCategoryes**

Fetch active category listing

Test 35: getCategoryes returns populated category list**INPUT:**

None

OUTPUT:

```
[
  {
    "category_id": 1,
    "name": "Electronics"
  }
]
```

Expected Result: PASS**Actual Result: PASS**

Function 24: resolveReport & closeReport

Update report status to Resolved or Closed

Test 36: resolveReport updates report status to Resolved

INPUT:

```
{
  "report_id": "1",
  "reviewed_by": 2
}
```

OUTPUT:

```
{
  "report_id": 1,
  "student_id": 1,
  "item_name": "Updated Backpack",
  "item_description": "Updated Desc",
  "category_id": 1,
  "brand_id": 99,
  "item_id": 99,
  "room_id": 1,
  "area_id": null,
  "when_found": null,
  "when_lost": "2026-08-01 10:00:00",
  "extra_details": "New details",
  "reviewed_by": 2,
  "status": "Resolved",
  "type": "Loss Report",
  "created_at": "2026-08-05 10:45:59",
  "last_updated": "2026-08-05 10:45:59",
  "deleted": "0"
}
```

Expected Result: PASS

Actual Result: PASS

Test 37: closeReport updates report status to Closed

INPUT:

```
{
  "report_id": "1",
  "reviewed_by": 2
}
```

OUTPUT:

```
{
  "report_id": 1,
  "student_id": 1,
  "item_name": "Updated Backpack",
  "item_description": "Updated Desc",
  "category_id": 1,
  "brand_id": 99,
  "item_id": 99,
  "room_id": 1,
  "area_id": null,
  "when_found": null,
  "when_lost": "2026-08-01 10:00:00",
  "extra_details": "New details",
  "reviewed_by": 2,
  "status": "Closed",
  "type": "Loss Report",
  "created_at": "2026-08-05 10:45:59",
  "last_updated": "2026-08-05 10:45:59",
  "deleted": "0"
}
```

Expected Result: PASS**Actual Result: PASS**