



Coláiste na Tríonóide, Baile Átha Cliath
Trinity College Dublin

Ollscoil Átha Cliath | The University of Dublin

Faculty of Engineering, Mathematics and Science
School of Computer Science & Statistics

ST2004: Applied Probability I

14 DEC 2021

9:30-11:30

Dr James Ng

Instructions to Candidates:

Answer all 4 questions. Questions carry unequal marks.

1. (a) Two six-sided dice are rolled. Let A be the event that sum of two dice equals to 3. Let B be the event that sum of two dice equals to 7. Let C be the event that at least one of the dice shows a 1.
 - i. What is the conditional probability $\mathbb{P}(A|C)$? (5 marks)
 - ii. What is the conditional probability $\mathbb{P}(B|C)$? (5 marks)
 - iii. Are A and C independent? Are B and C independent? (5 marks)
- (b) Suppose a biased coin with probability p of heads is tossed, while a fair coin is tossed at the same time. Let X be the number of tosses until both coins simultaneously show the same outcome.
 - i. What is the probability distribution of X ? (6 marks)
 - ii. Compute the expected value and standard deviation of X ? (4 marks)
2. (a) Suppose there are 10 cards face-down numbered 1 through 10. You can pick one card. If the number on the card is at least 5 your payoff is the dollar value on the card, otherwise your payoff is \$0.5.
 - i. What is the expected value of your payoff? (6 marks)
 - ii. What is the standard deviation of your payoff? (4 marks)
- (b) Consider the following strategy for betting. I start by betting \$1; if I lose, I double my bet to \$2, and if I lose I double my bet again. I continue to double my bet until I win. Suppose further that the probability of winning each game is $p = 0.5$. This strategy results in a guaranteed net win of \$1. Let X be the amount of money bet on the last game (the one I win).
 - i. Determine the probability mass function for X . (6 marks)
 - ii. Show that $\mathbb{E}(X) = \infty$. That is, the expected value of X is not finite. (4 marks)
 - iii. Comment on what is wrong with this strategy. (2 marks)
3. (a) Suppose 15% of football players are left footed. 11 players including one goalkeeper are picked at random to form a football team.
 - i. Find the probability that exactly one left footed player on the football team. (5 marks)

- ii. Find the probability that less than three players on the team are left footed. (5 marks)
 - iii. Suppose the goalkeeper is left footed. What is the probability that at most two of the remainder of the team are left footed? (5 marks)
- (b) Claims come into an insurance company at the rate of 2 per day according to a Poisson process. In a given 5 days week. Find:
- i. the probability of 2 claims every day (5 marks)
 - ii. the probability of no claims on exactly 2 of the 5 days (7 marks)
4. (a) Let X be a discrete random variable with the following cumulative distribution function:

$$F(x) = \begin{cases} 0, & x < 0 \\ \frac{1}{5}, & 0 \leq x < 2 \\ \frac{2}{5}, & 2 \leq x < 4 \\ 1, & x \geq 4 \end{cases}$$

Determine the probability mass function of X . (6 marks)

- (b) Let X, Y be two continuous random variable with joint probability density function

$$f(x, y) = cx^2y(1 + y)$$

for $0 \leq x \leq 3$ and $0 \leq y \leq 3$, and $f(x, y) = 0$ otherwise.

- i. Find the value of c . (4 marks)
- ii. Compute the joint probability $\mathbb{P}(\{1 \leq X \leq 2\} \cap \{0 \leq Y \leq 1\})$. (4 marks)
- iii. Determine the joint cumulative distribution function of X and Y . (4 marks)
- iv. Determine the marginal probability density function of X . (4 marks)
- v. Are X and Y independent? (4 marks)