

m1

Cloud System – Volumetric Atmospheric Simulation and GPU Ray Marching Engine

Cloud System (Volumetric Atmospheric Simulation Engine)

System Overview

This module redefines clouds as a physical simulation system operating entirely on the GPU. Instead of treating clouds as static visual assets, they are modeled as volumetric density fields that evolve continuously over time.

The core principle is:

Clouds are not rendered objects. They are simulated atmospheric density structures.

<https://www.udemy.com/course/web-based-3d-terrain-industrial-printing-engine-mastery/>

Volumetric Noise Cloud System

Density Field Model

Cloud formation is generated inside a three-dimensional noise field rather than surface geometry.

$$C(x,y,z) = \text{noise}(x,y,z) \cdot \text{density}$$

Where:

- $\text{noise}(x,y,z)$ defines volumetric structure
- density controls global cloud concentration

Clouds are constructed using procedural noise functions such as Perlin or Simplex noise in three dimensions.

This creates:

- Natural cloud formations
- Spatial variation in all axes
- Organic atmospheric structures

Density Grid System

The simulation space is divided into a voxel-like structure:

- 0 = empty atmosphere
- 1 = full cloud mass

Each cell represents a local atmospheric density value.

Ray Marching Rendering Pipeline

Cloud rendering is executed using GPU ray marching.

Pipeline Flow

Camera ray generation

→ Volumetric traversal

→ Density sampling

→ Light accumulation

→ Final pixel shading

Each pixel is computed independently as a volumetric integration problem.

Particle-Based Cloud Approximation System

Performance Optimization Layer

To reduce computational cost, clouds can be approximated using particle systems.

- Position defines spatial location
- Velocity defines motion behavior
- Value defines cloud density contribution

Particle Lifecycle System

Spawn Phase

Particles are generated in atmospheric regions.

Drift Phase

Wind forces move particles across space.

Dissipation Phase

Particles lose density over time.

Respawn Phase

Particles regenerate to maintain cloud continuity.

Density Field Simulation Over Time

Temporal Evolution Model

$$D(x,y,z,t) = \text{noise}(x,y,z + t \cdot w)$$

Where:

- w represents wind influence over time

System Behavior

- Cloud structures continuously evolve
- Wind modifies spatial density coordinates
- Atmospheric formations shift dynamically

This creates a living volumetric sky system.

Light Interaction System

Clouds interact with light through volumetric scattering rather than surface reflection.

Light Attenuation Model

$$L(\lambda) = L_0 e^{(-\beta(\lambda)d)}$$

Where:

- $\beta(\lambda)$ defines wavelength absorption
- d defines distance through volume

Physical Effects

- Light absorption inside cloud layers
- Rayleigh scattering for blue light
- Silver lining effects near light sources

GPU Ray Marching System

Execution Model

Cloud rendering is fully GPU-driven using ray marching techniques.

Processing Flow

- Camera ray generation
- Step-by-step density sampling
- Light scattering accumulation
- Final pixel compositing

Each pixel represents a volumetric integration over atmospheric space.

System-Level Transformation

Before This Module

- Clouds are static textures
- Sky is a flat background
- Atmosphere is purely visual

- Clouds are dynamic volumetric systems
- Sky is a physical simulation space
- Atmosphere behaves as a computational field

Engine Interpretation Model

At architectural level:

- Clouds = 3D density fields
- Wind = deformation vector system
- Noise = structural generation function
- Light = scattering interaction model

This creates a fully simulated atmospheric engine.

Final Engineering Tasks

Task 1 — Volumetric Cloud Generator

Design a system that:

- Generates 3D cloud density using noise functions
- Applies threshold-based cloud formation
- Supports real-time density modification

Task 2 — Ray Marching Renderer

Design a rendering system that:

- Samples density along camera rays
- Accumulates opacity step-by-step
- Produces fog-like volumetric output

Task 3 — Particle Cloud System

Design a simplified cloud model using particles:

- Position-based cloud clusters
- Wind-driven motion
- Lifecycle management system

Task 4 — Wind Integration System

- Particles respond to atmospheric forces
- Cloud motion is synchronized across both models

Engine Progression Context

After this module, the engine includes:

- GPU terrain generation system
- Biome-aware environmental system
- Hydrology and erosion simulation layers
- Real-time water wave system
- Volumetric atmospheric cloud engine

Next System Evolution

The next stage introduces:

- Full weather state machine
- Storm and precipitation simulation
- Lightning and atmospheric event systems
- Global climate simulation layer
- Multi-region atmospheric synchronization

Final Engineering Statement

Clouds are not visual elements.

They are continuously evolving volumetric density fields computed in real time, where noise, wind, and light scattering converge to simulate a physically consistent atmosphere inside a GPU-driven world engine.

m2

m3