

# 20251011\_AgentCoreにデプロイ

2025年10月11日 20:35

Strandsで書いたエージェントを、AgentCoreのSDKでラップしてAPIサーバーにする

## ①AWSの環境変数の設定

```
chach@chachapc MINGW64 ~/Documents/Dev_Env/vscode-workspace/20251011_AgentCore
$ aws configure
AWS Access Key ID [*****F26G]: AKIA5PUOIAJEQAI4F26G
AWS Secret Access Key [*****19o/]: 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
Default region name [ap-northeast-1]: ap-northeast-1
Default output format [json]: json
```

## ②pip install bedrock-agentcore-starter-toolkit

```
chach@chachapc MINGW64 ~/Documents/Dev_Env/vscode-workspace/20251011_AgentCore
$ pip install bedrock-agentcore-starter-toolkit
Defaulting to user installation because normal site-packages is not writeable
Collecting bedrock-agentcore-starter-toolkit
  Downloading bedrock_agentcore_starter_toolkit-0.1.22-py3-none-any.whl.metadata (10.0 kB)
Collecting autopep8>=2.3.2 (from bedrock-agentcore-starter-toolkit)
  Downloading autopep8-2.3.2-py2.py3-none-any.whl.metadata (16 kB)
```

Scripts が PATH に無いのでコマンド名 (autopep8, typer, agentcore など) が直接打てない、という警告

```
autopep8, typer, prance, openapi-schema-validator, openapi-spec-validator, bedrock-agentcore, bedrock-agentcore-starter-toolkit
5/22 [pyyaml] WARNING: The script pycodestyle.exe is installed in 'C:\Users\chach\AppData\Roaming\Python\Python313\Scripts' which is not on PATH.
Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
10/22 [chardet] WARNING: The script chardetect.exe is installed in 'C:\Users\chach\AppData\Roaming\Python\Python313\Scripts' which is not on PATH.
Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
14/22 [jinja2] WARNING: The script autopep8.exe is installed in 'C:\Users\chach\AppData\Roaming\Python\Python313\Scripts' which is not on PATH.
Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
16/22 [typer] WARNING: The script typer.exe is installed in 'C:\Users\chach\AppData\Roaming\Python\Python313\Scripts' which is not on PATH.
Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
17/22 [prance] WARNING: The script prance.exe is installed in 'C:\Users\chach\AppData\Roaming\Python\Python313\Scripts' which is not on PATH.
Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
19/22 [openapi-spec-validator] WARNING: The script openapi-spec-validator.exe is installed in 'C:\Users\chach\AppData\Roaming\Python\Python313\Scripts' which is not on PATH.
Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
20/22 [bedrock-agentcore] WARNING: The script bedrock-agentcore.exe is installed in 'C:\Users\chach\AppData\Roaming\Python\Python313\Scripts' which is not on PATH.
Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
```

見つからない (agentcoreのコマンドも使用できない)

```
chach@chachapc MINGW64 ~/Documents/Dev_Env/vscode-workspace/20251011_AgentCore
$ where autopep8
INFO: Could not find files for the given pattern(s).
```

PATH にフォルダを登録

```
chach@chachapc MINGW64 ~/Documents/Dev_Env/vscode-workspace/20251011_AgentCore
$ setx PATH "%($env:PATH);C:\Users\chach\AppData\Roaming\Python\Python313\Scripts"
bash: :PATH: command not found

SUCCESS: Specified value was saved.
```

→ vscode再起動

### ③Bedrock AgentCore 用のデプロイ設定を行う

agentcore configure --entrypoint agent\_test.py

ウィザードでは全て Enter でOK

```
chach@chachapc MINGW64 ~/Documents/Dev_Env/vscode-workspace/20251011_AgentCore
$ agentcore configure --entrypoint agent_test.py
Configuring Bedrock AgentCore...
Entrypoint parsed: file=C:\Users\chach\Documents\Dev_Env\vscode-workspace\20251011_AgentCore\agent_test.py, bedrock_age
ntcore_name=agent_test
Agent name: agent_test

🔑 Execution Role
Press Enter to auto-create execution role, or provide execution role ARN/name to use existing
Execution role ARN/name (or press Enter to auto-create):
```

```
chach@chachapc MINGW64 ~/Documents/Dev_Env/vscode-workspace/20251011_AgentCore
$ agentcore configure --entrypoint agent_test.py
Setting 'agent_test' as default agent

Configuration Success

Configuration Complete

Agent Details:
Agent Name: agent_test
Runtime: None
Region: ap-northeast-1
Account: 926937514569

Configuration:
Execution Role: None
ECR Repository: Auto-create
Authorization: IAM (default)

Memory: Short-term memory (30-day retention)

📄 Config saved to: C:\Users\chach\Documents\Dev_Env\vscode-workspace\20251011_AgentCore\.bedrock_agentcore.yaml

Next Steps:
agentcore launch
```

### ④デプロイ

agentcore launch

```
chach@chachapc MINGW64 ~/Documents/Dev_Env/vscode-workspace/20251011_AgentCore
$ agentcore launch
Y34CRKR

Deployment Success

✅ CodeBuild Deployment Successful!

Agent Details:
Agent Name: agent_test
Agent ARN: arn:aws:bedrock-agentcore:ap-northeast-1:926937514569:runtime/agent_test-CNeY34CRKR
ECR URI: 926937514569.dkr.ecr.ap-northeast-1.amazonaws.com/bedrock-agentcore-agent_test:latest
CodeBuild ID: bedrock-agentcore-agent_test-builder:7b04a7d2-186c-423b-94fb-1aa80c88357c

🚀 ARM64 container deployed to Bedrock AgentCore

Next Steps:
agentcore status
agentcore invoke '{"prompt": "Hello"}'

📄 CloudWatch Logs:
/aws/bedrock-agentcore/runtimes/agent_test-CNeY34CRKR-DEFAULT --log-stream-name-prefix
"2025/10/11/[runtime-logs]"
/aws/bedrock-agentcore/runtimes/agent_test-CNeY34CRKR-DEFAULT --log-stream-names "otel-rt-logs"

🔍 GenAI Observability Dashboard:
https://console.aws.amazon.com/cloudwatch/home?region=ap-northeast-1#gen-ai-observability/agent-core

💡 Note: Observability data may take up to 10 minutes to appear after first launch
```

### ⑤エージェント削除

agentcore destroy --agent agent\_test

```
chach@chachapc MINGW64 ~/Documents/Dev_Env/vscode-workspace/20251011_AgentCore
$ agentcore destroy --agent agent_test
⚠ About to destroy resources for agent 'agent_test'


Current deployment:
• Agent ARN: arn:aws:bedrock-agentcore:ap-northeast-1:926937514569:runtime/agent_test-CNeY34CRKR
• Agent ID: agent_test-CNeY34CRKR
• ECR Repository: 926937514569.dkr.ecr.ap-northeast-1.amazonaws.com/bedrock-agentcore-agent_test
• Execution Role: arn:aws:iam::926937514569:role/AmazonBedrockAgentCoreSDKRuntime-ap-northeast-1-35fdaffda4

This will permanently delete AWS resources and cannot be undone!
Are you sure you want to destroy the agent 'agent_test' and all its resources? [y/N]: y
Starting destroy operation for agent: agent_test (dry_run=False, delete_ecr_repo=False)
🔧 Destroying Bedrock AgentCore resources...Skipping deletion of DEFAULT endpoint
🗑 Destroying Bedrock AgentCore resources...Deleted AgentCore agent: arn:aws:bedrock-agentcore:ap-northeast-1:926937514569:runtime/agent_test-CNeY34CRKR
Checking ECR repository: bedrock-agentcore-agent_test in region: ap-northeast-1
🗑 Destroying Bedrock AgentCore resources...Deleted 1 ECR images from bedrock-agentcore-agent_test
```

誤削除防止のため。以下は残る。

不要なら自分で消す

ECRのリポジトリは残る



S3も残る



CloudWatch Logs（ランタイムのロググループ）

