




ROBOCUP2021

@HOME

## Simulation DSLP

*Rules & Regulations*



Version 0.0.0 (January 25, 2021)



---

### About this Rulebook

This is the official rulebook of the RoboCup DSPL Simulation 2021 competition. It has been written by the Service Category Technical Committee members.

### Acknowledgements

We would like to thank all the people who contributed to the RoboCup @home Technical Committee members with their feedback and comments. We also like to thank the members of World Robot Summit community.



## Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	RoboCup . . . . .	4
1.2	@Home . . . . .	4
1.3	Domestic Standard Platform League . . . . .	4
<b>2</b>	<b>Simulation DSPL</b>	<b>6</b>
2.1	Concept . . . . .	6
2.2	Competition . . . . .	6
<b>3</b>	<b>General Rules</b>	<b>7</b>
3.1	Objectives . . . . .	7
3.2	Technical Focus . . . . .	7
3.3	Vision . . . . .	7
3.4	Setup . . . . .	7
3.5	Clean Up . . . . .	10
3.5.1	Settings . . . . .	10
3.5.2	Before the Competition . . . . .	11
3.5.3	During the Competition . . . . .	11
3.5.4	Scores . . . . .	12
3.6	Go and Get It . . . . .	16
3.6.1	Settings . . . . .	16
3.6.2	Before the Competition . . . . .	17
3.6.3	During the Competition . . . . .	17
3.6.4	Scores . . . . .	18
3.7	Additional rules and remarks . . . . .	20
3.8	Special considerations . . . . .	20
3.9	Score Sheet - Clean Up . . . . .	21
3.10	Score Sheet - Go and Get It . . . . .	23



---

<b>4 Appendix</b>	<b>24</b>
4.1 Furniture models . . . . .	24
4.2 Arena Setup . . . . .	29
4.2.1 Room 1 . . . . .	29
4.2.2 Room 2 . . . . .	31
4.3 Objects to be used . . . . .	33



# 1 Introduction

## 1.1 RoboCup

RoboCup is an international joint project to promote AI, robotics, and related fields. It is an attempt to foster AI and intelligent robotics research by providing standard problems where a wide range of technologies can be integrated and examined. More information can be found at <http://www.robocup.org/>.

## 1.2 @Home

The RoboCup@Home league aims to develop service and assistive robot technology with high relevance for future personal domestic applications. It is the largest international annual competition for autonomous service robots and is part of the RoboCup initiative. A set of benchmark tests is used to evaluate the robots' abilities and performance in a realistic non-standardized home environment setting. Focus lies on the following domains but is not limited to: Human-Robot-Interaction and Cooperation, Navigation and Mapping in dynamic environments, Computer Vision and Object Recognition under natural light conditions, Object Manipulation, Adaptive Behaviors, Behavior Integration, Ambient Intelligence, Standardization and System Integration. It is colocated with the RoboCup symposium.

## 1.3 Domestic Standard Platform League

The Domestic Standard Platform League(DSPL) has as main goal to assist humans in a domestic environment, paying special attention to elderly people and people suffering of illness or disability.

In consequence, the DSPL focuses on Ambient Intelligence, Computer Vision, Object Manipulation, Safe Indoor Navigation and Mapping, and Task Planning.

The robot to be used in the DSPL is Human Support Robot<sup>1</sup>(HSR) by Toyota Motor Corporation shown in Figure 1a and Figure 1b.

---

<sup>1</sup>Takashi Yamamoto et. al. *Development of Human Support Robot as the research platform of a domestic mobile manipulator*. ROBOMECH Journal, 2019.




Figure 1: a) The Toyota Human Support Robot and b) the Simulated model.



---

## 2 Simulation DSPL

### 2.1 Concept

The simulation Domestic Standard Platform League surges from the necessity to standardise and spread the research on Domestic Service Robots where a series of baselines can be tested in a standard benchmark. The simulation league provides a first attempt towards that aim.

### 2.2 Competition

The rules and regulations of the sDSPL are highly based on the World Robot Summit - Partner Robot Challenge (Real Space), as in <https://worldrobotsummit.org/>, and therefore some rules might not be applicable to a simulated environment, especially those limited by real physical and mechanical principles.

#### Simulator

The TC finally decided to use the OSS HSR simulator. You can find a Docker image of the simulator here:

[https://github.com/hsr-project/tmc\\_wrs\\_docker](https://github.com/hsr-project/tmc_wrs_docker)

This link<sup>2</sup>explains how to use it in the simulation league.

#### Tests

The competition is as follows:

- Poster Session
- Stage I
  - Clean Up (5 min)
  - Go and Get It (5 min)
- Stage II
  - Clean Up (15 min)
- Final

---

<sup>2</sup><https://dev.to/yosuke/robocup-simulation-league-is-accepting-your-challenge-for-free-1g66>



---

### 3 General Rules

#### 3.1 Objectives

- Clean Up: Tidy up objects from the incorrect locations to a predetermined deposit.
- Go and Get It: Provide a person within a group with some food from a shelf when requested while avoiding obstacles when navigating.

#### 3.2 Technical Focus

- Semantic mapping, unknown object perception and manipulation, path planning.
- HRI, semantic mapping, object manipulation, motion and path planning.

#### 3.3 Vision

By providing an easy to understand challenge, we aim at identifying and solving front-end problems that might arise when using a service robot in indoors environments, such as safety and stability, autonomous error recovery, task performance and time consumption, natural motion and path planing, etc.

The Key Performance Indicator is based on a 4S philosophy: Speed, Smooth/Smart, Stable, and Safe.

#### 3.4 Setup

##### Arena

- The room layout and furniture positions will be as in as in Figure 2 and the furniture models are presented in Appendix 4.1.
- Each Task is carried out in the following rooms:
  - Room 1: Living room (Clean Up), a 3.5x4.0 meters area, with a 1.2m long door in the top left side of the wall working as a main entrance and a 1.2m long free access (i.e. without door) in the bottom of the shared wall connecting to the dining room, as shown in Figure 3a.
  - Room 2: Dining room (Go and Get It), a 2.5x4.0 meters area, as illustrated in Figure 3b.

##### Objects

- Known objects - with pre-announced object recognition data and location information –, 25 units in 5 categories<sup>3</sup>(each category has 5 units randomly chosen from the dataset; the selection process is performed per test):




Figure 2: Test arena layout. The red arrow indicates the starting point at the beginning of the competition or after a restart.




Figure 3: a) Living room where objects are scattered about. b) Dining room with a shelf and two chairs. For ease of visibility for the audience, **the wall will have a minimum height of 60 cm**.

- Food (e.g. chips can, coffee can, cracker box), kitchen items (e.g. glass, bowl, mug), tools (e.g. clamps, padlock's keys), shape items (e.g. baseball, tennis ball), and task items (e.g. Rubick's cube, t-shirt, airplane toy)
- Orientation-based items. It is **important** to notices the existence of this property, where exclusively the following objects have it:
  - small marker: tip faces downwards
  - large marker: tip faces downwards



- 
- fork: handle faces upwards
  - spoon: handle faces upwards
  - Unknown objects - without pre-announced object recognition data nor location information. They will be frequently used daily goods and tools as in Young Sang Choi et. al.<sup>4</sup>, and may include deformable objects such as clothing, food, magazines, etc., 5 units (one per category).

Object's specifications and their corresponding 3D models can be found in <http://www.ycbbenchmarks.com/>.

**Boss-character.** During the competitions, one local and representative object may be used to encourage teams to solve some of the most difficult tasks while making the competition more exciting for viewers.

---

<sup>3</sup>Berk Calli et. al. *Benchmarking in Manipulation Research: The YCB Object and Model Set and Benchmarking Protocols*. IEEE Robotics and Automation Magazine, 2015.

<sup>4</sup>Young Sang Choi et. al. (2009), *A list of household objects for robotic retrieval prioritized by people with ALS*. IEEE International Conference on Rehabilitation Robotics, ICORR 2009.

### 3.5 Clean Up

**Description:** Move the objects spread around a room to their designated locations.

**Time:** 5 min in Stage I and 15 min in Stage II

#### 3.5.1 Settings

##### Environment

- Furniture: stairs-like drawer (Figure 4a), long table (x2), tall table, bin (x2).
- Storage places: drawer, tray, bin, pen pencil holder (Figure 5).



Figure 4: a) Stairs-like drawer. The drawer will be as it is (left drawer) or it might have a handle and/or be opened under team request (middle drawers); when opening a drawer, it should not be unmounted from the shelf. b) Several views of the easy-to-manipulate handles (<https://www.amazon.com/Suction-BYBYCD-Handles-Bathroom-Adsorbent/dp/B07GYKJCTR>).

##### Task Performance

- The name and location of the deposits are fixed, such as tools drawer, food tray, task items bin, kitchen items container, etc.
- Known objects are given with pre-announced information on their corresponding deposits. Orientation-based items can be placed in a deposit corresponding to their category (correct category point) or property (correct category and, if correctly placed, orientation points).
- For unknown objects, the robot inquires the operator to get information on tidy up space (by voice or QR code), or by the robot own judgement (e.g. toys go into task items bin or food tray?).
- The furniture doors will have easy-to-manipulate handles (as in Figure 4b).




Figure 5: Containers may vary in shape and size, but they will be within a predefined area in the deposit area.

### 3.5.2 Before the Competition

- Teams are given the time to create/adjust map data in the actual apartment.
- Right before the competition, the referee sets the rooms into messy condition (within a specified error tolerance range).
- Room 1. Living room (task planning, object recognition and manipulation), for the Clean Up task:
  - 30 objects (5 categories, 5 known + 1 unknown objects per category) are randomly placed in the room (on the floor and or tables).
  - 1 boss-character placed at a challenging position within the arena (please refer to Section 3.6.4 for details).

### 3.5.3 During the Competition

The robot enters the living room in a messy condition, tidies up the room in 5 minutes (Stage I) or 15 minutes (Stage II). Three runs are allowed per trial, an average result is given. A detailed description of a full run is described below:

- Each test starts with the robot at the front entrance (starting point). The start signal is the robot motion.
- As the name of the task suggests, the robot should move at least one object to a deposit before being granted any point point (including bonus points). The robot should inform the operator whether the tasks have been completed or the time limit is up.
- Clean Up



- Start the competition by moving the robot from the initial position.
- Perform clean up.

### 3.5.4 Scores

- Clean Up
  - Grasping an object inside the room and correctly depositing it in a location. It is considered a successful grasping if the robot is able to bring the object to a deposit area; if the robot drops the object in its way to a deposit, it is considered unsuccessful and will be subject to a penalisation (hint: the robot can take a dropped object again); a successful deposit consist on the object being inside the deposit, as in Figure 6. Special consideration is given to clothing and textiles, where they can hang in the deposit's border, but without touching the floor (Figure 7): 10 points x 30 units.
  - Correctly depositing an object according to its category: 10 additional points per object.
  - Correctly depositing an object based on its orientation (e.g. markers' tips facing downwards as in Figure 8): 10 additional points per object.
  - Correctly finishing the task within the time limit (i.e. all objects in the search area have been placed in their corresponding deposit): 50 points.
- The final score in a full trial is the average of partial scores per run.




Figure 6: Example of a delivery process in a tray case: a) given a target deposit with objects in it, b) it is considered a correct delivery if the objects are placed softly in a free space, and c) a hit if it is placed in an occupied space. In any case, if, in its final position, a given object touches the table or it doesn't touch the tray (a piling situation where one object is over another), it is considered a failed delivery (zero points for that object).


- Bonus points can be given if the team opts for the bonus challenges (50 points per challenge):



(a)

(b)

Figure 7: In the case of drawers, containers, and bins, a correct delivery is considered if the objects are inside them in any position. In the special case of clothes, it is consider a) a correct delivery (no contact with the floor) and b) an incorrect delivery.



(a)

(b)

(c)

Figure 8: Example of a correct a) markers and b) cutlery orientation-based items' delivery, and c) incorrect delivery, where the tips should face downwards.

- Boss-character manipulation, this includes one single object in a difficult place, like at the back of or under a table.

- Opening the three shelf drawers. No further human interaction is allowed. If the robot opens the drawers such that no object can fit in there and therefore the referee or the operator needs to open it more, no bonus points will be considered.

- Penalty points in **Clean Up** can be given in the following scenarios:

- Dropping an object (however, if the robot successfully re-takes the same object, no penalisation will be considered): Points x 50% in the next object.



- 
- If the robot is stuck during the competition, it can be restarted if necessary. After the robot has been stopped by the operator, the robot should be operated and initialised in the starting point, limited to one restart (to prevent repeatedly fine adjustments): Points x 50% in the next object.
  - The robot (except for the manipulator's fingers and palm, see Figure 9) or the additional equipment prepared by the team hits any object/obstacle inside the arena or in the shelf, or any part of the robot hits the furniture or walls: Points x 50% for the current object.
  - The robot performs a false delivery (i.e. moves to the deposit location without holding any object in its manipulator): Points x0.0 for the current object.

**IMPORTANT: Emergency stop.** If the referees or the TC observe behaviours out of the 4S philosophy (Speed, Smooth/Smart, Stable, Safe) such as the robot constantly hitting objects while navigating or grasping objects (i.e. no path and or motion planning is being used), repeatedly dropping objects (i.e. no intelligent manipulation strategies are in use), and so on, they can stop the test and grant zero points for that trial to the team.




Figure 9: a) Valid manipulator's fingers and palm areas that can be in contact with an object without being considered a hit. b) In the example, to take the apple surrounded by two objects, c) it is allowed to move the objects around the target object without dropping them or hitting and moving neighbour objects with the displaced objects. d) A hit is considered when the robot hand (except the fingers and palm) or any other part of the robot touches an object (e.g. the pear in the image) or when the center of mass of a neighbour object is displaced two or more centimeters after a hit by a displaced object (e.g. the boxes were significantly moved after a hit by the peach).



### 3.6 Go and Get It

**Description:** Provide a person with something to consume when requested.  
**Time:** 5 min for Stage I

#### 3.6.1 Settings

##### Environment

- The robot starts at the front entrance; the robot reads what object to deliver.
- Furniture: shelf without door (Figure 10), chair (x2).
- Storage places: shelf without door.



Figure 10: Front view of the shelf and objects inside it.

##### Task Performance



- 
- The robot starts at the front entrance; there might be objects on the floor of Room I according to the Clean Up regulations (i.e. same initial setup for all the competition).
  - The location of the shelf is known and fixed.

### 3.6.2 Before the Competition

- Teams are given the time to create/adjust map data in the actual apartment.
- Right before the competition, the referee sets the rooms into messy condition (within a specified error tolerance range).
- Room 1. Living room (task planning, object recognition and manipulation), as a default setup:
  - 30 objects (5 categories, 5 known + 1 unknown objects per category) are randomly placed in the room (on the floor and or tables).
  - 1 boss-character placed at a challenging position within the arena (please refer to Section 3.6.4 for details).
- Room 2. Dining space (HRI, path and motion planning), for the Go and Get It task:
  - Obstacles on the floor are set in the access between rooms. Several food items are placed inside the shelf. Some people are in the dining room.

### 3.6.3 During the Competition

The robot enters the living room in a messy condition. Three runs are allowed per trial, an average result is given. A detailed description of a full run is described below:

- Each test starts with the robot at the front entrance (starting point). The start signal is the robot motion.
- Task 2a
  - Enters the dining room and goes to a location inside the room while avoiding obstacles.
- Task 2b
  - The robot goes directly to the shelf and takes the correct object given at the beginning of the test.
  - The robot moves toward the group of persons and gives the object to the one requesting it.
  - The test ends with the robot reporting the completion of the task or the time is over.



### 3.6.4 Scores

- Task 2a
  - Navigating to a location in Room 2 while avoiding random obstacles lying on the floor within the access area. As we are considering very small and flat objects, a collision will be reckoned if there is physical contact with any object on the floor: 100 points.
- Task 2b
  - Grasping any food item in the shelf: 30 points x 1 unit.
  - Correctly taking the requested food item among many objects in the shelf: 70 additional points. Note that the requested object is likely to be occluded by other items in the shelf and therefore a grasping strategy should be implemented (e.g. first move item one and item two in front of the target object and without hitting any other object in the shelf before being able to take the requested object).
  - Delivering the object to a person in the delivery area: 30 points x 1 person.
  - Correctly detecting a person request and giving the food item to her/him: 70 additional points.
  - Correctly finishing the task within time limit (i.e. correct object delivered to the right person and without collisions): 50 points.
  - If any time remaining, add 20 points per minute.
- The final score in a full trial is the average of partial scores per run.
- Penalty points in **Go and Get It** are considered in the following scenarios:
  - Dropping an object out of the shelf (however, if the robot successfully re-takes the same object and delivers it back inside the shelf, no penalisation will be considered):  $0.25 \times$  Partial points in Task 2b<sub>1</sub> (considered as a HIT in the score sheet).
  - If the robot is stuck during the competition, it can be restarted if necessary. After the robot has been stopped by the operator, the robot should be operated and initialised in the starting point, limited to one restart (to prevent repeatedly fine adjustments):  $0.25 \times$  Partial points in Task 2b<sub>1</sub> or Task 2b<sub>2</sub> (considered as a HIT in the score sheet).
  - The robot (except for the manipulator's fingers and palm, see Figure 9) or the additional equipment prepared by the team hits any object/obstacle inside the arena or in the shelf, or any part of the robot hits the furniture or walls:  $0.25 \times$  Partial points in Task 2b<sub>1</sub> or Task 2b<sub>2</sub> (considered as a HIT in the score sheet).



- The robot performs a false delivery (i.e. moves to the deposit location without holding any object in its manipulator): Points x0.0 in Task 2b.

**IMPORTANT: Emergency stop.** If the referees or the TC observe behaviours out of the 4S philosophy (Speed, Smooth/Smart, Stable, Safe) such as the robot constantly hitting objects while navigating or grasping objects (i.e. no path and or motion planning is being used), repeatedly dropping objects (i.e. no intelligent manipulation strategies are in use), and so on, they can stop the test and grant zero points for that trial to the team.



---

### 3.7 Additional rules and remarks

- The use of an external laptop mounted in the back of the robot is allowed.
- The robot can use any type of external computing (e.g. cloud computing) and can connect to it via wireless (WiFi provided, but not guaranteed).
- Hand manipulator can be changed (i.e. only the gripper design), TOYOTA will provide the drawings and manuals under request. Safety and motion tests should be confirmed by each team prior and during the competition.
- Passive sensors (e.g. depth sensors mounted in the hand, such as lasers or sonars) are allowed within the restrictions to be provided by TOYOTA. However, no actuators are allowed (active devices).
- Random robot inspections will be performed during the competition.

**IMPORTANT: External devices notification.** Before using external tools or performing any hardware modification, teams should submit to the committee a letter of intent specifying the details of such tool or modification to receive approval and or feedback.

### 3.8 Special considerations

The core task in this test is having a robot that autonomously tidies up a messed room as a human would do.

This rulebook presents a series of guidelines and regulations that objectively allows evaluating the different aspects of the 4S philosophy (Speed, Smooth/Smart, Stable, Safe) and therefore the expected behaviour of a robot is not limited to the rules established here.

In principle, any robot behaviour not regulated here is allowed as long as it doesn't interfere with solving the core task. However, the Technical Committee is allowed to ban any behaviour not mentioned here and that they may consider unfair (e.g. taking several objects at the same time without announcing it and without a clear object recognition; asking for human interaction beyond the established in the rulebook; etc). If you have any concern about a behaviour that may seem controversial, please contact the TC before considering their application to solving the task.



### **3.9 Score Sheet - Clean Up**

Total score per match:

Team name/number: \_\_\_\_\_



#	Penalties				Points				Total	
	Drop	Restart	Hit		Correct			False		
			Object	Furniture	Deli-very	cate-gory	Orien-tation			
16	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
17	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
18	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
19	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
20	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
21	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
22	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
23	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
24	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
25	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
26	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
27	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
28	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
29	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
30	x0.5	x0.5	x0.5	x0.5	10	+10	+10	x0.0		
Notes:										
Finishing the task within the time limit (15 min $\pm$ 15 sec): 50 points										
Bonus challenges (50 points per challenge):										
-Boss-character manipulation										
-Opening the three drawers (without further human interaction)										
<b>TOTAL (Clean Up)</b>										
Comments:										

Referee: \_\_\_\_\_ Team Leader: \_\_\_\_\_



### 3.10 Score Sheet - Go and Get It

Total score per match:

Team name/number: \_\_\_\_\_

<b>Task 2a</b>				
Successfully entering to the dining room without collisions			100	
<b>Task 2b</b>				
Taking any food item in the shelf			40	
Taking the requested object among many objects in the shelf			+60	
				SUM <sub>1</sub>
HIT <sub>1</sub> :	1	2	3	4+
				Task <sub>2b1</sub> = (1 - 0.25xHIT <sub>1</sub> )xSUM <sub>1</sub>
Delivering the object to a person in the delivery area			40	
Correctly detecting a person's request and giving the item to her/him			+60	
				SUM <sub>2</sub>
HIT <sub>2</sub> :	1	2	3	4+
				Task <sub>2b2</sub> = (1 - 0.25xHIT <sub>2</sub> )xSUM <sub>2</sub>
SUM = Task <sub>2a</sub> + Task <sub>2b1</sub> + Task <sub>2b2</sub>				
Finishing the task within the time limit (5 min ± 15 sec)			50	
If any time remaining, add 20 points per minute			20 x minutes	
				<b>TOTAL (Go and Get It)</b>

<b>Special Penalties</b> (Clean Up and Go and Get It)		
Two or more restarts	Total points x 0.0	
Emergency stop by a referee	Total points x 0.0	
Note: a HIT considers dropping an object out of the shelf, a restart, and a regular collision.		

Referee: \_\_\_\_\_ Team Leader: \_\_\_\_\_



---

## 4 Appendix

### 4.1 Furniture models

Note: units are in meters in the following order: width x length x height.

- stairs-like drawer (white structure, orange drawers):

Link: <https://www.ikea.com/us/en/catalog/products/S89857541/#/S59128935>

- long table (white):

Link: <https://www.ikea.com/us/en/catalog/products/00342640/>

- tall table (white):

Link: <https://www.ikea.com/us/en/catalog/products/20342644/#/60342642>

- bin (two bins, one green and the other black):

Link: <https://www.ikea.com/us/en/catalog/products/10300319/>

- shelf (white):

Link: <https://www.ikea.com/us/en/catalog/products/00263850/>

- chair (white structure, gray cover):

Link: <https://www.ikea.com/us/en/catalog/products/S69100163/>

Name	IKEA's Model	width	length	height	Image
stairs-like drawer	591.289.35	0.44m	0.99m	0.94m	Figure 11
long table	003.426.40	0.40m	1.20m	0.40m	Figure 12
tall table	603.426.42	0.40m	0.40m	0.60m	Figure 13
bin	103.003.19	0.38m	0.33m	0.33m	Figure 14
shelf	002.638.50	0.28m	0.80m	2.02m	Figure 15
chair	691.001.63	0.58m	0.54m	0.97m	Figure 16

Table 1: Furniture's model and size to be used during the tests and competition.




Figure 11: Stairs-like drawer model (width 0.44 m, length 0.99 m, height 0.94 m).




Figure 12: Long table model (width 0.40, length 1.20, height 0.40 m).




Figure 13: Tall table model (width 0.40, length 0.40, height 0.60).




Figure 14: Bin model (width 0.38, length 0.33, height 0.33).




Figure 15: Shelf model (width 0.28, length 0.80, height 2.02).




Figure 16: Chair model (width 0.58, length 0.54, height 0.97).



## 4.2 Arena Setup

The arena setup consists of two rooms (Room\_1 and Room\_2), one per task, as in Figure 17.

### 4.2.1 Room 1

In the Clean Up task, the room is divided in two main areas, the **Search Area**, where the objects are scattered around, and the **Deposit Area**, where the objects should be placed.




Figure 17: Test arena by interaction areas. There are two rooms, one per task, and five main areas: for Clean Up, in Room\_1, we have the Deposit and Search areas; in the case of Go and Get It, (Room\_2), for Task 2a we have the Obstacle Avoidance and Goal areas and, for Task 2b, the Food and Delivery areas.

The furniture regarding the Deposit Area includes the Drawer, Long Table, Bin\_A, and Bin\_B. In detail, the Drawer is divided in Drawer\_left, Drawer\_top, and Drawer\_bottom (see Figure 18).

Furthermore, the Long Table includes two types of deposits: tray and container. There are two similar trays (Tray\_A and Tray\_B) and two containers (Container\_A and Container\_B). The Container\_B should be small enough to contain markers/cutlery vertically in order to be able to evaluate the correct orientation and therefore we use the IKEA's Gessan container, as in <https://www.ikea.com/us/en/p/gessan-box-white-10371825/>.

A summary of the deposits per category can be found in Table 2. As a remainder, the object categories are as follows: Food (e.g. chips can, coffee can, cracker box), kitchen items (e.g. glass, bowl, mug), tools (e.g. screwdrivers,



Figure 18: In the stairs-like drawer, only three drawers are going to be used, namely the Drawer\_left, and middle Drawer\_top and Drawer\_bottom.




Figure 19: In the Deposit Area, on the Long Table A there will be four deposits: Tray A, Tray B, Container A, and Container B. As a reference, the tray's size is  $0.38 \times 0.36$  m, Container A is  $0.28 \times 0.28 \times 0.125$  m, and Container B is  $0.095 \times 0.095 \times 0.105$  m height. Single color deposits are considered to detect any tag or mark that might be used as a reference.



clamps, padlock and keys), shape items (e.g. baseball, tennis ball, foam brick), task items (e.g. Rubick's cube, t-shirt, airplane toy), orientation-based items (e.g. markers, cutlery), and unknown objects.

Deposit	Place	Category
Drawer_left	Drawer	Shape items
Drawer_top	Drawer	Tools
Drawer_bottom	Drawer	Tools
Tray_A	Long_Table_A	Food
Tray_B	Long_Table_A	Food
Container_A	Long_Table_A	Kitchen items
Container_B	Long_Table_A	Orientation-based items
Bin_A	Bin_A	Task items
Bin_B	Bin_B	Unknown objects

Table 2: Object categories and their corresponding deposits in the arena, as in Figure 2.

#### 4.2.2 Room 2

Regarding Task 2a, the obstacles will be scattered around the access between rooms (i.e. the Obstacle Avoidance Area in Figure 17), and they consist in flat and small objects bellow the laser height (as shown in Figure 20), therefore, other detection strategies should be implemented to be able to avoid them. The robot should navigate through the Obstacle Avoidance Area to a pre-announced goal location in the Goal Area.

In Task 2b, the food items in the Food Area will be placed inside a shelf (Figure 10 and Figure 15) with board levels at 0.50 m, 0.80 m, and 1.05 m height and three different depths: front, middle, and back, as shown in Figure 21. The target object may be at any depth and therefore a grasping strategy should be developed to softly move the objects obstructing the requested drink as necessary (e.g. if the requested item is in the middle level and middle depth, first move any object in the front depth to a different level before being able to grasp the requested food).

Finally, there will be two persons in the Delivery Area (they might be either standing up or sitting down) and one of them will be requesting an item by waving her/his arm (it can be both the left or right arm).




Figure 20: Obstacles laying on the rooms' access. They consist in small and or flat objects.



Figure 21: a) Lateral and b) front views of the objects' distribution at three different depths (front, middle, back).



---

### 4.3 Objects to be used

Object's specifications and their corresponding 3D models can be found in <http://www.yccbenchmarks.com>. Mass and weight can be consulted in <http://www.yccbenchmarks.com/wp-content/uploads/2015/09/object-list-Sheet1.pdf>.

**IMPORTANT: Object availability:** Please consider that some objects might be no longer available and might be replaced by an equivalent object based on availability and similarly in dimensions and visual appearance. For details and updates, please check the following site: <https://www.uml.edu/Research/NERVE/YCB-Form.aspx>. We will let you know in advance the dataset to be used during the competition.

- Food items:
  - Cheez-it cracker box
  - Domino sugar box
  - Jell-o chocolate pudding box
  - Jell-o strawberry gelatin box
  - Spam potted meat can
  - Master chef coffee can
  - Starkist tuna fish can
  - Pringles chips can
  - French's mustard bottle
  - Tomato soup can
  - Plastic banana
  - Plastic strawberry
  - Plastic apple
  - Plastic lemon
  - Plastic peach
  - Plastic pear
  - Plastic orange
  - Plastic plum
- Kitchen items:
  - Windex Spray bottle



- 
- Scrub cleanser bottle
  - Scotch brite dobie sponge
  - Pitcher base
  - Pitcher lid
  - Plate
  - Bowl
  - Fork
  - Spoon
  - Spatula
  - Wine glass
  - Mug
- Tool items:
    - Large marker
    - Small marker
    - Keys (from the Padlock)
    - Bolt and nut
    - Clamps
  - Shape items:
    - Credit card blank
    - Mini soccer ball
    - Soft ball
    - Baseball
    - Tennis ball
    - Racquetball
    - Golf ball
    - Marbles
    - Cups
    - Foam brick



- 
- Dice
  - Rope
  - Chain
- Task items:
    - Rubik's cube
    - Colored wood blocks
    - 9-peg-hole test
    - Toy airplane
    - Lego duplo
    - Magazine
    - Black t-shirt
    - Timer
- Discarded:
    - Skillet
    - Skillet lid
    - Table cloth
    - Hammer
    - Adjustable wrench
    - Wood block
    - Power drill
    - Washers
    - Nails
    - Knife
    - Scissors
    - Padlock
    - Phillips screwdriver
    - Flat screwdriver
    - Clear box
    - Box lid
    - Footlocker