

データベース

目次

1.		6
1.1.		6
1.2.		6
1.3.		6
1.4.		6
1.5.		6
1.6.		7
1.7.		7
2.		9
2.1.		9
2.2.		9
2.3.		9
2.4.		10
2.5.	1	10
2.6.		10
2.7.		11
2.8.		11
2.9.		11
2.10.		12
2.11.		12
2.12.		12
2.13.		12
2.14.		13
2.15.		13
2.16.		13
3.		15
3.1.		15
3.2.		15

3.3.		16
4.	SQL	17
4.1.		17
4.2.	SQL	17
4.3.	GROUP BY	

6.14.		29
6.15.		29
6.16.		29
6.17.		30
7.		31
7.1. 3		31
7.2.		31
7.3. 3		32
7.4. 3		32
7.5.		33
7.6.		33
7.7.		33
7.8.		33
7.9. 3		34
7.10.		34
7.11.		35
7.12.		35
7.13.		35
7.14.		36
7.15.		36
7.16.		37
7.17. B^+		37
7.18.		38
7.19. B		38
7.20.		38
7.21. B^+		39
7.22. B^+		39
7.23. B^+		39
7.24. B^+		40
8.		41
8.1.		41

8.2.		41
9.		42
9.1.		42
9.2. PC-		42
9.3.		42
9.4. ACID		42
9.5.		43
9.6.		43
9.7.		44
9.8.		44
9.9.		44
9.10.		44
9.11. RAID		45
9.12. RAID		45
9.13. RAID		45
9.14.		46
9.15. WAL		46
9.16.		47
10.		48
10.1.		48
10.2.		48
10.3.		48
10.4.		49
10.5. 2		50
10.6.		51
10.7.		51
10.8.		52
10.9.		52
10.10. SQL		53
11.	NoSQL	54
11.1.		54

11.2.		54
11.3.		54
11.4.	NoSQL DB	55
11.5.	CAP	55
11.6.	NoSQL	55
11.7.		55
11.8.		56
11.9.		56
11.10.	DWH	56

1. データベースとは何か

1.1. データと情報

2021 2022 p. 2

{

} 3

1.2. セマンティクス

2025 pp. 2, 25

(1) semantics

(2)

1.3. 実世界とデータベースの関係

2021 2022 2023 2024 2025 2026 p. 3

(1)

(2) →

1.4. データベースの定義

2022 2022 2022 2023 2025 pp. 1, 3 - 4

1 (1)

Oracle Database PostgreSQL (2)

2 (3) (4)

Google (5) (6)

(1) 3

1.5. データベースとファイルの違い

2021 2022 p. 11

(file)

DBMS (1)

(2)

(3)

(3)

(2)

(4)

(1)

(2)

1

1.6. データベースの変遷

2024

2025

pp. 11 - 13

1990 3 (1) (2) Sysbase 3 2000

(1) (2) IBM Sysbase (3)

3 (1) IBM (4) (5) (6)

2010

(7) (7)

(8) 2020 (9)

Cloud 1 2 3 (7) (8) (4)

(9) (10) (10) Cloud 3

(1) 1990 3

(2) 1990 3 (1) (2) Sybase

(1)

(3) 2010 (7) (10)

(4) AI

1.7. データベースの潮流

2024

2025

pp. 11 - 13

1 / x vs

- (1) y ,
- (2) RDBS NoSQL DM XMLDB NewSQL
 x/y
- (3) OBDM RDB
RBD OBDM
- (4) Tsurugi 5W11H

2. リレーショナルデータモデル

2.1. リレーショナルデータモデルの提案

2021	2022	2022	2023	2023	2024	2026	
							pp. 15 - 16
Codd						(1)	
Codd				(2)	(3)		
				(3)			
(1) Codd		(1)					
(2)		(3)					
(3)		(3)					
(4)							

2.2. ドメイン

2021	2022	2025	
			p. 17
ア			
イ			
ウ			
エ			

2.3. リレーションスキーマとインスタンス

2021	2024	
		pp. 20 - 21
	(1)	
(1)		“ (
,)”		
(2)	2	“ (,)”

(3)

“ (,) ”

2.4. 閉世界仮説

2022 2022 2023 2023 2026 p. 21

(1)

(2)

(3) SQL

(4)

1

(5)

2

- Closed World Assumption
- Open World Assumption

2.5. 非第 1 正規形リレーションの正規化

2021 2022 2023 2024 2025 pp. 23 - 24

1

ア

イ

ウ

エ

オ

2.6. 候補キー

2021 p. 26

ア
イ
ウ

エ

2.7. 候補キー

2.8. 候補キー

2026

$R(A, B, C)$

- A
- B
- C
- (A, B)
- (A, C)

100 150

2.9. 主キー

2021

pp. 26 - 27

ア
イ
ウ
エ

NULL

2.10.

(2)

2.14. 外部キー

2025

ア

イ

ウ

エ

2.15. リレーショナルデータベースの特徴

202120222023

全て

ア

イ

selection

ウ

column

エ

SQL

オ


2.16. リレーショナルデータベーススキーマ

2021

pp. 31 - 32

(1)

(2)2



2.1:

3. リレーショナルデータベースの操作記述

3.1. 集合演算

20212024

pp. 34 - 37

(1)

R S T U

$\times$ $\div$ $-$

$R \times S \div T - U$

R		S	T	U	
A	B	C	A	B	C
1	a	x	1	a	x
2	b	y	3	c	z
3	a				
3	b				
4	a				

(2)

$\div$

3.2. リレーショナル演算

2021202220232025

pp. 34 - 43

“ ” “ ”

011		¥100	20%		¥18
012		¥50	10%		¥45
013		¥20	10%		¥64
020		¥80	20%		¥80

ア
イ
ウ
エ

3.3. リレーショナル演算

2021

2022

2023

2025

pp. 34 - 43

3

- (_____, _____, _____)
- (_____, _____, _____)
- (_____, _____, _____)

3

(_____)

4. SQL

4.1. 完備性

2025

(1) SQL

(2) SQL

4.2. SQL 文

2022

2023

2025

pp. 48 - 55

“ ”

80

{ a }

(_____, _____, _____)

SELECT 学生番号, **AVG**(点数)

FROM 得点

GROUP BY { a }

4.1: SQL

ア 科目 **HAVING** **AVG**(点数) $\geq$ 80

イ 科目 **WHERE** 点数 $\geq$ 80

ウ 学生番号 **HAVING** **AVG**(点数) $\geq$ 80

エ 学生番号 **WHERE** 点数 $\geq$ 80

4.3. GROUP BY

2026

(_____, _____, _____)

(1)

80

SQL

(2) SQL GROUP BY WHERE
HAVING

(3) SQL HAVING WHERE

4.4. リレーショナル代数との関係

2025

pp. 48 - 55

A1 A5 R SQL

```
SELECT A1, A2, A3 FROM R
WHERE A4 = 'a'
```

4.2: SQL

4.5. リレーショナル代数との関係

2021

2022

2024

pp. 48 - 55

SQL

```
SELECT 納品.顧客番号, 顧客.顧客名
FROM 納品, 顧客
WHERE 納品.顧客番号 = 顧客.顧客番号
```

4.3: SQL

(_____, _____), (_____, _____)

(1) SQL

ア
イ
ウ
エ

(2)

4.6. HAVING 句

2025

SQL “ ”

```
SELECT AVG(年齢)
FROM 会員
GROUP BY グループ
HAVING COUNT(*) > 1
```

4.4: SQL

001	20	B
002	30	C
003	60	A
004	40	C
005	40	B
006	50	C

4.7. 自然結合

2021

pp. 48 - 55

- (1) 2 1
- (2) SQL

4.8. 空とその意味

2021

2022

2023

pp. 43 - 45

SQL 3 A 5 B 4 C NULL (A

> C) or (B > A) or (C = A)

ア ∅()

イ false()

ウ true()

エ unknown()

4.9. SQL とビュー

2021

pp. 48 - 55

SQL

```
CREATE VIEW 東京取引先 AS
SELECT * FROM 取引先
WHERE 取引先.所在地 = '東京'
GRANT SELECT
ON 東京取引先 TO "8823"
```

```
ア 8823 " "
イ SELECT
ウ " "
エ " " 8823
```

4.10. 意味と正しさ

SQL

1

5.1. データモデリング

2022 2022 2023 2024 pp. 63 - 64

(1)

(2) acceptor

(3)

(4) 2

2021 2022 2023 2024 pp. 64 - 66

DBMS

全て

ア E-R

イ

ウ

I

才

2022 pp. 65 - 67

E-R

ア

イ

ウ

I

5.4. 実体–関連モデルの拡張

2022

p. 68



ア
イ
ウ
エ

6. 正規化理論

6.1. 正規化

2021	2022	2023	2025	pp. 73 - 78
ア				
イ				
ウ				
エ				
オ				

6.2. 情報無損失分解

2021	2022	2023	2024	2025	pp. 75 - 78
ア					
イ					
ウ					
エ					

6.3. 情報無損失分解

2025					
	(_____, _____, _____, _____, _____)				
ア	(_____, _____),	(_____, _____, _____)			
イ	(_____, _____),	(_____, _____, _____, _____, _____)			
ウ	(_____, _____, _____, _____),	(_____, _____, _____, _____)			

エ (_____, _____, _____), (_____, _____, _____, _____)

6.4. 関数従属性

20212022202320242025

pp. 78 - 84

“ ” ① ⑦ (A, B) A B

$A \rightarrow C$ C A

- “ ” (_____, _____, _____, _____, _____, _____, _____)
-

- ① →
- ② →
- ③ →
- ④ →
- ⑤ (_____, _____) →
- ⑥ (_____, _____) →
- ⑦ →

(1)

- ア (_____)
- イ (_____, _____)
- ウ (_____, _____, _____)
- エ (_____, _____)

(2) 2

6.5. 情報無損失分解

--	--	--	--	--	--

ア

イ

ウ

エ

オ

6.6. アームストロングの公理系

pp. 81 - 84

(1)

(1)

(2)

3

1. { , } → ()
2. { , } → { , } (1.)
3. { , } → ()
4. { , } → (2. 3.)
5. → ()
6. { , } → (4. 5.)
- 6.2: { , } →

- (1) 3
- (2) 6.2
- (3) /
- (4) 3 1

6.7. 関係従属と候補キー

20212022202320242025

pp. 78 - 80

$R(A, B, C, D, E)$

$\{A, B\} \rightarrow C, \{B, C\} \rightarrow D, D \rightarrow \{A, E\}$

R

- ア {A, B, C}
- イ {A, B}, {B, C}
- ウ {A, B}, {B, C}, {B, D}
- エ {B, C}, {C, D}

6.8. 第 3 正規形

20212022202320242025

pp. 78 - 79, 89 - 91

- (1)

(2)

(3) 3

6.9. 推移的関数従属性

2021

pp. 89 - 91

2 3

{ }

ア

_____	_____		
2122			

イ

71235		2001- 04- 01	03- 1234- 5678

ウ

15547		75T	

エ

71234	170	62	{ _____ , _____ }

6.10. データの正規化

2021

T0001		M0001	1	5	3,000
T0002		M0002	2	3	4,000
T0003		M0001	1	2	3,000

ア

--	--

--	--	--	--

イ					
ウ					
エ					

6.11. 第 3 正規形

2025

3

ア

イ

ウ

エ

6.12. 正規化の階層関係

2021

2022

p. 96

ア

イ

ウ

エ

6.13. 各正規化の特質

2022

2024

1 2 3

(1)

(2)

(3)

6.14. 正規化

- (1)
- (2)
- (3)
- (4)

SQL

					1			
			111- 1111		150	2012- 07- 01	10	
			111- 1111		300	2012- 07- 01	10	
			111- 1111		150	2012- 07- 03	20	
			222- 2222		80	2012- 07- 02	30	

6.15. 正規化

- (1)

R

$t, t' \in R$

Z

X

t

Y

$t[Z]$

$X \rightarrow Y$

Z

R

$t[Z]$

$.$

(2)

(3)

$R(A, B, C, D, E)$

R

$\{A, B\}$

R

(a) C $\{A, B\}$

(b) E $\{A, B\}$

(c) D B

6.16. 正規化

$Table(\underline{A}, B, C, \underline{D}, E, \underline{F}, G, H)$

A H

$A \rightarrow B, \quad B \rightarrow C, \quad (A, D, F) \rightarrow G, \quad D \rightarrow E, \quad D \rightarrow H$

- (1) *Table*

?
- (2) *Table*
- (3) $E \rightarrow H$

2
- Table*

6.17. 正規化

2026

- $R(A, B, C, D)$
- $A \rightarrow B$

$B \rightarrow C$

$A \rightarrow D$
- (1) A

A^+
- (2)

1

$X \rightarrow Y$
- (3)

7. データベースカンリシステム

7.1. 3 層スキーマ構造

2021

2022

pp. 104 - 105

- ア
- イ
- ウ
- エ

7.2. スキーマの特徴

2023

2025

pp. 104 - 105

- 3
- a
 - b
 - c

- ①
- ②
- ③

- ① ③

	a	b	c
ア	①	②	③
イ	②	③	①
ウ	③	①	②
エ	③	②	①

7.3. 3 層スキーマのサポート

2021

pp. 101, 104 - 107

ANSI/SPARC 3

全て

(1) ()

(2)

(3)

(4)

(5)

(6)

7.4. 3 層スキーマの実現

2021

pp. 104 - 107

ANSI/SPARCC3

でない

ア ANSI/SPARC3

イ

ウ

エ VSAM

7.5. データの独立性とビュー

ANSI/SPARC

7.6. データの独立性とビュー

7.7. データの独立性とビュー

2026

- (ID,)
- (ID, ID)

200 250

7.8. データの独立性とビュー

2026

- (ID,)
- (ID, ID)
- (ID, ID,)
- (ID,)

- (1)
- (2)
- (3)

7.9. 3 層スキーマの構成

2022

2023

2023

2024

2025

pp. 101 - 107

7.1 (1) DBMS (2)

(1)

(a)

(b)

(c)

(2)

(a)

(b)

(3) 3


3

(4) 3

2

2

(5) 2



7.1: ANSI/X3/SPARC DBMSS3

7.10. ビュー

2025

(1) DBMS 3

(a)

(b)

2

(2) base relation

(3)

(4)

(a)

(b)

7.11. スキーマの独立性

2026

•

•

(1) 3

(2)

(3)

7.12. ビュー

2022

pp. 107 - 110

RDBMS

ア

イ

ウ

エ

7.13. ビューの更新可能性

2021

pp. 108 - 109

ア GROUP BY
イ WHERE
ウ
エ

7.14. ビューの更新可能性

2025

ア CREATE VIEW ビュー1(取引先番号, 製品番号)
 AS SELECT DISTINCT 納入.取引先番号, 納入.製品番号
 FROM 納入;
イ CREATE VIEW ビュー2(取引先番号, 製品番号)
 AS SELECT 納入.取引先番号, 納入.製品番号
 FROM 納入
 GROUP BY 納入.取引先番号, 納入.製品番号;
ウ CREATE VIEW ビュー3(取引先番号, ランク, 住所)
 AS SELECT 取引先.取引先番号, 取引先.ランク, 取引先.住所
 FROM 取引先
 WHERE 取引先.ランク > 15;
エ CREATE VIEW ビュー4(取引先番号, ランク, 製品倉庫)
 AS SELECT 取引先.住所, 取引先.ランク, 製品.倉庫
 FROM 取引先, 製品
 HAVING 取引先.ランク > 15;

7.15. 索引と木構造

- (1) B B^+
- (2)
- (3)

37, 24, 42, 7

- (4)
- (5)

B^+

7.16. 内部スキーマの実現

2021

pp. 110 - 112

B^+

B^+ 1129.6

3 B^+

9.6

7.17. B^+ 木

2021

pp. 110 - 112





B^+


C C_1 C_2

1

B^+

A






7.18. ファイルアクセス


2022

p. 113



7.19. B 木

2025



7.20. ハッシュインデックス

2025

“ ” B^+

	(	,	,	,	ID,	,	)
ア		1					
イ							
ウ		“DB”					
エ	ID	1001			ID		

7.21. B^+ 木

2022	2022	2023	2023	2024	2025	
						p. 114
(1)	1, 2, 3, 4, 5, 6, 7			B^+	B^+	
	3					
(2)	1, 2, 3, 4, 5, 6, 7			B^+	B^+	“ ”
						3
(3)	4, 1, 2, 7, 6, 3, 5			B^+	B^+	
	3					

7.22. B^+ ホイndeックスのアクセスコスト

2022	2023					pp. 117 - 119
B^+				1		
	X	B^+				

ア	$\sqrt{X}$
イ	$\log X$
ウ	X
エ	$X!$


7.23. B^+ 木

2021	2022	2025				pp. 117 - 119
“ ”		B^+			“ ”	

“	”		
		“	”
			NULL
•	(_____, _____, -----)		
•	(_____, _____, _____)		
ア		1001	
イ		1001	4001
ウ		4001	4003
エ		NULL	

7.24. B^+ 木

2026



- B^+
- (1)

(2) 30

(3) B^+

(4) B B^+

8. 質問処理の最適化

8.1. 入れ子ループ結合法

20232024

pp. 120, 125 - 126

$$R(A,B) \quad S(B,C) \quad S$$
$$\left(\begin{array}{c} 1 \\ \end{array} \right) \quad \left(\begin{array}{c} 4 \\ \end{array} \right)$$

```
for each  $t$  in ( 1 )
  for each  $t'$  in ( 2 )
    such that ( 3 )
      compute ( 4 )
end
```

8.2. ソートマージ結合法

2022

p. 121

RDBMS

ア

イ

ウ

エ

9. トランザクション

9.1. トランザクションとは

2022

2023

2024

2025

pp. 128 - 130

(1)

(2)

(3)

(2)

SQL

SELECT

INSERT

DELETE

(1)

(4)

(5)

(6)

(7)

9.2. PC-トランザクション

2024

2025

pp. 130 - 133

9.3. データベースの一貫性

2023

pp. 130 - 133

9.4. ACID 特性

2022

pp. 130 - 134, 137 - 138

ACID

ア


イ
ウ
エ

9.5. 状態遷移

20222022202320242025

pp. 130 - 134, 137 - 138

- (1)4ACID
- (2)



- (a)A B C D
- (b)
- (3)abort
- (4)EXEX SQL COMMIT
- C(E /
-)
- (F)

9.6. 障害時回復

2022202320242025

pp. 130 - 134, 137 - 138

- 4ACID
- (1)4A C I D
- (2)COMMIT
- (3)ACID2
- (4)
- (5)3

9.7. ロールバック

2022

pp. 138 - 139

ア
イ
ウ
エ

9.8. ログ

2023

pp. 138 - 139

DBMS

ア

イ

ウ

エ

9.9. ログとディスク

2024

2025

p. 140

			(1)
			(2)
RAID-1	(3)	MTBF	(4)
(5)		(6)	
	2	(7)	

9.10. コミット処理

2022

2022

p. 139

DBMS

ア
イ
ウ
エ

9.11. RAID の種類

2023	2025	pp. 140 - 141
RAID	a b c	

RAID	a	b	c

	a	b	c
ア	RAID3	RAID4	RAID5
イ	RAID3	RAID5	RAID4
ウ	RAID4	RAID3	RAID5
エ	RAID5	RAID5	RAID3

9.12. RAID の特性

2023	2024	2024	pp. 140 - 141
RAID	RAID-1	RAID-5	全て
			1

- (1)2
- (2)
- (3)
- (4)
- (5)

9.13. RAID と誤り訂正

2024	2025
------	------

(1) RAID

(2) RAID

(a)

(b)

(3) RAID-0/

RAID-5

RAID-0 vs

RAID-1

RAID

9.14. ハードディスク

2025

2

2

ア 0.5

イ 1

ウ 2

エ 4

9.15. WAL プロトコル

2022

pp. 142 - 144

DBMS

WAL

Write Ahead Log

① ⑥

①begin transaction

②

③

④

⑤commit

⑥end transaction

ア ①→②→③→④→⑤→⑥

イ ①→③→②→④→⑥→⑤

ウ ①→③→②→⑤→④→⑥

エ ①→③→④→②→⑤→⑥



9.16. チェックポイント法

2023

2024

2025

pp. 144 - 146



10. 同時実行制御

10.1. 同時実行制御の必要性

2023

2024

pp. 151 - 153

t	T_1	T_2
t_1	read(A)	
t_2		read(A)
t_3	write(A := A - 30)	
t_4		write(A := A - 20)
t_5	COMMIT	
t_6		COMMIT

10.1: A

A

10.2. 同時実行制御の必要性

2023

pp. 151 - 153

t	T_1	T_2
t_1	read(A)	
t_2	write(A := A + 10)	
t_3		read(A)
t_4		write(A := A - 10)
t_5		COMMIT
t_6	ROLLBACK	

10.2: A

A

10.3. 同時実行制御の必要性

2023

pp. 151 - 153

T_1

T_2

begin

begin

read(x)

read(y)

read(y)

read(x)

write(x)

write(y)

end

end

t	T_1	T_2
t_1	lock(x)	lock(y) read(y)
t_2	read(x)	
t_3		
t_4		

10.4. 直列可能性

2023

pp. 154 - 157

2

T_1 T_2

a b

T_1 T_2

LOCK x	x
READ x	x
WRITE x	x
UNLOCK x	x

ア		イ		ウ		エ	
T_1	T_2	T_1	T_2	T_1	T_2	T_1	T_2
READ a	READ a	LOCK a	LOCK a	LOCK a	LOCK a	LOCK a	LOCK a
LOCK a	LOCK a	READ a	READ a	READ a	READ a	READ a	READ a
LOCK b	LOCK b	a = a + 3	a = a + 3	a = a + 3	LOCK b	a = a + 3	LOCK b
a = a + 3	a = a + 3				READ b		READ b
		WRITE a	WRITE a	WRITE a	UNLOCK a	WRITE a	UNLOCK b
WRITE a	WRITE a	UNLOCK a	UNLOCK a	UNLOCK a	UNLOCK b	LOCK b	UNLOCK a
READ b	READ b	LOCK b	LOCK b	LOCK b		READ b	
b = b + 5	b = b + 5	READ b	READ b	READ b		b = b + 5	
		b = b + 5	b = b + 5	b = b + 5			
WRITE b	WRITE b					WRITE b	
UNLOCK a	UNLOCK a	WRITE b	WRITE b	WRITE b		UNLOCK b	
UNLOCK b	UNLOCK b	UNLOCK b	UNLOCK b	UNLOCK b		UNLOCK a	

10.5. 2 相 ロ ッ キ ン グ プ ロ ト コ ル

2023	pp. 163 - 165
2	A B
	read
update	W
read	X Y Z update

t	A	B
t_1	read W	
t_2		(1)
t_3	update X	
t_4		(2)
t_5	update Y	
t_6		(3)
t_7	update Z	
t_8		(4)

	(1)	(2)	(3)	(4)
ア	read W	update Y	update X	update Z
イ	read W	update Y	update Z	update X
ウ	update X	read W	update Y	update Z
エ	update Y	update Z	update X	read W

10.6. 専有ロックと共有ロック

2022

p. 165

ア	T_1
	T_2
イ	T_1
	T_2
ウ	T_1
	T_2
エ	T_1
	T_2

10.7. ロック

2023

p. 165

RDBMS

X Y

ア	X	A	a	Y	A
			b		
イ	X	A	a	Y	A
ウ	X	A		Y	A
エ	X	A		Y	A
					a

10.8. 同時トランザクション

2022

2023

2024

2025

pp. 159 - 165

T_1	T_2
T_1	T_2
begin	begin
read(x)	read(y)
write(x)	read(x)
end	write(y)
	end

(1) T_1 T_2 T_1

(2) (1)

2

(2PL)

(3) (2)

 T_1 T_2

2PL

(4) (2)

(5) (4)

(3)

10.9. デッドロック

2022

pp. 166 - 168

T_1	T_2	T_3	t_1	t_{11}		a	b
					DBMS	READ	
UPDATE			ROLLBACK		COMMIT		

t	T_1	T_2	T_3	
t_1	READ a	UPDATE b ROLLBACK		
t_2				
t_3	READ b			
t_4				
t_5				READ b
t_6				UPDATE a
t_7	UPDATE b			
t_8				UPDATE b
t_9	UPDATE a			
t_{10}	COMMIT			
t_{11}				COMMIT

- ア t_6
- イ t_7
- ウ t_8
- エ t_9

10.10. SQL の隔離性水準

2023

pp. 168 - 171

- (1)&(2)
- (1)
- (2)21
- 2

- ア READ COMMITTED
- イ READ UNCOMMITTED
- ウ REPEATABLE READ
- エ SERIALIZABLE

11. ビッグデータと NoSQL

11.1. ビッグデータの定義

2022202320242025

pp. 177 - 178

- (1)V3
- (2)V3V との関係も図示すること。
- (3)3
- (4)(1)
- (5)

11.2. ビッグデータの本質

20222024

pp. 177 - 180

- 33
- (1)
- (2)
- (3)

11.3. キー・バリューストア

2023

pp. 180 - 181

- ア3
- イ 1
- ウ 2
- エ

11.4. NoSQL と分散 DB

2024

pp. 180 - 183

- (1) Amazon Dynamo NoSQL
- (2) Google Bigtable NoSQL
- (3) NewSQL NoSQL NewSQL
- (4)
- (5)
- (6) Amazon Dynamo Google Bigtable

11.5. CAP 定理

2022

2023

2024

pp. 183 - 188

Brewer CAP

- (1) CAP “C” “A” “P” ?
- (2) CAP
- (3) BASE BASE
- (4) NoSQL CAP BASE

11.6. NoSQL

2025

- (1) BASE “BA” “S” “E”
- (2) BASE
- (3)

CAP

- (a) Amazon Dynamo NoSQL
- (b) Google Bigtable NoSQL

11.7. 相関関係の発見

2022

p. 188

ア

イ

ウ

エ

11.8. データレイク

2022

ア

イ

ウ

エ

11.9. データウェアハウス

2023

(1) { }

(2) DWH Bill Inmon subject-oriented

(3) Ralph Kimbal DWH