

データベース

目次

1.		6
1.1.		6
1.2.		6
1.3.		6
1.4.		6
1.5.		6
1.6.		7
1.7.		7
2.		9
2.1.		9
2.2.		9
2.3.		9
2.4.		10
2.5.	1	10
2.6.		10
2.7.		11
2.8.		11
2.9.		11
2.10.		12
2.11.		12
2.12.		12
2.13.		12
2.14.		13
2.15.		13
2.16.		13
3.		15
3.1.		15
3.2.		15

3.3.		16
4.	SQL	17
4.1.		17
4.2.	SQL	17
4.3.	GROUP BY	17
4.4.		18
4.5.		18
4.6.	HAVING	19
4.7.		19
4.8.		19
4.9.	SQL	20
4.10.		20
5.		21
5.1.		21
5.2.		21
5.3.		21
5.4.		22
6.		23
6.1.		23
6.2.		23
6.3.		23
6.4.		24
6.5.		24
6.6.		25
6.7.		26
6.8.	3	26
6.9.		27
6.10.		27
6.11.	3	28
6.12.		28
6.13.		28

6.14.		29
6.15.		29
6.16.		29
6.17.		30
7.		31
7.1. 3		31
7.2.		31
7.3. 3		32
7.4. 3		32
7.5.		33
7.6.		33
7.7.		33
7.8.		33
7.9. 3		34
7.10.		34
7.11.		35
7.12.		35
7.13.		35
7.14.		36
7.15.		36
7.16.		37
7.17. B^+		37
7.18.		38
7.19. B		38
7.20.		38
7.21. B^+		39
7.22. B^+		39
7.23. B^+		39
7.24. B^+		40
8.		41
8.1.		41

8.2.		41
9.		42
9.1.		42
9.2. PC		42
9.3.		42
9.4. ACID		42
9.5.		43
9.6.		43
9.7.		44
9.8.		44
9.9.		44
9.10.		44
9.11. RAID		45
9.12. RAID		45
9.13. RAID		45
9.14.		46
9.15. WAL		46
9.16.		47
10.		48
10.1.		48
10.2.		48
10.3.		48
10.4.		49
10.5. 2		50
10.6.		51
10.7.		51
10.8.		52
10.9.		52
10.10. SQL		53
11.	NoSQL	54
11.1.		54

11.2.		54
11.3.		54
11.4.	NoSQL DB	55
11.5.	CAP	55
11.6.	NoSQL	55
11.7.		55
11.8.		56
11.9.		56
11.10.	DWH	56

1. データベースとは何か

1.1. データと情報

2021 2022 p. 2

{

} 3

1.2. セマンティクス

2025 pp. 2, 25

(1) semantics

(2)

1.3. 実世界とデータベースの関係

2021 2022 2023 2024 2025 2026 p. 3

(1)

(2) →

1.4. データベースの定義

2022 2022 2022 2023 2025 pp. 1, 3 - 4

1 (1)

Oracle Database PostgreSQL (2)

2 (3) (4)

Google (5) (6)

(1) 3

1.5. データベースとファイルの違い

2021 2022 p. 11

(file)

DBMS (1)

(2)

(3)

(3)

(2)

(4)

(1)

(2)

1

1.6. データベースの変遷

2024

2025

pp. 11 - 13

1990

3

(1)

(2)

Sysbase 3

2000

(1)

(2)

IBM

Sysbase

(3)

3

(1)

IBM

(4)

(5)

(6)

2010

(7)

(7)

(8)

2020

(9)

Cloud

1

2

3

(7)

(8)

(4)

(9)

(10)

(10)

Cloud 3

(1) 1990

3

(2) 1990

3

(1)

(2)

Sybase

(1)

(3) 2010

(7)

(10)

(4) AI

1.7. データベースの潮流

2024

2025

pp. 11 - 13

1

/

 x

vs

- (1) y ,
- (2) RDBS NoSQL DM XMLDB NewSQL
 x/y
- (3) OBDM RDB
RBD OBDM
- (4) Tsurugi 5W11H

2. リレーショナルデータモデル

2.1. リレーショナルデータモデルの提案

2021	2022	2022	2023	2023	2024	2026
pp. 15 - 16						
Codd		(1)				
Codd		(2)		(3)		
		(3)				
(1) Codd		(1)				
(2)		(3)				
(3)		(3)				
(4)						

2.2. ドメイン

2021	2022	2025	p. 17
ア			
イ			
ウ			
エ			

2.3. リレーションスキーマとインスタンス

2021	2024	pp. 20 - 21
(1)		
(1)	(	
,)		
(2)	2	(,)

(3)

(,)

2.4. 閉世界仮説

20222022202320232026

p. 21

- (1)
- (2)
- (3) SQL
- (4) 1
- (5) 2
 - Closed World Assumption
 - Open World Assumption

2.5. 非第 1 正規形リレーションの正規化

20212022202320242025

pp. 23 - 24

1

ア

イ

ウ

エ

オ

2.6. 候補キー

2021

p. 26

ア
イ
ウ

エ

2.7. 候補キー

2.8. 候補キー

2026

$R(A, B, C)$

- A
- B
- C
- (A, B)
- (A, C)

100 150

2.9. 主キー

2021 pp. 26 - 27

ア
イ
ウ
エ

NULL

2.10. 主キー

2025

pp. 26 - 27

ア
イ
ウ
エ

2.11. キー制約

2025

- (1)2
- (a)(1)
- (b)(2)
- (2)

2.12. 外部キー制約

2025

(_____, _____, _____)

(_____, _____, _____)

2.13. 表設計と主キー

- ① ⑤
- ①
- ②
- ③
- ④
- ⑤1
- (_____, _____, _____, _____, _____)
- (_____, _____, _____)
- (1)

(2)

2.14. 外部キー

2025

ア

イ

ウ

エ

2.15. リレーショナルデータベースの特徴

2021

2022

2023

全て

ア

イ

selection

ウ

column

エ

SQL

オ

2.16. リレーショナルデータベーススキーマ


2021

pp. 31 - 32

(1)

(2)

2



2.1:

3. リレーショナルデータベースの操作記述

3.1. 集合演算

2021

2024

pp. 34 - 37

(1)

R

S

T

U

$\times$

$\div$

$-$

$R \times S \div T - U$

R		S	T	U	
A	B	C	A	B	C
1	a	x	1	a	x
2	b	y	3	c	z
3	a				
3	b				
4	a				

(2)

$\div$

3.2. リレーショナル演算

2021

2022

2023

2025

pp. 34 - 43

011		¥100	20%		¥18
012		¥50	10%		¥45
013		¥20	10%		¥64
020		¥80	20%		¥80

ア
イ
ウ
エ

3.3. リレーショナル演算

2021

2022

2023

2025

pp. 34 - 43

3

- (_____, _____, _____)
- (_____, _____, _____)
- (_____, _____, _____)

3

(_____)

4. SQL

4.1. 完備性

2025

- (1) SQL
- (2) SQL

4.2. SQL 文

2022

2023

2025

pp. 48 - 55

80

{ a }

(_____, _____, _____)

SELECT 学生番号, AVG(点数)

FROM 得点

GROUP BY { a }

4.1: SQL

- ア 科目 HAVING AVG(点数) ≥ 80
- イ 科目 WHERE 点数 ≥ 80
- ウ 学生番号 HAVING AVG(点数) ≥ 80
- エ 学生番号 WHERE 点数 ≥ 80

4.3. GROUP BY

2026

(_____, _____, _____)

- (1) _____ 80
- SQL

(2) SQL GROUP BY WHERE
HAVING

(3) SQL HAVING WHERE

4.4. リレーショナル代数との関係

2025

pp. 48 - 55

A1 A5 R SQL

```
SELECT A1, A2, A3 FROM R
WHERE A4 = 'a'
```

4.2: SQL

4.5. リレーショナル代数との関係

2021

2022

2024

pp. 48 - 55

SQL

```
SELECT 納品.顧客番号, 顧客.顧客名
FROM 納品, 顧客
WHERE 納品.顧客番号 = 顧客.顧客番号
```

4.3: SQL

(_____,_____,_____) (_____,_____)

(1) SQL

ア
イ
ウ
エ

(2)

4.6. HAVING 句

2025

SQL

```
SELECT AVG(年齢)
FROM 会員
GROUP BY グループ
HAVING COUNT(*) > 1
```

4.4: SQL

001	20	B
002	30	C
003	60	A
004	40	C
005	40	B
006	50	C

4.7. 自然結合

2021

pp. 48 - 55

- (1)21
- (2)SQL
- 1

4.8. 空とその意味

2021

2022

2023

pp. 43 - 45

SQL3A5B4CNULL(A

> C) or (B > A) or (C = A)

ア∅()

イfalse()

ウtrue()

エ unknown()

4.9. SQL とビュー

2021

pp. 48 - 55

SQL

```
CREATE VIEW 東京取引先 AS
SELECT * FROM 取引先
WHERE 取引先.所在地 = '東京'
GRANT SELECT
ON 東京取引先 TO "8823"
```

ア 8823

イ SELECT

ウ

エ 8823

4.10. 意味と正しさ

SQL

1

5. リレーショナルデータベース設計

5.1. データモデリング

2022202220232024

pp. 63 - 64

- (1)
- (2)acceptor
- (3)
- (4)2

5.2. 実世界の概念モデリング

2021202220232024

pp. 64 - 66

DBMS	
	全て
ア	E-R
イ	
ウ	
エ	
オ	

5.3. 実体-関連モデル

2022


pp. 65 - 67

E-R
ア
イ
ウ
エ

5.4. 実体–関連モデルの拡張

2022

p. 68



6. 正規化理論

6.1. 正規化

2021202220232025pp. 73 - 78

ア
イ

ウ

エ

オ

6.2. 情報無損失分解

20212022202320242025pp. 75 - 78

ア
イ
ウ
エ

6.3. 情報無損失分解

2025

(_____, _____, _____, _____)

ア(_____, _____), (_____, _____, _____)

イ(_____, _____), (_____, _____, _____, _____)

ウ(_____, _____, _____), (_____, _____, _____)

エ (_____, _____, _____), (_____, _____, _____, _____)

6.4. 関数従属性

20212022202320242025pp. 78 - 84

① ⑦(A, B)A B

$A \rightarrow C$ C A

- (_____, _____, _____, _____, _____, _____, _____, _____)
-

- ① →
- ② →
- ③ →
- ④ →
- ⑤ (_____, _____) →
- ⑥ (_____, _____) →
- ⑦ →

- (1)
- ア (_____)
- イ (_____, _____)
- ウ (_____, _____, _____)
- エ (_____, _____)

- (2)2

6.5. 情報無損失分解

--	--	--	--	--	--

ア

イ

ウ

エ

オ

6.6. アームストロングの公理系

pp. 81 - 84

(1)

(2)

(1)

3

1. { , } → ()
2. { , } → { , } (1.)
3. { , } → ()
4. { , } → (2. 3.)
5. → ()
6. { , } → (4. 5.)
- 6.2: { , } →

- (1) 3
- (2) 6.2
- (3) /
- (4) 3 1

6.7. 関係従属と候補キー

2021	2022	2023	2024	2025	pp. 78 - 80
$R(A, B, C, D, E)$			$\{A, B\} \rightarrow C, \{B, C\} \rightarrow D, D \rightarrow \{A, E\}$		
R					

- ア {A, B, C}
- イ {A, B}, {B, C}
- ウ {A, B}, {B, C}, {B, D}
- エ {B, C}, {C, D}

6.8. 第 3 正規形

2021	2022	2023	2024	2025	pp. 78 - 79, 89 - 91
------	------	------	------	------	----------------------

- (1)

- (2)
- (3)3

6.9. 推移的関数従属性

2021

pp. 89 - 91

- 2
- 3

{ }

ア

_____	_____		
2122			

イ

71235		2001- 04- 01	03- 1234- 5678

ウ

15547		75T	

エ

71234	170	62	{ _____ , _____ }

6.10. データの正規化

2021

T0001		M0001	1	5	3,000
T0002		M0002	2	3	4,000
T0003		M0001	1	2	3,000

ア

イ			
ウ			
エ			

6.11. 第 3 正規形

2025

3

ア

イ

ウ

エ

6.12. 正規化の階層関係

2021

2022

p. 96

ア

イ

ウ

エ

6.13. 各正規化の特質

2022

2024

1 2 3

(1)

(2)

(3)

6.14. 正規化

- (1)
- (2)
- (3)
- (4)

SQL

					1			
			111- 1111		150	2012- 07- 01	10	
			111- 1111		300	2012- 07- 01	10	
			111- 1111		150	2012- 07- 03	20	
			222- 2222		80	2012- 07- 02	30	

6.15. 正規化

- (1)

R

$t, t' \in R$

Z

X

t

Y

$t[Z]$

$X \rightarrow Y$

Z

R

$t[Z]$

$.$

(2)

(3)

$R(A, B, C, D, E)$

R

$\{A, B\}$

R

(a) C $\{A, B\}$

(b) E $\{A, B\}$

(c) D B

6.16. 正規化

$Table(\underline{A}, B, C, \underline{D}, E, \underline{F}, G, H)$

$A \rightarrow H$

$A \rightarrow B, \quad B \rightarrow C, \quad (A, D, F) \rightarrow G, \quad D \rightarrow E, \quad D \rightarrow H$

- (1) *Table*

?
- (2) *Table*
- (3) $E \rightarrow H$

2
- Table*

6.17. 正規化

2026

- $R(A, B, C, D)$
- $A \rightarrow B$

$B \rightarrow C$

$A \rightarrow D$
- (1) A

A^+
- (2)

1

$X \rightarrow Y$
- (3)

7. データベース管理システム

7.1. 3 層スキーマ構造

2021

2022

pp. 104 - 105

- ア
- イ
- ウ
- エ

7.2. スキーマの特徴

2023

2025

pp. 104 - 105

- 3
- a
 - b
 - c

- ①
- ②
- ③

- ① ③

	a	b	c
ア	①	②	③
イ	②	③	①
ウ	③	①	②
エ	③	②	①

7.3. 3 層スキーマのサポート

2021

pp. 101, 104 - 107

ANSI/SPARC 3

全て

(1)

()

(2)

(3)

(4)

(5)

(6)

7.5. データの独立性とビュー

ANSI/SPARC

7.6. データの独立性とビュー

7.7. データの独立性とビュー

2026

- (ID,)
- (ID, ID)

200 250

7.8. データの独立性とビュー

2026

- (ID,)
- (ID, ID)
- (ID, ID,)
- (ID,)

- (1)
- (2)
- (3)

7.9. 3 層スキーマの構成

2022

2023

2023

2024


2025

pp. 101 - 107

7.1 (1) DBMS (2)

- (1)
- (a)
- (b)
- (c)
- (2)
- (a)
- (b)

- (3) 33
- (4) 32
- (5) 2



7.1: ANSI/X3/SPARC DBMSS3

7.10. ビュー

2025

(1) DBMS 3

(a)

(b)

2

(2) base relation

(3)

(4)

(a)

(b)

7.11. スキーマの独立性

2026

•

•

(1) 3

(2)

(3)

7.12. ビュー

2022

pp. 107 - 110

RDBMS

ア

イ

ウ

エ

7.13. ビューの更新可能性

2021

pp. 108 - 109

ア GROUP BY
イ WHERE
ウ
エ

7.14. ビューの更新可能性

2025

ア CREATE VIEW ビュー1(取引先番号, 製品番号)
 AS SELECT DISTINCT 納入.取引先番号, 納入.製品番号
 FROM 納入;
イ CREATE VIEW ビュー2(取引先番号, 製品番号)
 AS SELECT 納入.取引先番号, 納入.製品番号
 FROM 納入
 GROUP BY 納入.取引先番号, 納入.製品番号;
ウ CREATE VIEW ビュー3(取引先番号, ランク, 住所)
 AS SELECT 取引先.取引先番号, 取引先.ランク, 取引先.住所
 FROM 取引先
 WHERE 取引先.ランク > 15;
エ CREATE VIEW ビュー4(取引先番号, ランク, 製品倉庫)
 AS SELECT 取引先.住所, 取引先.ランク, 製品.倉庫
 FROM 取引先, 製品
 HAVING 取引先.ランク > 15;

7.15. 索引と木構造

- (1) B B^+
- (2)
- (3)

37, 24, 42, 7

- (4)
- (5)

B^+

7.16. 内部スキーマの実現

2021

pp. 110 - 112

B^+

B^+ 1129.6

3 B^+

9.6

7.17. B^+ 木

2021

pp. 110 - 112


B^+

C C_1 C_2


1

B^+


A




ア




イ



ウ







7.18. ファイルアクセス

2022

p. 113



7.19. B 木



7.20. ハッシュインデックス

2025

B^+

	(	,	,	,	ID,	,	)
ア		1					
イ							
ウ		DB					
エ	ID	1001			ID		

7.21. B^+ 木

2022	2022	2023	2023	2024	2025	p. 114
(1)	1, 2, 3, 4, 5, 6, 7					
			B^+		B^+	
	3					
(2)	1, 2, 3, 4, 5, 6, 7					
			B^+		B^+	3
(3)	4, 1, 2, 7, 6, 3, 5					
			B^+		B^+	
	3					

7.22. B^+ ホインデックスのアクセスコスト

2022	2023	pp. 117 - 119
B^+		1
	X	B^+
ア	$\sqrt{X}$	
イ	$\log X$	
ウ	X	
エ	$X!$	

7.23. B^+ 木

2021	2022	2025	pp. 117 - 119
			B^+


NULL

- (_____, _____, -----)
- (_____, _____, _____)

ア	1001	
イ	1001	4001
ウ	4001	4003
エ	NULL	

7.24. B^+ 木

2026



B^+

- (1)
- (2) 30
- (3) B^+
- (4) B B^+

8. 質問処理の最適化

8.1. 入れ子ループ結合法

2023	2024	pp. 120, 125 - 126
		$R(A, B) \bowtie S(B, C)$
		S
		$(\quad 1 \quad) \quad (\quad 4 \quad)$
		for each t in $(\quad 1 \quad)$
		for each t' in $(\quad 2 \quad)$
		such that $(\quad 3 \quad)$
		compute $(\quad 4 \quad)$
		end

8.2. ソートマージ結合法

2022	p. 121
RDBMS	
ア	
イ	
ウ	
エ	

9. トランザクション

9.1. トランザクションとは

2022

2023

2024

2025

pp. 128 - 130

(1)

(2)

(3)

(2)

SQL

SELECT

INSERT

DELETE

(1)

(4)

(5)

(6)

(7)

9.2. PC-トランザクション


2024

2025

9.3. データベースの一貫性

2023

pp. 130 - 133



9.4. ACID 特性

2022

pp. 130 - 134, 137 - 138

ACID

ア


イ
ウ
エ

9.5. 状態遷移

20222022202320242025

pp. 130 - 134, 137 - 138

- (1)4ACID
- (2)



- (a)A B C D
- (b)
- (3)abort
- (4) EXEX SQL COMMIT
- C (E /
-)

9.7. ロールバック

2022

pp. 138 - 139

ア
イ
ウ
エ

9.8. ログ

2023

pp. 138 - 139

DBMS

ア

イ

ウ

エ

9.9. ログとディスク

2024

2025

p. 140

(1)

(2)

RAID-1 (3) MTBF (4)

(5) (6)

2 (7)

9.10. コミット処理

2022

2022

p. 139

DBMS

ア
イ
ウ
エ

9.11. RAID の種類

2023

2025

pp. 140 - 141

RAID

a b c

RAID	a	b	c

	a	b	c
ア	RAID3	RAID4	RAID5
イ	RAID3	RAID5	RAID4
ウ	RAID4	RAID3	RAID5
エ	RAID5	RAID5	RAID3

9.12. RAID の特性

2023

2024

2024

pp. 140 - 141

RAID RAID-1 RAID-5 全て

1

- (1)
- (2)
- (3)
- (4)
- (5)
- 2

9.13. RAID と誤り訂正

2024

2025

(1) RAID

(2) RAID

(a)

(b)

(3) RAID-0/

RAID-5

RAID-0 vs

RAID-1

RAID

9.14. ハードディスク

2025

2

2

ア 0.5

イ 1

ウ 2

エ 4

9.15. WAL プロトコル

2022

pp. 142 - 144

DBMS

WAL

Write Ahead Log

① ⑥

①begin transaction

②

③

④

⑤commit

⑥end transaction

ア ①→②→③→④→⑤→⑥

イ ①→③→②→④→⑥→⑤

ウ ①→③→②→⑤→④→⑥

エ ①→③→④→②→⑤→⑥


9.16. チェックポイント法

2023


2024

2025

pp. 144 - 146



- (1)
- (2) UNDO
- (3) REDO



10. 同時実行制御

10.1. 同時実行制御の必要性

2023

2024

pp. 151 - 153

t	T_1	T_2
t_1	read(A)	
t_2		read(A)
t_3	write(A := A - 30)	
t_4		write(A := A - 20)
t_5	COMMIT	
t_6		COMMIT

10.1: A

A

10.2. 同時実行制御の必要性

2023

pp. 151 - 153

t	T_1	T_2
t_1	read(A)	
t_2	write(A := A + 10)	
t_3		read(A)
t_4		write(A := A - 10)
t_5		COMMIT
t_6	ROLLBACK	

10.2: A

A

10.3. 同時実行制御の必要性

2023

pp. 151 - 153

T_1

T_2

begin

begin

read(x)

read(y)

read(y)

read(x)

write(x)

write(y)

end

end

t	T_1	T_2
t_1	lock(x)	lock(y) read(y)
t_2	read(x)	
t_3		
t_4		

10.4. 直列可能性

2023	pp. 154 - 157
2	T_1 T_2 a b T_1 T_2

LOCK x	x
READ x	x
WRITE x	x
UNLOCK x	x

ア		イ		ウ		エ	
T_1	T_2	T_1	T_2	T_1	T_2	T_1	T_2
READ a	READ a	LOCK a	LOCK a	LOCK a	LOCK a	LOCK a	LOCK a
LOCK a	LOCK a	READ a	READ a	READ a	READ a	READ a	READ a
LOCK b	LOCK b	a = a + 3	a = a + 3	a = a + 3	LOCK b	a = a + 3	LOCK b
a = a + 3	a = a + 3				READ b		READ b
		WRITE a	WRITE a	WRITE a	UNLOCK a	WRITE a	UNLOCK b
WRITE a	WRITE a	UNLOCK a	UNLOCK a	UNLOCK a	UNLOCK b	LOCK b	UNLOCK a
READ b	READ b	LOCK b	LOCK b	LOCK b		READ b	
b = b + 5	b = b + 5	READ b	READ b	READ b		b = b + 5	
		b = b + 5	b = b + 5	b = b + 5			
WRITE b	WRITE b					WRITE b	
UNLOCK a	UNLOCK a	WRITE b	WRITE b	WRITE b		UNLOCK b	
UNLOCK b	UNLOCK b	UNLOCK b	UNLOCK b	UNLOCK b		UNLOCK a	

10.5. 2 相 ロ ッ キ ン グ プ ロ ト コ ル

2023	pp. 163 - 165		
2		A	B
			read
update			W
read	X Y Z	update	

t	A	B
t_1	read W	
t_2		(1)
t_3	update X	
t_4		(2)
t_5	update Y	
t_6		(3)
t_7	update Z	
t_8		(4)

	(1)	(2)	(3)	(4)
ア	read W	update Y	update X	update Z
イ	read W	update Y	update Z	update X
ウ	update X	read W	update Y	update Z
エ	update Y	update Z	update X	read W

10.6. 専有ロックと共有ロック

2022

p. 165

ア	T_1
T_2	
イ	T_1
T_2	
ウ	T_1
T_2	
エ	T_1
T_2	

10.7. ロック

2023

p. 165

RDBMS

X Y

ア	X	A	a	Y	A
			b		
イ	X	A	a	Y	A
ウ	X	A		Y	A
エ	X	A		Y	A
					a

10.8. 同時トランザクション

2022

2023

2024

2025

pp. 159 - 165

 T_1 T_2

T_1	T_2
begin	begin
read(x)	read(y)
write(x)	read(x)
end	write(y)
	end

(1) T_1 T_2 T_1

(2) (1)

2

(2PL)

(3) (2)

 T_1 T_2

2PL

(4) (2)

(5) (4)

(3)

10.9. デッドロック

2022

pp. 166 - 168

T_1	T_2	T_3	t_1	t_{11}	a	b
					DBMS	READ
UPDATE			ROLLBACK	COMMIT		

t	T_1	T_2	T_3
t_1	READ a	UPDATE b ROLLBACK	
t_2			
t_3	READ b		
t_4			
t_5			READ b
t_6			UPDATE a
t_7	UPDATE b		UPDATE b
t_8			
t_9	UPDATE a		
t_{10}	COMMIT		
t_{11}			COMMIT

- ア t_6
- イ t_7
- ウ t_8
- エ t_9

10.10. SQL の隔離性水準

2023

pp. 168 - 171

- (1)&(2)
- (1)
- (2)21
- 2

- ア READ COMMITTED
- イ READ UNCOMMITTED
- ウ REPEATABLE READ
- エ SERIALIZABLE

54 of 57

11.4. NoSQL と分散 DB

2024

pp. 180 - 183

(1) Amazon Dynamo NoSQL

(2) Google Bigtable NoSQL

(3) NewSQL NoSQL NewSQL

(4)

(5)

(6) Amazon Dynamo Google Bigtable

11.5. CAP 定理

2022

2023

2024

pp. 183 - 188

Brewer CAP

(1) CAP C A P ?

(2) CAP

(3) BASE BASE

(4) NoSQL CAP BASE

11.6. NoSQL

2025

(1) BASE BA S E

(2) BASE

(3)

CAP

(a) Amazon Dynamo NoSQL

(b) Google Bigtable NoSQL

11.7. 相関関係の発見

2022

p. 188

ア
イ
ウ
エ

11.8. データレイク

2022

ア
イ
ウ

エ

11.9. データウェアハウス

2023

ア	BI	Business Intelligence	
イ	ETL	Extract/Transform/Load	
ウ			RDB
		NoSQL	
エ			RDB

11.10. DWH

2024

(1) { }

(2) DWH Bill Inmon subject-oriented

(3) Ralph Kimbal DWH