

API and SDK Documentation

Version: 1.0.0

No description provided (generated by Swagger Codegen <https://github.com/swagger-api/swagger-codegen>)

Default

affiliatesCampaignsAssetsList

Get campaign assets.

GET

```
/affiliates/campaigns/{campaign_id}/assets/
```

Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X GET "https://localhost/affiliates/campaigns/{campaign_id}/assets/?key=&format="
```

Parameters

Path parameters

Name	Description
campaign_id*	UUID (uuid) Required

Query parameters

Name	Description
key*	UUID (uuid) <i>Affiliate API key</i> Required
format	String <i>The string "zip"</i>

Responses

Status: 200 - Successful response.

Status: 403 - Unauthorized

affiliatesCampaignsCreativesAssetsList

Get campaign creatives asset list.

GET

```
/affiliates/campaigns/{campaign_id}/creatives/{creative_id}/assets
```

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

curl -X GET "https://localhost/affiliates/campaigns/{campaign_id}/creatives/{creative_id}/assets?key="

Parameters

Path parameters

Name	Description
campaign_id*	UUID (uuid) Required
creative_id*	UUID (uuid) Required

Query parameters

Name	Description
key*	UUID (uuid) <i>Affiliate API key</i> Required

Responses

Status: 200 - Successful response.

Schema

▼ { }

status: string

total: integer

data: ▼ { }

id: string (uuid)

name: string

size: string

type: string

Enum: email, image

width: string

height: string

status: string

Enum: active, inactive

}

}

Status: 403 - Unauthorized

affiliatesCampaignsCreativesAssetsRead

Get campaign creatives asset preview.

GET

/affiliates/campaigns/{campaign_id}/creatives/{creative_id}/assets/{asset_id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET "https://localhost/affiliates/campaigns/{campaign_id}/creatives/{creative_id}/assets/{asset_id}?key=&preview="
```

Parameters

Path parameters

Name	Description
campaign_id*	UUID (uuid) Required
creative_id*	UUID (uuid) Required
asset_id*	UUID (uuid) Required

Query parameters

Name	Description
key*	UUID (uuid) <i>Affiliate API key</i> Required
preview*	String <i>The string "true"</i> Required

Responses

Status: 200 - Successful response.

Status: 403 - Unauthorized

affiliatesCampaignsCreativesList

Get campaign creatives list.

GET

```
/affiliates/campaigns/{campaign_id}/creatives
```

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET "https://localhost/affiliates/campaigns/{campaign_id}/creatives?key="
```

Parameters

Path parameters

Name	Description
campaign_id*	UUID (uuid) Required

Query parameters

Name	Description
------	-------------

key*	UUID (uuid) <i>Affiliate API key</i> Required
------	---

Responses

Status: 200 - Successful response.

Schema

```

{
  status: string
  data: {
    creatives: [
      {
        id: string (uuid)
        name: string
        ref: string
        type: string
        Enum: email, banner, link_to
        preview_types: [
          string
          Enum: banner, html, plain
        ]
        link_override: string
        add_tstamp: string
        expiration_date: string
        status: string
        Enum: active, inactive, hidden, incomplete
      }
    ]
    subject_lines: [
      string
    ]
    from_lines: [
      string
    ]
  }
}

```

Status: 403 - Unauthorized

affiliatesCampaignsCreativesRead

Get campaign creative.

GET

```
/affiliates/campaigns/{campaign_id}/creatives/{creative_id}
```

Usage and SDK Samples

[Curl](#)
[Java](#)
[Android](#)
[Obj-C](#)
[JavaScript](#)
[C#](#)
[PHP](#)
[Perl](#)
[Python](#)

```
curl -X GET "https://localhost/affiliates/campaigns/{campaign_id}/creatives/{creative_id}?key=&preview="
```

Parameters

Path parameters

Name	Description
campaign_id*	UUID (uuid) Required
creative_id*	UUID (uuid) Required

Query parameters

Name	Description
key*	UUID (uuid) <i>Affiliate API key</i> Required
preview	String <i>preview/render the creative in a browser</i>

Responses

Status: 200 - Successful response.

Schema

```
▼ { }  
  Campaigns Creatives object  
  status: string  
  data: ▼ { }  
    id: string (uuid)  
    name: string  
    ref: string  
    type: string  
    Enum: email, banner, link_to  
    add_tstamp: string  
    expiration_date: string  
    html_body: string  
    plain_body: string  
    status: string  
    Enum: active, inactive, hidden, incomplete  
    status_details: ▼ [ ]  
      ▼ { }  
        error_type: string  
        error_msg: string  
        file: string  
      }  
    ]  
  }  
}
```

Status: 403 - Unauthorized

affiliatesCampaignsList

Get campaign list.

GET

/affiliates/campaigns

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET "https://localhost/affiliates/campaigns?key="
```

Parameters

Query parameters

Name	Description
key*	UUID (uuid) <i>Affiliate API key</i> Required

Responses

Status: 200 - Successful response.

Schema

▼ { }

status: string

total: integer

data: ▼ [{ }

▼ { }

id: string (uuid)

name: string

conversion: string

Enum: cpa, cpc, cpm, cp1, rev_share

payout: string

payout_currency: ▼ [] string (string)

3-letter code

clicks: integer

conversions: integer

failed_impressions: integer

failed_clicks: integer

failed_conversions: integer

earned: string

earned_currency: ▼ [] string (string)

3-letter code

epc: string

epc_currency: ▼ [] string (string)

3-letter code

subids: integer

}

]

summary: ▼ { }

```
      clicks: integer
      conversions: integer
      failed_clicks: integer
      failed_conversions: integer
      earned: string
      earned_currency: ▼ { } string (string)
                        3-letter code

      epc: string
      epc_currency: ▼ { } string (string)
                    3-letter code

    }
  }
```

Status: 403 - Unauthorized

affiliatesCampaignsRead

Get campaign.

GET

```
/affiliates/campaigns/{campaign_id}
```

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET "https://localhost/affiliates/campaigns/{campaign_id}?key="
```

Parameters

Path parameters

Name	Description
campaign_id*	UUID (uuid) Required

Query parameters

Name	Description
key*	UUID (uuid) <i>Affiliate API key</i> Required

Responses

Status: 200 - Successful response.

Schema

```
▼ { }
  status: string
  data: ▼ { }
        id: string (uuid)
```

```

ref: string
offer_name: string
offer_id: string (uuid)
offer_status: string
                Enum: staging, live, paused

payout: string
payout_type: string
                Enum: amount, percentage

payout_currency: string
cap: integer
cap_mode: string
                Enum: sliding, fixed
cap_type: string
                Enum: click_count, conversion_count, conversion_value
cap_interval: string
                Enum: daily, weekly, monthly, total
cap_cutoff: string
                Enum: hard, soft

status: string
next_status: string
status_change_tstamp: ▼ [] string
                        YYYY-MM-DD HH:MM:SS

callback_url: string
offer_description: string
offer_restrictions: string
offer_media_types: ▼ [ []
                    string
                    Enum: email, banner, display, contextual, co_reg, incent, post, ppc, radio,
                        seo, social, tv, upsale, other
                    ]

offer_unsub_link: string
offer_unsub_email: string
offer_unsub_address: string
offer_suppression_lists: ▼ [ []
                          ▼ { []
                            id: string (uuid)
                            name: string
                            url: string
                          }
                        ]

tracking_urls: ▼ [ []
               ▼ { []
                 link: string
                 status: string
                 expires_tstamp: string
               }
             ]
}

```

Status: 403 - Unauthorized

