Processed At :
Plot No.428,Phase-IV, Udyog
Vihar, Gurgaon,Haryana - 122 015

Polo Labs
Right Treatment begins with Right Diagnosis

Processed At: Plot No.436C, 3rd Floor, Industrial Plot No.436, Sector-82, JLPL, SAS Nagar, Mohali, Punjab.

REPORT

Patient Name	: **DEEPAK (53Y/M)**	Tests Done	: **AMYL,LASE,PPBS**
Referred By	: **SELF**		
Address	: **(1330014263),POLO LABS AMBALA,5358/6, GROUND FLOOR, GEETA GOPAL CHOWK, AMBALA CANTT, HARYANA - 133001,133001**		

Report Availability Summary

Note: Please refer to the table below for status of your tests.

2 Ready | **0** Ready with Cancellation | **0** Processing | **1** Cancelled in Lab

TEST DETAILS	REPORT STATUS
AMYLASE	Ready
LIPASE	Ready
POSTPRANDIAL BLOOD SUGAR(GLUCOSE)	Cancelled in Lab

REPORT

Patient Name	: DEEPAK (53Y/M)	**Sample Collected on (SCT)**	: 02 May 2026 16:04
Referred By	: SELF	**Sample Received on (SRT)**	: 03 May 2026 05:11
Address	: (1330014263),POLO LABS AMBALA,5358/6, GROUND FLOOR, GEETA GOPAL CHOWK, AMBALA CANTT, HARYANA - 133001,133001	**Report Released on (RRT)**	: 3 May 2026 08:47
		Sample Type | Barcode	: SERUM | FT509210

TEST NAME	TECHNOLOGY	VALUE	UNITS
AMYLASE	PHOTOMETRY	40	U/L

Bio. Ref. Interval. :-

Adults : 28-100 U/L

Interpretation:
Lipemic Sera (Hypertriglyceridemia) may contain inhibitors, Which falsely depress results. About 20% of patients with Acute Pancreatitis have abnormal lipids. Normal serum amylase may occur in Pancreatitis, Especially relapsing and chronic pancreatitis. Moderate increases may be reported in normal pregnancy.

Clinical Significance:
Causes of high Serum Amylase include Acute Pancreatitis, Pancreatic Pseudocyst, Pancreatic Ascites, Pancreatic Abscess, Neoplasm in or adjacent to Pancreas, Trauma to Pancreas, and common Duct Stones. Nonpancreatic Causes include inflammatory salivary lesions (Eg, Mumps), Perforated Peptic Ulcer, Intestinal Obstruction, Biliary Tract Disease, Peritonitis, Acute Appendicitis, Diabetic Ketoacidosis, and Extrapancreatic Carcinomas. Amylase levels more than 25-fold the upper limit of normal are often found when metastatic tumors produce Ectopic Amylase.

Specifications:
Precision: Intra assay (%CV): 2.82, Inter assay (%CV): 2.49, Sensitivity: 10.9 U/L.

Kit Validation References:
Rauscher, E., et coll., Fresenius Z. Analyt. Chem. 324 (1986) 304-305.

Please correlate with clinical conditions.
Method:- ENZYMATIC COLORIMETRIC TEST

Tests Done : AMYLASE,LIPASE

Report Remarks : Clinically Tested by: Thyrocare Technologies Ltd-NABL accredited, NABL certificate no: MC-3759

Saakshi

Dr Saakshi Mittal
MD(Path)

Scan QR to verify(valid for 30 days from release time)

REPORT

Patient Name	: DEEPAK (53Y/M)	**Sample Collected on (SCT)**	: 02 May 2026 16:04
Referred By	: SELF	**Sample Received on (SRT)**	: 03 May 2026 05:11
Address	: (1330014263),POLO LABS AMBALA,5358/6, GROUND FLOOR, GEETA GOPAL CHOWK, AMBALA CANTT, HARYANA - 133001,133001	**Report Released on (RRT)**	: 3 May 2026 08:47
		Sample Type | Barcode	: SERUM | FT509210

TEST NAME	TECHNOLOGY	VALUE	UNITS
LIPASE	**PHOTOMETRY**	**85.02**	**U/L**

Bio. Ref. Interval. :-

Adults : 5.0 - 60.0 U/L

Interpretation:

For diagnostic purposes, the results should always be assessed in conjunction with the patient's medical history, clinical examination and other findings like serum amylase. Serum Lipase is usually normal in patients with elevated serum amylase, having peptic ulcer, salivary adenitis, inflammatory bowel disease, intestinal obstruction, and macroamylasemia. Lipemic sera may interfere with results.

Clinical Significance:
High serum Lipase is a specific marker for pancreatitis; after acute pancreatitis the Lipase activity increases within 4-8 hours, reaches a peak after 24 hours and decreases after 8 to 14 days. However, there is no correlation between the Lipase activity determined in serum and the extent of damage to the pancreas.

Specifications:
Precision: Intra assay (%CV): 3.35, Inter assay (%CV): 2.46, Sensitivity: 3.5 U/L.

Kit Validation References:
Tietz Nw Et Al. Lipase In Serum - The Elusive Enzyme: An Overview. Clin Chem 1993; 39:746-756.

Please correlate with clinical conditions.
Method:- ENZYMATIC COLORIMETRIC ASSAY

~~ End of report ~~

Tests Done : AMYLASE,LIPASE

Report Remarks : Clinically Tested by: Thyrocare Technologies Ltd-NABL accredited, NABL certificate no: MC-3759

Saakshi

Dr Saakshi Mittal
MD(Path)

Scan QR to verify(valid for 30 days from release time)

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints, clinical support or feedback, write to us at **customersupport@thyrocare.com** or call us on **022-3090 0000**