

$10x_1 + 5x_2 = 6$ menjadi $x_1 = 1/10 \cdot (6 - 5 \cdot x_2)$ Error relatif 0.05%
 $5x_1 + 10x_2 - 4x_3 = 25$ menjadi $x_2 = 1/10 \cdot (25 - 5 \cdot x_1 + 4 \cdot x_3)$ N 30
 $(-4x_2) + 8x_3 - x_4 = -11$ menjadi $x_3 = 1/8 \cdot (-11 + 4 \cdot x_2 + x_4)$
 $(-x_3) + 5x_4 = -11$ menjadi $x_4 = 1/5 \cdot (-11 + x_3)$

Iterasi ke	X1	X2	X3	X4	Error X1	Error X2	Error X3	Error X4
0	1	2	3	4				
1	-0.4	3.2	0.125	-1.6	3.5	0.375	23	3.5
2	-1	2.75	0.025	-2.175	0.6	0.1636364	4	0.264368
3	-0.775	3.01	-0.2719	-2.195	0.290323	0.0863787	1.091954	0.009112
4	-0.905	2.77875	-0.1444	-2.2544	0.143646	0.0832209	0.883117	0.026338
5	-0.7894	2.89475	-0.2674	-2.2289	0.146477	0.0400725	0.460123	0.011441
6	-0.8474	2.78772	-0.2062	-2.2535	0.068447	0.0383938	0.296689	0.010921
7	-0.7939	2.84119	-0.2628	-2.2412	0.067412	0.0188213	0.21532	0.00546
8	-0.8206	2.7918	-0.2346	-2.2526	0.032583	0.0176927	0.120512	0.005025
9	-0.7959	2.81647	-0.2607	-2.2469	0.031031	0.0087612	0.100172	0.002516
10	-0.8082	2.79368	-0.2476	-2.2521	0.015265	0.0081589	0.052678	0.002319
11	-0.7968	2.80507	-0.2597	-2.2495	0.014302	0.0040593	0.046402	0.00116
12	-0.8025	2.79455	-0.2537	-2.2519	0.007094	0.0037638	0.023731	0.00107
13	-0.7973	2.7998	-0.2592	-2.2507	0.006596	0.0018767	0.02145	0.000535
14	-0.7999	2.79495	-0.2564	-2.2518	0.003284	0.0017366	0.010832	0.000494
15	-0.7975	2.79738	-0.259	-2.2513	0.003043	0.0008668	0.009907	0.000247
16	-0.7987	2.79514	-0.2577	-2.2518	0.001518	0.0008013	0.004974	0.000228
17	-0.7976	2.79625	-0.2589	-2.2515	0.001404	0.0004001	0.004573	0.000114
18	-0.7981	2.79522	-0.2583	-2.2518	0.000701	0.0003698	0.00229	0.000105
19	-0.7976	2.79574	-0.2589	-2.2517	0.000648	0.0001847	0.002111	5.25E-05
20	-0.7979	2.79526	-0.2586	-2.2518	0.000324	0.0001706	0.001056	4.85E-05
21	-0.7976	2.7955	-0.2588	-2.2517	0.000299	8.523E-05	0.000974	2.42E-05
22	-0.7977	2.79528	-0.2587	-2.2518	0.000149	7.873E-05	0.000487	2.24E-05

$10x_1 + 5x_2 = 6$ menjadi $x_1 = 1/10 \cdot (6 - 5 \cdot x_2)$ Error relatif 0.5%
 $5x_1 + 10x_2 - 4x_3 = 25$ menjadi $x_2 = 1/10 \cdot (25 - 5 \cdot x_1 + 4 \cdot x_3)$ N 30
 $(-4x_2) + 8x_3 - x_4 = -11$ menjadi $x_3 = 1/8 \cdot (-11 + 4 \cdot x_2 + x_4)$
 $(-x_3) + 5x_4 = -11$ menjadi $x_4 = 1/5 \cdot (-11 + x_3)$

Iterasi ke	X1	X2	X3	X4	Error X1	Error X2	Error X3	Error X4
0	1	2	3	4				
1	-0.4	3.2	0.125	-1.6	3.5	0.375	23	3.5
2	-1	2.75	0.025	-2.175	0.6	0.1636364	4	0.264368
3	-0.775	3.01	-0.2719	-2.195	0.290323	0.0863787	1.091954	0.009112
4	-0.905	2.77875	-0.1444	-2.2544	0.143646	0.0832209	0.883117	0.026338
5	-0.7894	2.89475	-0.2674	-2.2289	0.146477	0.0400725	0.460123	0.011441
6	-0.8474	2.78772	-0.2062	-2.2535	0.068447	0.0383938	0.296689	0.010921
7	-0.7939	2.84119	-0.2628	-2.2412	0.067412	0.0188213	0.21532	0.00546
8	-0.8206	2.7918	-0.2346	-2.2526	0.032583	0.0176927	0.120512	0.005025

9	-0.7959	2.81647	-0.2607	-2.2469	0.031031	0.0087612	0.100172	0.002516
10	-0.8082	2.79368	-0.2476	-2.2521	0.015265	0.0081589	0.052678	0.002319
11	-0.7968	2.80507	-0.2597	-2.2495	0.014302	0.0040593	0.046402	0.00116
12	-0.8025	2.79455	-0.2537	-2.2519	0.007094	0.0037638	0.023731	0.00107
13	-0.7973	2.7998	-0.2592	-2.2507	0.006596	0.0018767	0.02145	0.000535
14	-0.7999	2.79495	-0.2564	-2.2518	0.003284	0.0017366	0.010832	0.000494
15	-0.7975	2.79738	-0.259	-2.2513	0.003043	0.0008668	0.009907	0.000247
16	-0.7987	2.79514	-0.2577	-2.2518	0.001518	0.0008013	0.004974	0.000228

$10x_1 + 5x_2 = 6$ menjadi $x_1 = 1/10 * (6 - 5 * x_2)$ Error relatif 0.01%
 $5x_1 + 10x_2 - 4x_3 = 25$ menjadi $x_2 = 1/10 * (25 - 5 * x_1 + 4 * x_3)$ N 30
 $(-4x_2) + 8x_3 - x_4 = -11$ menjadi $x_3 = 1/8 * (-11 + 4 * x_2 + x_4)$
 $(-x_3) + 5x_4 = -11$ menjadi $x_4 = 1/5 * (-11 + x_3)$

Iterasi ke	X1	X2	X3	X4	Error X1	Error X2	Error X3	Error X4
0	1	2	3	4				
1	-0.4	3.2	0.125	-1.6	3.5	0.375	23	3.5
2	-1	2.75	0.025	-2.175	0.6	0.1636364	4	0.264368
3	-0.775	3.01	-0.2719	-2.195	0.290323	0.0863787	1.091954	0.009112
4	-0.905	2.77875	-0.1444	-2.2544	0.143646	0.0832209	0.883117	0.026338
5	-0.7894	2.89475	-0.2674	-2.2289	0.146477	0.0400725	0.460123	0.011441
6	-0.8474	2.78772	-0.2062	-2.2535	0.068447	0.0383938	0.296689	0.010921
7	-0.7939	2.84119	-0.2628	-2.2412	0.067412	0.0188213	0.21532	0.00546
8	-0.8206	2.7918	-0.2346	-2.2526	0.032583	0.0176927	0.120512	0.005025
9	-0.7959	2.81647	-0.2607	-2.2469	0.031031	0.0087612	0.100172	0.002516
10	-0.8082	2.79368	-0.2476	-2.2521	0.015265	0.0081589	0.052678	0.002319
11	-0.7968	2.80507	-0.2597	-2.2495	0.014302	0.0040593	0.046402	0.00116
12	-0.8025	2.79455	-0.2537	-2.2519	0.007094	0.0037638	0.023731	0.00107
13	-0.7973	2.7998	-0.2592	-2.2507	0.006596	0.0018767	0.02145	0.000535
14	-0.7999	2.79495	-0.2564	-2.2518	0.003284	0.0017366	0.010832	0.000494
15	-0.7975	2.79738	-0.259	-2.2513	0.003043	0.0008668	0.009907	0.000247
16	-0.7987	2.79514	-0.2577	-2.2518	0.001518	0.0008013	0.004974	0.000228
17	-0.7976	2.79625	-0.2589	-2.2515	0.001404	0.0004001	0.004573	0.000114
18	-0.7981	2.79522	-0.2583	-2.2518	0.000701	0.0003698	0.00229	0.000105
19	-0.7976	2.79574	-0.2589	-2.2517	0.000648	0.0001847	0.002111	5.25E-05
20	-0.7979	2.79526	-0.2586	-2.2518	0.000324	0.0001706	0.001056	4.85E-05
21	-0.7976	2.7955	-0.2588	-2.2517	0.000299	8.523E-05	0.000974	2.42E-05
22	-0.7977	2.79528	-0.2587	-2.2518	0.000149	7.873E-05	0.000487	2.24E-05
23	-0.7976	2.79539	-0.2588	-2.2517	0.000138	3.933E-05	0.00045	1.12E-05
24	-0.7977	2.79529	-0.2588	-2.2518	6.89E-05	3.633E-05	0.000225	1.03E-05
25	-0.7976	2.79534	-0.2588	-2.2518	6.37E-05	1.815E-05	0.000207	5.16E-06
26	-0.7977	2.79529	-0.2588	-2.2518	3.18E-05	1.677E-05	0.000104	4.77E-06

$10x_1 + 5x_2 = 6$ menjadi $x_1 = 1/10 * (6 - 5 * x_2)$ Error relatif 0.1%
 $5x_1 + 10x_2 - 4x_3 = 25$ menjadi $x_2 = 1/10 * (25 - 5 * x_1 + 4 * x_3)$ N 30

$(-4x_2)+8x_3-x_4=-11$ menjadi $x_3=1/8*(-11+4x_2+x_4)$
 $(-x_3)+5x_4=-11$ menjadi $x_4=1/5*(-11+x_3)$

Iterasi ke	X1	X2	X3	X4	Error X1	Error X2	Error X3	Error X4
0	1	2	3	4				
1	-0.4	3.2	0.125	-1.6	3.5	0.375	23	3.5
2	-1	2.75	0.025	-2.175	0.6	0.1636364	4	0.264368
3	-0.775	3.01	-0.2719	-2.195	0.290323	0.0863787	1.091954	0.009112
4	-0.905	2.77875	-0.1444	-2.2544	0.143646	0.0832209	0.883117	0.026338
5	-0.7894	2.89475	-0.2674	-2.2289	0.146477	0.0400725	0.460123	0.011441
6	-0.8474	2.78772	-0.2062	-2.2535	0.068447	0.0383938	0.296689	0.010921
7	-0.7939	2.84119	-0.2628	-2.2412	0.067412	0.0188213	0.21532	0.00546
8	-0.8206	2.7918	-0.2346	-2.2526	0.032583	0.0176927	0.120512	0.005025
9	-0.7959	2.81647	-0.2607	-2.2469	0.031031	0.0087612	0.100172	0.002516
10	-0.8082	2.79368	-0.2476	-2.2521	0.015265	0.0081589	0.052678	0.002319
11	-0.7968	2.80507	-0.2597	-2.2495	0.014302	0.0040593	0.046402	0.00116
12	-0.8025	2.79455	-0.2537	-2.2519	0.007094	0.0037638	0.023731	0.00107
13	-0.7973	2.7998	-0.2592	-2.2507	0.006596	0.0018767	0.02145	0.000535
14	-0.7999	2.79495	-0.2564	-2.2518	0.003284	0.0017366	0.010832	0.000494
15	-0.7975	2.79738	-0.259	-2.2513	0.003043	0.0008668	0.009907	0.000247
16	-0.7987	2.79514	-0.2577	-2.2518	0.001518	0.0008013	0.004974	0.000228
17	-0.7976	2.79625	-0.2589	-2.2515	0.001404	0.0004001	0.004573	0.000114
18	-0.7981	2.79522	-0.2583	-2.2518	0.000701	0.0003698	0.00229	0.000105
19	-0.7976	2.79574	-0.2589	-2.2517	0.000648	0.0001847	0.002111	5.25E-05
20	-0.7979	2.79526	-0.2586	-2.2518	0.000324	0.0001706	0.001056	4.85E-05
21	-0.7976	2.7955	-0.2588	-2.2517	0.000299	8.523E-05	0.000974	2.42E-05

Max Error
2300.000%
400.000%
109.195%
88.312%
46.012%
29.669%
21.532%
12.051%
10.017%
5.268%
4.640%
2.373%
2.145%
1.083%
0.991%
0.497%
0.457%
0.229%
0.211%
0.106%
0.097%
0.049%

Max Error
2300.000%
400.000%
109.195%
88.312%
46.012%
29.669%
21.532%
12.051%

10.017%
5.268%
4.640%
2.373%
2.145%
1.083%
0.991%
0.497%

Max Error
2300.000%
400.000%
109.195%
88.312%
46.012%
29.669%
21.532%
12.051%
10.017%
5.268%
4.640%
2.373%
2.145%
1.083%
0.991%
0.497%
0.457%
0.229%
0.211%
0.106%
0.097%
0.049%
0.045%
0.022%
0.021%
0.010%

Max Error
2300.000%
400.000%
109.195%
88.312%
46.012%
29.669%
21.532%
12.051%
10.017%
5.268%
4.640%
2.373%
2.145%
1.083%
0.991%
0.497%
0.457%
0.229%
0.211%
0.106%
0.097%