

$4x_1 + x_2 - x_3 + x_4 = -2$	menjadi	$x_1 = 1/4 * (-2 - x_2 + x_3 - x_4)$	Error relatif	0.05%
$x_1 + 4x_2 - x_3 - x_4 = -1$	menjadi	$x_2 = 1/4 * (-1 - x_1 + x_3 + x_4)$	N	20
$-x_1 - x_2 + 5x_3 + x_4 = 0$	menjadi	$x_3 = 1/5 * (x_1 + x_2 - x_4)$		
$x_1 - x_2 + x_3 + 3x_4 = 1$	menjadi	$x_4 = 1/3 * (1 - x_1 + x_2 - x_3)$		

Metode Gauss Seidel

Iterasi ke	X1	X2	X3	X4	Error X1	Error X2	Error X3
0	0	0	0	0			
1	-0.5	-0.13	-0.125	0.5	1	1	1
2	-0.6	0.00	-0.225	0.616667	0.2	#DIV/0!	0.44444444
3	-0.7	0.03	-0.26031	0.665417	0.1202346	1	0.13565426
4	-0.7	0.04	-0.2735	0.682347	0.03713116	0.285714	0.04821755
5	-0.7	0.04	-0.27821	0.68843	0.01347998	0.0882	0.01693389
6	-0.8	0.04	-0.27989	0.69059	0.00474091	0.03052	0.00601084
7	-0.8	0.04	-0.28049	0.691358	0.00168571	0.010684	0.00213332
8	-0.8	0.04	-0.2807	0.69163	0.0005984	0.003781	0.00075778
9	-0.8	0.04	-0.28078	0.691727	0.00021259	0.001341	0.00026918
10	-0.8	0.04	-0.28081	0.691762	7.5518E-05	0.000476	9.5628E-05

Error X4	Max Error
1	100.000%
0.189189	#DIV/0!
0.073262	100.000%
0.024812	28.571%
0.008836	8.820%
0.003127	3.052%
0.001111	1.068%
0.000394	0.378%
0.00014	0.134%
4.98E-05	0.048%