


# E/R Diagrams

## TUTORIAL 7

DBMS 2013-2014 Fall

Nagehan Ilhan

# E/R Diagram



# Musicians Database Table

band (*band\_no*, band\_name, *band\_home*, *band\_type*, *b\_date*,  
*band\_contact*)

composer (*comp\_no*, *comp\_is*, *comp\_type*)

composition (*c\_no*, comp\_date, c\_title, *c\_in*)

concert (*concert\_no*, concert\_venue, *concert\_in*, con\_date,  
*concert\_organiser*)

has\_composed (*cmpr\_no*, *cmpn\_no*)

musician (*m\_no*, m\_name, born, died, *born\_in*, *living\_in*)

performance (*pfrmnc\_no*, *gave*, *performed*, *conducted\_by*,  
*performed\_in*)

performer (*perf\_no*, *perf\_is*, instrument, *perf\_type*)

place (*place\_no*, place\_town, place\_country)


plays\_in (*player*, *band\_id*)

# Sample Table Rows

select * from musician	m_no	m_name	born	died	born_in	living_in
	1	Fred Bloggs	02/01/48		1	2
select * from place	place_no	place_town	place_country			
	1	Manchester	England			
select * from performer	perf_no	perf_is	instrument	perf_type		
	1	2	violin	classical		
select * from composer	comp_no	comp_is	comp_type			
	1	1	jazz			
select * from band	band_no	band_name	band_home	band_type	b_date	band_contact
	1	ROP	5	classical	30/01/01	11
select * from plays_in	player	band_id				
	1	1				
select * from composition	c_no	comp_date	c_title	c_in		
	1	17/06/75	Opus 1	1		
select * from has_composed	cmpr_no	cmprn_no				
	1	1				
select * from concert	concert_no	concert_venue	concert_in	con_date	concert_organiser	
	1	Bridgewater Hall	1	06/01/95	21	
select * from performance	pfrmnc_no	gave	performed	conducted_by	performed_in	
	1	1	1	21	1	

# SQL Queries

- 1- Give the organiser's name of the concert in the Assembly Rooms after the first of Feb, 1997.



# Query1-Solution1

- musician (**m\_no**, **m\_name**, born, died, *born\_in*, *living\_in*)
- concert (concert\_no, concert\_venue, *concert\_in*, *con\_date*, *concert\_orgniser*)

```
SELECT m_name FROM concert JOIN musician
ON (concert.concert_orgniser= musician.m_no)
WHERE concert_venue = "Assembly Rooms"
AND
con_date > "1997-02-01"
```

m_name
James Steeple

# Query1-Solution2

```
SELECT m_name FROM musician  
WHERE m_no = ( SELECT concert_orgniser FROM  
concert WHERE concert_venue = 'Assembly  
Rooms' AND con_date>'1997-02-01' )
```

# Query1-Solution3

```
SELECT m_name FROM musician,  
(SELECT concert_organiser AS orgId FROM concert WHERE  
concert_venue='Assembly Rooms' AND con_date >'1997-02-  
01') AS conOrg WHERE m_no = orgId
```




# Query2

2- Find all the performers who played guitar or violin and were born in England.

performer (perf\_no, *perf\_is*, instrument, perf\_type)

musician (m\_no, m\_name, born, died, *born\_in*, living\_in)

place (place\_no, place\_town, place\_country)




# Query2-Solution1

```
SELECT m_name FROM performer, musician, place
WHERE musician.born_in = place.place_no AND
performer.perf_is = musician.m_no AND
place.place_country = "England" AND
( instrument = "guitar" OR instrument = "violin")
```

m_name
Harry Forte
Davis Heaven
Alan Fluff
Theo Mengel
James First
Harriet Smithson

# Query2-Solution2

```
SELECT m_name FROM musician,  
  
(SELECT perf_is FROM performer WHERE  
instrument='violin' OR instrument='guitar') AS perfTable,  
  
(SELECT place_no FROM place WHERE  
place_country='England') AS placeTable  
  
WHERE m_no=perf_is AND place_no=born_in
```



perf_is
2
8
12
14
6
10
18
5
4



place_no
1
5
7

# Query 3


3- List the names of musicians who have conducted concerts in USA together with the towns and dates of these concerts.

musician (m\_no, m\_name, born, died, *born\_in*, *living\_in*)

performance (pfrmnc\_no, *gave*, *performed*, *conducted\_by*, *performed\_in*)

concert (concert\_no, concert\_venue, *concert\_in*, con\_date, *concert\_organiser*)

place (place\_no, place\_town, place\_country)



# Query3-Solution1

```
SELECT DISTINCT m_name,place_town,con_date FROM musician, concert,  
place, performance  
WHERE place.place_country = "USA" AND  
concert.concert_no = performance.performed_in AND  
performance.conducted_by = musician.m_no AND  
concert.concert_in = place.place_no  
GROUP BY m_name
```

m_name	place_town	con_date
James Steeple	New York	1997-06-15
James Steeple	New York	1997-06-15
James Steeple	New York	1997-06-15
James Steeple	New York	1997-06-15

Correct:

m_name	place_town	con_date
James Steeple	New York	1997-06-15

Place\_country="USA" olan place\_no'lar 4 ve 8. 4 numaralı place\_no'da 8 numaralı konser yapılıyor. 8 numaralı konserde ise 4 tane performans sergileniyor. Bu nedenle distinct ve group by demeden 4 adet sonucumuz var.

# Query3-Solution2

**SELECT m\_name,conPlace.con\_date,conPlace.pTown FROM**

**(SELECT DISTINCT performed\_in,m\_name FROM musician,performance WHERE  
m\_no=conducted\_by) AS musnPerf,**

**(SELECT concert\_no,con\_date,placeTable.place\_town AS pTown FROM  
concert,(SELECT place\_no,place\_town FROM place WHERE place\_country='USA') AS  
placeTable WHERE concert\_in=place\_no) AS conPlace**


**WHERE conPlace.concert\_no = musnPerf.performed\_in**

1	James Steeple
2	Fred Bloggs
2	James Steeple
3	Jeff Dawn
3	Phil Hot
4	Jeff Dawn
4	Rose Spring
5	Lovely Time
6	Alan Fluff
7	Tony Smythe
8	James Steeple

concert_no	con_date	pTown
8	1997-06-15 00:00:00.000	New York

# Query4

4- How many concerts have featured at least one composition by Andy Jones? List concert date, venue and the composition's title.



# Query4-Solution1

```
SELECT con_date, concert_venue, c_title , COUNT(*)  
FROM concert, performance, composition, has_composed, composer, musician  
WHERE m_name = "Andy Jones" AND  
concert.concert_no = performance.performed_in AND  
performance.performed = composition.c_no AND  
composition.c_no = has_composed.cmpn_no AND  
has_composed.cmpr_no = composer.comp_no AND  
composer.comp_no = musician.m_no
```

con_date	concert_venue	c_title	COUNT(*)
1997-06-15	Metropolitan	A Simple Piece	1



# Query4-Solution2


```
SELECT conCompTable.concert_venue, conCompTable.con_date,  
conCompTable.c_title, COUNT(*) AS num_of_Conc FROM
```

```
(SELECT concert_venue,con_date,c_title,c_no FROM  
(SELECT concert_venue,con_date,concert_no FROM concert) AS concertTable ,  
composition, performance WHERE  
performed_in = concertTable.concert_no AND performed=c_no) AS conCompTable  
,  
(SELECT cmpn_no FROM has_composed,  
(SELECT comp_no FROM musician,composer WHERE m_name='Andy Jones' AND  
m_no=comp_is) AS ajCompTable  
WHERE cmpr_no = ajCompTable.comp_no) AS ajCmpnTable  
WHERE
```

```
ajCmpnTable.cmpn_no = conCompTable.c_no
```

# Query4-Solution2

concert_venue	con_date	c_title	c_no
Bridgewater Hall	1995-01-06 00:00:00.000	Opus 1	1
Bridgewater Hall	1995-01-06 00:00:00.000	Valiant Knight	3
Bridgewater Hall	1995-01-06 00:00:00.000	Simple Song	5
Bridgewater Hall	1996-05-08 00:00:00.000	Here Goes	2
Bridgewater Hall	1996-05-08 00:00:00.000	Little Piece	4




concert_venue	con_date	c_title	num_of_Conc
Metropolitan	1997-06-15	A Simple Piece	1

cmpn_no
17

# Query 5

5- List the names of musicians in a descending alphabetic order together with their instruments in the band 'Somebody Loves this'.



# Query5-Solution1

```
SELECT m_name,instrument FROM musician, performer, plays_in, band
WHERE band.band_name = "Somebody Loves this" AND
musician.m_no = performer.perf_is AND
performer.perf_no = plays_in.player AND
plays_in.band_id= band.band_no
ORDER BY m_name DESC
```

m_name	instrument
Jeff Dawn	bass
Harry Forte	clarinet

# Query5-Solution2

```
SELECT m_name,instrument FROM musician,performer,  
(SELECT player FROM plays_in WHERE band_id=  
(SELECT band_no FROM band WHERE band_name='Somebody Loves  
this'))AS playerTable  
WHERE m_no = perf_is AND perf_no = playerTable.player  
ORDER BY m_name DESC
```



player
26
27

musician (**m\_no**, m\_name, born, died, *born\_in*, *living\_in*)


performer (**perf\_no**, *perf\_is*, instrument, *perf\_type*)

plays\_in (*player*, *band\_id*)

band (**band\_no**, band\_name, *band\_home*, *band\_type*, *b\_date*,  
*band\_contact*)

# Query 6

- 6- List the names, dates of birth and the instrument played of living musicians who play a instrument which Theo Mengel also plays.



# Query6-Solution1

```
SELECT m_name, born, instrument FROM musician, performer
WHERE died IS NULL AND
      musician.m_no = performer.perf_is AND
instrument = ANY (SELECT instrument FROM musician, performer WHERE m_name =
"Theo Mengel" AND m_no = perf_is )
ORDER BY instrument DESC
```

instrument
banjo
violin
drums

m_name	born	instrument
John Smith	1950-03-03	violin
Harry Forte	1951-02-28	violin
Theo Mengel	1948-08-12	violin
James First	1965-06-10	violin
Jeff Dawn	1945-12-12	violin
Harry Forte	1951-02-28	drums
Theo Mengel	1948-08-12	drums
Theo Mengel	1948-08-12	banjo

# Query6-Solution2

```
SELECT m_name, born, instrument FROM musician, performer,  
      (SELECT instrument AS theoInstruments FROM musician, performer  
WHERE m_name = "Theo Mengel" AND m_no = perf_is ) AS tInst  
WHERE died IS NULL AND  
musician.m_no = performer.perf_is AND  
instrument = tInst.theoInstruments  
ORDER BY instrument DESC
```



# Query 7

7- List the name and the number of players for the band whose number of players is greater than the average number of players in each band.

**band** (**band\_no**, band\_name, *band\_home*, *band\_type*, *b\_date*,  
*band\_contact*)

**plays\_in** (*player*, **band\_id**)

# Query7-Solution

```
SELECT band_name, c.CountNum FROM band,  
(  
  SELECT band_id AS ID, a.b AS CountNum FROM  
(  
    SELECT band_id, COUNT( * ) AS b FROM plays_in  
    GROUP BY band_id  
  ) AS a  
  WHERE a.b >  
    // Average Code  
    SELECT AVG (eachBandNumOfPlayers.numOfPlayers)  
    FROM (  
      SELECT COUNT ( * ) AS numOfPlayers FROM plays_in  
      GROUP BY band_id  
    ) AS eachBandNumOfPlayers  
  GROUP BY band_id  
)  
) AS c  
WHERE band.band_no = ID
```

band_name	CountNum
ROP	7
AASO	7
Oh well	6

# Query7-Explanation

---

## EXPLANATION

- ❖ Number of players in each band:

```
SELECT band_id, COUNT(*) FROM plays_in  
GROUP BY band_id
```

band_id	COUNT(*)
1	7
2	7
3	2
4	3
5	1
6	2
7	6
8	3

- ❖ Their average:

```
SELECT AVG (eachBandNumOfPlayers.numOfPlayers)  
FROM (  
  SELECT COUNT ( * ) AS numOfPlayers FROM plays_in  
  GROUP BY band_id  
) AS eachBandNumOfPlayers
```

AVG (eachBandNumOfPlayers.numOfPlayers)
3.8750

- ❖ Select band\_id s higher than avg:

```
SELECT band_id, a.b FROM  
(  
  SELECT band_id, COUNT( * ) AS b FROM plays_in  
  GROUP BY band_id  
) AS a  
WHERE a.b >  
...// Average Code  
  
GROUP BY band_id  
)
```

# Query7-Explanation

- ❖ Then, cross this result with band table to retrieve related band's names. !  
Keep COUNT value!

```
SELECT band_name, c.CountNum FROM band,  
(  
SELECT band_id AS ID , a.b AS CountNum FROM  
(  
  SELECT band_id, COUNT( * ) as b FROM plays_in  
  GROUP BY band_id  
) AS a  
WHERE a.b  
...// Average Code  
  
  GROUP BY band_id  
)  
) AS c  
WHERE band.band_no = ID
```

## **Exercises:**

- 8. List the names of musicians who both conduct and compose and live in Britain.**
- 9. Show the least commonly played instrument and the number of musicians who play it.**
- 10. List the bands that have played music composed by Sue Little; Give the titles of the composition in each case**

# Reference

- <http://sqlzoo.net/wiki/Musicians>