



Splunk simulation analysis



This Splunk simulation demonstrates log collection from host WIN-VVG2M7ME5QU via Universal Forwarder into Splunk Enterprise, enabling indexing and correlation of security events. Analysis includes detection of log clearing and setting up alerts for likely events



The screenshot displays the Splunk Enterprise web interface. The top navigation bar includes links for Search, Analytics, Datasets, Reports, Alerts, and Dashboards. The main content area is titled "New Search" and shows a search query: `Index= host:"WIN-VVG2M7ME5QU" source:"WinEventLog:Security"`. The search results are displayed in a table format, showing 401 events. The table has columns for Time, Event, and LogName. The first event is dated 3/14/26 at 8:40:33.000 PM, with LogName=Security and EventCode=4616. The second event is dated 3/14/26 at 8:40:33.000 PM, with LogName=Security and EventCode=4616. The third event is dated 3/14/26 at 8:36:29.000 PM, with LogName=Security and EventCode=4798. The interface also includes a sidebar with "SELECTED FIELDS" and "INTERESTING FIELDS" sections, and a "Search & Reporting" button in the top right corner.

Time	Event	LogName
3/14/26 8:40:33.000 PM	LogName=Security EventCode=4616 EventType=0 ComputerName=WIN-VVG2M7ME5QU host = WIN-VVG2M7ME5QU source = WinEventLog:Security sourcetype = WinEventLog:Security	Security
3/14/26 8:40:33.000 PM	LogName=Security EventCode=4616 EventType=0 ComputerName=WIN-VVG2M7ME5QU Show all 27 lines	Security
3/14/26 8:36:29.000 PM	LogName=Security EventCode=4798 EventType=0 ComputerName=WIN-VVG2M7ME5QU	Security

Security log will be cleared to confirm that logs are being received







This shows that a log was cleared

127.0.0.1:8000/en-US/app/search/table?bs=%20host%3D%20WIN-VVG2M7ME5QU%20source%3D%20WinEventLog%3A%20Security%20sourcetype%3D%20WinEventLog%3A%20Security%20EventCode=1182

Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards Search & Reporting

Create Table View

Cancel

host="WIN-VVG2M7ME5QU" source="WinEventLog:Security" sourcetype="WinEventLog:Security" EventCode="1182"

Previewing 1 event (7/16/23 2:35:31.000 AM to 3/15/26 10:20:35.000 PM) Sample: Latest

Select existing fields

Filter existing fields

+ Add a missing existing field

- ☒ All Fields
- ☒ _time
- ☒ _raw
- ☒ AccountName
- ☒ ComputerName
- ☒ DomainName
- ☒ EventCode
- ☒ EventType
- ☒ host
- ☒ message
- ☒ keywords
- ☒ keyword
- ☒ logName
- ☒ logon_ID
- ☒ message
- ☒ opCode
- ☒ punct
- ☒ recordNumber
- ☒ security_ID
- ☒ source

Done

	_time	host	source	sourcetype
1	2026-03-15T22:14:00.000-0700	WIN-VVG2M7ME5QU	WinEventLog:Security	WinEventLog:Security

127.0.0.1:8000/en-US/app/search/table?bs=%20host%3D%20WIN-VVG2M7ME5QU%20source%3D%20WinEventLog%3A%20Security%20sourcetype%3D%20WinEventLog%3A%20Security%20EventCode=1182

Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards Search & Reporting

Create Table View

Save

History SPL Edit Sort Filter Clean Summarize Add New Rows Summary

Selected Data

Previewing 1 event (7/16/23 2:35:31.000 AM to 3/15/26 10:20:34.000 PM) Sample: Latest

	_time	host	source	sourcetype
1	2026-03-15T22:14:00.000-0700	WIN-VVG2M7ME5QU	WinEventLog:Security	WinEventLog:Security

←→↻127.0.0.1:8000/en-US/app/search/dashboards

splunk-enterpriseApps

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboardsSearch & Reporting

Dashboards

Dashboards include searches, visualizations, and input controls that capture and present available data.

Create New Dashboard

Latest Resources

Examples for Dashboard Studio

Intro to Dashboard Studio

Intro to Classic Dashboards

6 Dashboards

AllYoursThis App'sfilter

i	Title	Actions	Owner	App	Sharing	Type
>	clearsec log	Edit	blu	search	Private	Dashboard Studio
>	Integrity Check of Installed Files	Edit	nobody	search	App	Dashboard Studio
>	Job Details Dashboard	Edit	nobody	search	App	Dashboard Studio
>	jQuery Upgrade	Edit	nobody	search	App	Classic
>	Orphaned Scheduled Searches, Reports, and Alerts	Edit	nobody	search	App	Dashboard Studio
>	Scheduled export is now available for Dashboard Studio	Edit	nobody	search	Global	Dashboard Studio

←→↻127.0.0.1:8000/en-US/app/search/dashboards

splunk-enterpriseApps

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboardsSearch & Reporting

Dashboards

Dashboards include searches, visualizations, and input controls that capture and present available data.

Create New Dashboard

Latest Resources

Examples for Dashboard Studio

Intro to Dashboard Studio

Intro to Classic Dashboards

6 Dashboards

AllYoursThis App'sfilter

i	Title	Actions	Owner	App	Sharing	Type
>	clearsec log	Edit	blu	search	Private	Dashboard Studio
>	Integrity Check of Installed Files	Edit	nobody	search	App	Dashboard Studio
>	Job Details Dashboard	Edit	nobody	search	App	Dashboard Studio
>	jQuery Upgrade	Edit	nobody	search	App	Classic
>	Orphaned Scheduled Searches, Reports, and Alerts	Edit	nobody	search	App	Dashboard Studio
>	Scheduled export is now available for Dashboard Studio	Edit	nobody	search	Global	Dashboard Studio

Create New Dashboard

Dashboard Title

clear_logs

clear_logs

Edit ID

Description

Optional

Permissions

Private

How do you want to build your dashboard?

What's this?

Classic Dashboards

The traditional Splunk dashboard builder

Dashboard Studio

A new builder to create visually-rich, customizable dashboards

NEW

Select layout mode

Absolute


Full layout control

Grid

Quick organization

Cancel

Create



127.0.0.1:8000/en-US/app/search/clear_logs/edit?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboards

Search & Reporting

DarkViewSave

Table

Single valueSingle value radialAreaColumnLineBarPieBubbleParallel coordinatesPunchcardScatterFiller gaugeMarker gaugeChoropleth SVGMapLink graphSankey

Configuration

Tab

Tab nameNew tab

Canvas layoutGridChange

Canvas

Gutter size8

View Options

Show edit buttonShow Open in Search buttonShow export buttonCollapse navigationOptimized rendering

Submit button options

Add submit button

Preferences

127.0.0.1:8000/en-US/app/search/clear_logs/edit?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboards

Search & Reporting

DarkViewSave

clear_logs

Enter dashboard description.

Global Time RangeLast 24 hours

New tab

Select data source

Search

Create search

Saved search

Create saved search

Chain search

Create chain search

Cancel

← → ↻ 127.0.0.1:8000/en-US/app/search/clear_logs/edit?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1

splunk-enterprise Apps

Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards

Search & Reporting

clear_logs

Enter dashboard description.

Global Time Range

Last 24 hours

New tab

New data source

Data source name

Search_1

☐ Access search results or metadata

SPL query

Open in search

* host="WIN-VVG2M7M ESQU" source="WinEventLog:Security" sourcetype="WinEventLog:Security" EventCode="1102"

Time range

Input Static Default

Time range set by dashboard source default value

\$global_time.earliest\$ - \$global_time.latest\$

Configure in source editor

Usage

1 visualization

0 inputs

0 chain searches

1 visualization will be updated

Cancel Apply and close

← → ↻ 127.0.0.1:8000/en-US/app/search/clear_logs/edit?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1

splunk-enterprise Apps

Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards

Search & Reporting

clear_logs

Enter dashboard description.

Global Time Range

Last 24 hours

New tab

clear_logs

_hit	_cd	_index	_raw	_serial	_si	_sour	_time	host	index	lineco	source	sourc	splunk
main"10"0	10790	17736092	03/15/202	0	DESKTOP-	WinEventL	2026-03-	WIN-	main	17	WinEventL	WinEventL	DESKTO
64F8E97-		49	6 02:14:09		0A0H85F	ogSecurit	15722:14.0	VVG2M7M			ogSecurit	ogSecurit	0A0H85
99CC-			PM		main	y	9.000H0t	ESQU			y	y	
4563-			LogName=				00						
1B39-			Security										
CD80F5C			EventCod										
50A51			e=1102										
			EventType										
			=1										
			Computer										
			Name=WI										
			N-										
			VVG2M7M										
			ESQU										

Configuration

General

Visualization type

Table

Title

cleared_logs

Description

Data sources

Search_1

Visibility

Data display

Color and style

Interactions

Source code

← → ↺ 127.0.0.1:8000/en-US/app/search/clear_logs/edit?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1

splunk-enterprise Apps

Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards

Search & Reporting

Dark View Save

clear_logs

Enter dashboard description.

Global Time Range

Last 24 hours

New tab

clear_logs

_bkt	_cd	_index	_raw	_serial	_si	_sour	_time	host	index	linecount	source	source	splunk...
main"10"0	10.790	17736092	03/15/2026	0	DESKTOP-	WinEventL	2026-03-	WIN-	main	17	WinEventL	WinEventL	DESKTO
64F8E97-		49	02:14:09		OADHBSF	ogSecurity	15722:14:0	VVG2M7M			ogSecurity	ogSecurity	OADHBS
9CC-			PM		main	y	9:00:01:00	ESQU			y	y	
4563-			LogName=										
B309-			Security										
CD80F5C			EventCod										
50A51			e="102										
			EventType										
			=4										
			Computer										
			Name=Wi										
			N-										
			VVG2M7M										
			ESQU										

Edit data source

Data source name

Search_1

☐ Access search results or metadata

SPL query

Open in search

* host="ID-VVG2M7ME5QU" source="WinEventLog" ("Security" sourcetype="WinEventLog:Security" EventCode="EventCode=1102" | fields - _bkt, _cd

Time range

Input Static Default

Time range set by dashboard source default value

\$global_time.earliest\$ - \$global_time.latest\$

Configure in source editor

Usage

1 visualization

0 inputs

0 chain searches

1 visualization will be updated

Cancel Apply and close

← → ↺ 127.0.0.1:8000/en-US/app/search/clear_logs/edit?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1

splunk-enterprise Apps

Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards

Search & Reporting

Dark View Save

clear_logs

Enter dashboard description.

Global Time Range

Last 24 hours

New tab

clear_logs

_index	_raw	_serial	_si	_sour	_time	host	index	linecount	source	source	splunk...	
1773609249	03/15/2026 02:14:09 PM	0		DESKTOP-	WinEventLo	2026-03-	WIN-	main	17	WinEventLo	WinEventLo	DESKTOP-
	LogName=Security			OADHBSF	gSecurity	15722:14:00	VVG2M7ME			gSecurity	gSecurity	OADHBSF
	main					00:01:00	ESQU					
	EventCode=1102											
	EventType=4											
	ComputerName=WIN-VVG2M7ME											
	ESQU											
	SourceName=Microsoft-Windows-Eventlog											

Configuration

General

Visualization type

Table

Title

clear_logs

Description

Data sources

Search_1

Visibility

Data display

Color and style

Interactions

Source code

←→↻127.0.0.1:8000/en-US/app/search/dashboards

splunkenterpriseApps

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboards

Search & Reporting

Create New Dashboard

Dashboards

Dashboards include searches, visualizations, and input controls that capture and present available data.

Latest Resources

☆ Examples for Dashboard Studio

Intro to Dashboard Studio

Intro to Classic Dashboards

7 Dashboards

AllYoursThis App'sfilter

i	Title	Actions	Owner	App	Sharing	Type
>	clear_logs	Edit	blu	search	Private	Dashboard Studio
>	clearsec log	Edit	blu	search	Private	Dashboard Studio
>	Integrity Check of Installed Files	Edit	nobody	search	App	Dashboard Studio
>	Job Details Dashboard	Edit	nobody	search	App	Dashboard Studio
>	Joquery Upgrade	Edit	nobody	search	App	Classic
>	Orphaned Scheduled Searches, Reports, and Alerts	Edit	nobody	search	App	Dashboard Studio
>	Scheduled export is now available for Dashboard Studio	Edit	nobody	search	Global	Dashboard Studio

127.0.0.1:8000/en-US/app/search/orphaned_scheduled_searches

←→↻127.0.0.1:8000/en-US/app/search/clear_logs?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1

splunkenterpriseApps

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboards

Search & Reporting

clear_logs

DisplayActionsEdit

Global Time Range

Last 24 hours

clear_logs

_indextime	_raw	_serial	_si	_sourcetype	_time	host	index	linecount	source	sourcetype	splunk_server
1773609249	03/15/2026 02:14:09 PM LogName=Security EventCode=1102 EventType=4 ComputerName=WIN-VVG2M7MESQU SourceName=Microsoft Windows Eventlog Type=Information RecordNumber=809	0	DESKTOP-QA0HBSF main	WinEventLogSecurity	2026-03-15T22:14:09.000+01:00	WIN-VVG2M7MESQU	main	17	WinEventLogSecurity	WinEventLogSecurity	DESKTOP-QA0HBSF

127.0.0.1:8000/en-US/app/search/clear_logs?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1#

← → ↻ 127.0.0.1:8000/en-US/app/search/clear_logs?form.global_time.earliest=-24h%40h&form.global_time.latest=now&tab=layout_1

splunk enterprise Apps Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards

clear_logs

Global Time Range
Last 24 hours

Display Actions Edit

- Download PDF
- Download PNG
- Download JSON
- Clone dashboard
- View version history
- View on mobile
- Edit permissions
- Set as home dashboard
- Schedule export
- Delete dashboard

_index	_raw	_serial	_si	_sourcetype	_time	host	index	linecount	source	sourcetype
1773609249	03/15/2026 02:14:09 PM LogName=Security EventCode=102 EventType=4 ComputerName=WIN-VVG2M7MESQU SourceName=Microsoft-Windows-Eventlog Type=Information RecordNumber=809	0	DESKTOP-0A0HBSF main	WinEventLog:Security	2026-03-15T22:14:09.000+01:00	WIN-VVG2M7MESQU	main	17	WinEventLog:Security	WinEventLog:Security

← → ↻ 127.0.0.1:8000/en-US/app/launcher/home

splunk enterprise Apps Administrator Messages Settings Activity Help Find

Hello, Administrator

Home page settings

Bookmarks Dashboard Search history Recently viewed Created by you Shared with you

clear_logs

Open Change Remove

Global Time Range
Last 24 hours

_index	_raw	_serial	_si	_sourcetype	_time	host	index	linecount	source	sourcetype	splunk_
1773609249	03/15/2026 02:14:09 PM LogName=Security EventCode=102 EventType=4 ComputerName=WIN-VVG2M7MESQU SourceName=Microsoft-Windows-Eventlog	0	DESKTOP-0A0HBSF main	WinEventLog:Security	2026-03-15T22:14:09.000+01:00	WIN-VVG2M7MESQU	main	17	WinEventLog:Security	WinEventLog:Security	DESKTOP-0A0HBSF

127.0.0.1:8000/en-US/app/search/search?q=search%20index%3D"%20host%3D"WIN-VVG2M7ME5QU"%20EventCode%20"EventCode%3D4625"&display...

splunk-enterprise Apps Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards Search & Reporting

New Search

Index=* host="WIN-VVG2M7ME5QU" EventCode="EventCode=4625"

2 events (3/15/26 10:00:00.000 AM to 3/16/26 10:18:47.000 AM) No Event Sampling

Save As Create Table View Close

Report Alert Last 24 hours

Job Existing Dashboard New Dashboard Event Type Smart Mode

Timeline format Zoom Out Zoom to Selection Deselect 1 hour per column

Format Show: 20 Per Page View List

Hide Fields All Fields

SELECTED FIELDS

- a host 1
- a source 1
- a sourcetype 1

INTERESTING FIELDS

- a ComputerName 1
- a EventCode 1
- a EventType 1
- a index 1
- a Keywords 1
- a Linecount 1
- a LogName 1
- a Message 1
- a OpCode 1
- a purlid 1
- a RecordNumber 2
- a SourceName 1

i	Time	Event
>	3/15/26 9:57:57.000 PM	LogName=Application EventCode=4625 EventType=4 ComputerName=WIN-VVG2M7ME5QU SourceName=Microsoft-Windows-EventSystem Type=Information RecordNumber=114 Keywords=Classic TaskCategory=None OpCode=None Message=The EventSystem sub system is suppressing duplicate event log entries for a duration of 86400 seconds. The suppression timeout can be controlled by a REG_DWORD value named SuppressDuplicateDuration under the following registry key: HKEY_LOCAL_MACHINE\Software\Microsoft\EventSystem\EventLog. Collapse host = WIN-VVG2M7ME5QU source = C:\Windows\System32\Winevt\Logs\Application.evtx sourcetype = WinEventlog:Application
>	3/15/26 9:51:46.000 PM	LogName=Application EventCode=4625

127.0.0.1:8000/en-US/app/search/search?q=search index%3D" host%3D"WIN-VVG2M7ME5QU" EventCode="EventCode%3D4625"&display.page.search.mode=smart&dispatch.sample_rate=18&workload_pool=bestest=-24h%40h&rl...

127.0.0.1:8000/en-US/app/search/search?q=search%20index%3D"%20host%3D"WIN-VVG2M7ME5QU"%20EventCode%20"EventCode%3D4625"&display...

splunk-enterprise Apps Administrator Messages Settings Activity Help Find

Search Analytics Datasets Reports Alerts Dashboards Search & Reporting

New Search

Index=* host="WIN-VVG2M7ME5QU" EventCode="EventCode=4625"

2 events (3/15/26 10:00:00.000 AM to 3/16/26 10:18:47.000 AM)

Events (2) Patterns Statistics Visualization

Timeline format Zoom Out Zoom to Selection Deselect

Format Show: 20 Per Page View List

Hide Fields All Fields

SELECTED FIELDS

- a host 1
- a source 1
- a sourcetype 1

INTERESTING FIELDS

- a ComputerName 1
- a EventCode 1
- a EventType 1
- a index 1
- a Keywords 1
- a Linecount 1
- a LogName 1
- a Message 1
- a OpCode 1
- a purlid 1
- a RecordNumber 2
- a SourceName 1

i	Time	Event
>	3/15/26 9:57:57.000 PM	LogName=Application EventCode=4625 EventType=4 ComputerName=WIN-VVG2M7ME5QU SourceName=Microsoft-Windows-EventSystem Type=Information RecordNumber=114 Keywords=Classic TaskCategory=None OpCode=None Message=The EventSystem sub system is suppressing duplicate event log entries for a duration of 86400 seconds. The suppression timeout can be controlled by a REG_DWORD value named SuppressDuplicateDuration under the following registry key: HKEY_LOCAL_MACHINE\Software\Microsoft\EventSystem\EventLog. Collapse host = WIN-VVG2M7ME5QU source = C:\Windows\System32\Winevt\Logs\Application.evtx sourcetype = WinEventlog:Application
>	3/15/26 9:51:46.000 PM	LogName=Application EventCode=4625

Save As Alert

Title login alert

Description Optional

Permissions Private Shared in App

Alert type Scheduled Real time

Run every week

On Monday at 6:00

Expires 24 hour(s)

Trigger Conditions

Trigger alert when Number of Results

Is greater than 2

Trigger Once For each result

Throttle

Trigger Actions

+ Add Actions

Cancel Save

127.0.0.1:8000/en-US/app/search/search?q=search index%3D" host%3D"WIN-VVG2M7ME5QU" EventCode="EventCode%3D4625"&display.page.search.mode=smart&dispatch.sample_rate=18&workload_pool=bestest=-24h%40h&rl...

127.0.0.1:8000/en-US/app/search/search?q=search%20index%3D%20host%3D%20WIN-VVG2M7ME5QU%20EventCode%20EventCode%3D4625&display...

Save As Alert

Title: login alert

Description: Optional

Permissions: Private Shared in App

Alert type: Scheduled Real-time

Run every week

On: Monday at 6:00

Triggers:

- Log Event: Send log event to Splunk receiver endpoint
- Output results to lookup: Output the results of the search to a CSV lookup file
- Output results to telemetry endpoint: Custom action to output results to telemetry endpoint
- Run a script: Invoke a custom script
- Send email: Send an email notification to specified recipients
- Send to Splunk Mobile: Send a notification to Splunk Mobile recipients
- Webhook: Generic HTTP POST to a specified URL

+ Add Actions

Number of Results: 2

For each result

Cancel Save

127.0.0.1:8000/en-US/app/search/search?q=search%20index%3D%20host%3D%20WIN-VVG2M7ME5QU%20EventCode%20EventCode%3D4625&display...

Save As Alert

Title: login alert

Description: Optional

Permissions: Private Shared in App

Alert type: Scheduled Real-time

Run every week

On: Monday at 6:00

Triggers:

- Output results to lookup: Output the results of the search to a CSV lookup file
- Output results to telemetry endpoint: Custom action to output results to telemetry endpoint
- Run a script: Invoke a custom script
- Send email: Send an email notification to specified recipients
- Send to Splunk Mobile: Send a notification to Splunk Mobile recipients
- Webhook: Generic HTTP POST to a specified URL



+ Add Actions

Number of Results: 2

For each result

Cancel Save

127.0.0.1:8000/en-US/app/search/search?q=search%20index%3D%20host%3D%20WIN-VVG2M7ME5QU%20EventCode%20EventCode%3D4625&display;page.search.mode=smart&dispatch.sample_ratio=1&workload_pool=8&earliest=-24h%40h&latest=...



A detection alert can
also be set based
on the detection
strategy proffered
by mitre

attack.mitre.org/techniques/T1133/

MITRE ATT&CK

Matrices • Tactics • Techniques • Defenses • CTI • Resources • Benefactors • Contribute • Blog • Search Q

TECHNIQUES

Exploit Public-Facing Application
External Remote Services
Hardware Additions
Phishing
Replication Through Removable Media
Supply Chain Compromise
Trusted Relationship
Valid Accounts
Wi-Fi Networks
Execution
Persistence
Privilege Escalation
Defense Evasion
Credential Access
Discovery
Lateral Movement
Collection
Command and Control
Exfiltration
Impact
Mobile
ICS

M1035

Limit Access to Resource Over Network

Limit access to remote services through centrally managed concentrators such as VPNs and other managed remote access systems.

M1032

Multi-Factor Authentication

Use strong two-factor or multi-factor authentication for remote service accounts to mitigate an adversary's ability to leverage stolen credentials, but be aware of Multi-Factor Authentication Interception techniques for some two-factor authentication implementations.

M1030

Network Segmentation

Deny direct remote access to internal systems through the use of network proxies, gateways, and firewalls.

M1021

Restrict Web-Based Content

Restrict all traffic to and from public Tor nodes. ^[8]

Detection Strategy

Behavior-chain detection for T1133 External Remote Services across Windows, Linux, macOS, Containers

AN1004

Unusual or unauthorized external remote access attempts (e.g., RDP, VPN, Citrix) → repeated failed logins followed by a successful session from uncommon geolocations or outside business hours → subsequent internal lateral movement or data exfiltration activities.

AN1005

Repeated SSH, VPN, or RDP gateway authentication attempts from external IPs → subsequent successful login → remote shell or lateral movement activity (e.g., scp/stfp).

AN1006

Unexpected inbound or outbound VNC/SSH/Screen Sharing connections from external sources → repeated failed logins followed by success → remote interactive sessions or abnormal file transfers.

AN1007

Connections to exposed container services (e.g., Docker API, Kubernetes API server) from unauthorized external IPs → abnormal container creation/start → lateral activity within cluster nodes.

References

1. Apple Support. (n.d.). Set up a computer running VNC software for Remote Desktop. Retrieved August 18, 2021.

2. Adair, S. (2015, October 7). Virtual Private Keylogging: Cisco Web VPNs Leveraged for Access and Persistence. Retrieved March 20, 2017.

3. Remillano II, A., et al. (2020, June 20). XORDDoS, Kali Variants Target Exposed Docker

32. MSTIC. (2021, December 6). NICKEL, targeting government organizations across Latin America and Europe. Retrieved March 18, 2022.

33. CISA, FBI, CNMF. (2020, October 27). <https://us-cert.cisa.gov/ncas/alerts/aa20-301a>. Retrieved November 4, 2020.

34. Singer, G. (2020, April 3). Threat Alert: Kinsing Malware Attacks Targeting Container

attack.mitre.org/detectionstrategies/DET0354/#AN1005

MITRE ATT&CK

Matrices • Tactics • Techniques • Defenses • CTI • Resources • Benefactors • Contribute • Blog • Search Q

DETECTION STRATEGIES

Enterprise
Mobile
ICS

Version: 1.0

Created: 21 October 2025

Last Modified: 21 October 2025

Version Permalink

Analytics

Windows Linux macOS Containers

AN1004



Unusual or unauthorized external remote access attempts (e.g., RDP, VPN, Citrix) → repeated failed logins followed by a successful session from uncommon geolocations or outside business hours → subsequent internal lateral movement or data exfiltration activities.



Log Sources



Data Component	Name	
User Account Authentication (DC0002)	WinEventLog\Security	EventCode=4776, 4625
Application Log Content (DC0038)	WinEventLog/Application	VPN, Citrix, or remote access gateway logs showing external IP addresses
Network Connection Creation (DC0082)	WinEventLog/System	EventCode=3, 22

Mutable Elements

Field	Description
BusinessHours	Normal business hours for login activity.
KnownRemoteIps	List of approved external IPs or VPN endpoints.
FailedLoginThreshold	Number of failed logons before raising suspicion (e.g., >5).







127.0.0.1:8000/en-US/app/search/alert?s=%2FservicesNS%2Fblu%2Fsearch%2Fsaved%2Fsearches%2FExternal%2520Remote%2520Services%2520Alert

splunkenterprise

Apps

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboardsSearch & Reporting

External Remote Services Alert

Edit

Enabled: Yes, [Disable](#)

App: search

Permissions: Private, Owned by blu, [Edit](#)

Modified: Mar 16, 2026 10:38:32 AM

Alert Type: Scheduled, Hourly, at 0 minutes past the hour, [Edit](#)

Trigger Condition: Number of Results is > 0, [Edit](#)

Actions: 1 Action, [Edit](#)

[Send email](#)

There are no fired events for this alert.