

Functional Requirements Document

Status: Delivered across client engagements | Domain: E-commerce, events and digital services | Role: Business Analyst

Purpose

Describes how the solution must behave so each business requirement can be designed, built and tested. Each functional requirement traces to a parent business requirement.

Functional requirements

ID	Parent	System behaviour	Business rule or validation
FR-01	BR-01	Form submission creates an Airtable record with a unique ID	Duplicate email and event combination is flagged
FR-02	BR-02	Status change to Approved triggers the approved template	Template choice depends on record type
FR-03	BR-03	Record view shows owner, status and next action	Records without owner appear in an unassigned view
FR-04	BR-04	Automation errors write to an exception table with reason and time	Exceptions older than 48 hours are highlighted
FR-05	BR-05	Options matrix scores manual, plug-in and automated approaches	Scored on cost, feasibility, data quality and admin effort

User stories

ID	Parent	Story	Acceptance (Given / When / Then)
US-01	BR-01	As a event operations assistant, I want submissions to arrive as records automatically, so that I stop copying data between tools.	Given an applicant submits the form When the submission is received Then one record with a unique ID is created
US-02	BR-04	As a client lead, I want to see failed messages in one place, so that no applicant is left without a reply.	Given an email step fails When the automation runs Then the record appears in the exception queue with the reason

Non-functional requirements

Area	Requirement
Maintainability	Client can edit templates without developer help
Reliability	Every automation step logs success or failure
Privacy	Applicant data visible only to the client team
Cost	Runs within free or entry-tier tool plans where possible

Key data

Field	Type	Allowed values
record_id	Text	REC-0001 format
record_type	Category	Registration, Vendor, Volunteer, Lead
status	Category	New, In review, Approved, Declined, Closed
owner	Text	Named person
communication_status	Category	Pending, Sent, Failed
exception_reason	Text	Free text from automation log