Bus API

Get all buses

Retrieves a list of all buses.

- Method: GET

- Path: /bus

- Produces: application/json

- Responses:

    - 200 - Success

    - 500 - Internal server error

Create a bus

Creates a new bus.

- Method: POST

- Path: /bus

- Consumes: application/json

- Responses:

    - 201 - Created

    - 400 - Bad request

Update a bus

Updates an existing bus.

- Method: PUT

- Path: /bus

- Consumes: application/json

- Responses:

    - 204 - No content

    - 400 - Bad request

Delete a bus

Deletes a bus by ID.

- Method: DELETE

- Path: /bus/{id}

- Responses:

    - 204 - No content

    - 400 - Bad request

Client API

Get all clients

Retrieves a list of all clients.

- Method: GET

- Path: /client

- Produces: application/json

- Responses:

  - 200 - Success

  - 500 - Internal server error

Create a client

Creates a new client.

- Method: POST

- Path: /client

- Consumes: application/json

- Responses:

  - 201 - Created

  - 400 - Bad request

Update a client

Updates an existing client.

- Method: PUT

- Path: /client

- Responses:

  - 204 - No content

  - 400 - Bad request

Delete a client

Deletes a client by ID.

- Method: DELETE

- Path: /client/{id}

- Responses:

  - 204 - No content

  - 400 - Bad request

Route API

Get all routes

Retrieves a list of all routes.

- Method: GET

- Path: /route

- Produces: application/json

- Responses:

  - 200 - Success

  - 500 - Internal server error

Create a route

Creates a new route.

- Method: POST

- Path: /route

- Consumes: application/json

- Responses:

  - 201 - Created

  - 400 - Bad request

Update a route

Updates an existing route.

- Method: PUT

- Path: /route

- Consumes: application/json

- Responses:

  - 204 - No content

  - 400 - Bad request

Delete a route

Deletes a route by ID.

- Method: DELETE

- Path: /route/{id}

- Responses:

  - 204 - No content

  - 400 - Bad request

Transport API

Get all transports

Retrieves a list of all transports.

- Method: GET

- Path: /transport

- Produces: application/json

- Responses:

  - 200 - Success

  - 500 - Internal server error

Create a transport

Creates a new transport.

- Method: POST

- Path: /transport

- Consumes: application/json

- Responses:

  - 201 - Created

  - 400 - Bad request

Update a transport

Updates an existing transport.

- Method: PUT

- Path: /transport

- Consumes: application/json

- Responses:

  - 204 - No content

  - 400 - Bad request

Delete a transport

Deletes a transport by ID.

- Method: DELETE

- Path: /transport/{id}

- Responses:

  - 204 - No content

  - 400 - Bad request

Get all transports for a client

Retrieves a list of all transports for a client.

- Method: GET

- Path: /transport/{id}

- Produces: application/json

- Responses:

  - 200 - Success

  - 500 - Internal server error

*base path: http://localhost:8081/v1