

Under the FedRAMP High baseline, CP-2.3 (CP-2.3 Resume Mission and Business Functions): FedRAMP High Baseline · CP-2.3 · Resume Mission and Business Functions Control Statement: Plan for the resumption of [organization-defined parameter] mission and business functions within [organization-defined parameter] of contingency plan activation. Supplemental Guidance: Plan for the resumption of [organization-defined parameter] mission and business functions within [organization-defined parameter] of contingency plan activation. Organizations may choose to conduct contingency planning ac

NIST SP 800-53 Rev 5 control CP-4.3 (Automated Testing) summarizes the requirements for this control: CP-4.3 · Automated Testing Control Statement: Test the contingency plan using [organization-defined parameter]. Supplemental Guidance: Test the contingency plan using [organization-defined parameter]. Automated mechanisms facilitate thorough and effective testing of contingency plans by providing more complete coverage of contingency issues, selecting more realistic test scenarios and environments, and effectively stressing the system and supported mission and business functions.

Under the FedRAMP High baseline, CP-2.5 (CP-2.5 Continue Mission and Business Functions): FedRAMP High Baseline · CP-2.5 · Continue Mission and Business Functions Control Statement: Plan for the continuance of [organization-defined parameter] mission and business functions with minimal or no loss of operational continuity and sustains that continuity until full system restoration at primary processing and/or storage sites. Supplemental Guidance: Plan for the continuance of [organization-defined parameter] mission and business functions with minimal or no loss of operational continu

Under the FedRAMP High baseline, CP-10.4 (CP-10.4 Restore Within Time Period): FedRAMP High Baseline · CP-10.4 · Restore Within Time Period Control Statement: Provide the capability to restore system components within [organization-defined parameter] from configuration-controlled and integrity-protected information representing a known, operational state for the components. Supplemental Guidance: Provide the capability to restore system components within [organization-defined parameter] from configuration-controlled and integrity-protected information representing a know

NIST SP 800-53 Rev 5 control CP-1 (Policy and Procedures) summarizes the requirements for this control: CP-1 · Policy and Procedures Control Statement: a. Develop, document, and disseminate to [organization-defined parameter]: 1. [organization-defined parameter] contingency planning policy that: 2. Procedures to facilitate the implementation of the contingency planning policy and the associated contingency planning controls; b. Designate an [organization-defined parameter] to manage the development, documentation, and dissemination of the contingency planning policy and procedures; and c. Rev

5 CP-2, RA- 2, RA-9, SC-6 | This is essential to understanding the true scope and impact of ransomware events - and is important in contingency planning for future ransomware events, emergency response, and recovery actions. It helps operations and incident responders to prioritize resources and supports contingency planning for future ransomware events, emergency response, and recovery actions. If there is an associated industrial control system (ICS), its critical functions should be included in emergency response and recovery actions. | | ID.AM-6: Cybersecurity roles and responsibilities for the entire workforce and third-party stakeholders (e.g., suppliers, customers, partners) are established ISO/IEC 27001:2013 A.6.1.1 NIST SP 800-53 Rev. 5 CP-2, PM- 11, PS-7 | It is important that everyone in the organization understand their roles and responsibilities for preventing ransomware events and, if applicable, for responding to and recovering from ransomware events. These roles and responsibilities should be formally documented in an incident response plan. The incident response plan should specify regularly exercising the plan (e.g., running incident response | | Business Environment (ID.BE): The organization's mission, objectives, stakeholders, and activities are understood and prioritized; this information is used to inform cybersecurity roles, responsibilities, and risk management decisions. | ID.BE-2: The organization's place in critical infrastructure and its industry sector is identified and communicated ISO/IEC 27001:2013 Clause 4.1 NIST SP 800-53 Rev.

CP-4.4 · Full Recovery and Reconstitution Control Statement: Include a full recovery and reconstitution of the system to a known state as part of contingency plan testing. Supplemental Guidance: Include a full recovery and reconstitution of the system to a known state as part of

contingency plan testing. Recovery is executing contingency plan activities to restore organizational mission and business functions. Reconstitution takes place following recovery and includes activities for returning systems to fully operational states. Organizations establish a known state for systems that includes system state information for hardware, software programs, and data. Preserving system state information facilitates system restart and return to the operational mode of organizations with less disruption of mission and business processes.

Under the FedRAMP High baseline, CP-4.1 (CP-4.1 Coordinate with Related Plans): FedRAMP High Baseline · CP-4.1 · Coordinate with Related Plans Control Statement: Coordinate contingency plan testing with organizational elements responsible for related plans. Supplemental Guidance: Coordinate contingency plan testing with organizational elements responsible for related plans. Plans related to contingency planning for organizational systems include Business Continuity Plans, Disaster Recovery Plans, Continuity of Operations Plans, Crisis Communications Plans, Critical Infras

NIST SP 800-53 Rev 5 control CP-13 (Alternative Security Mechanisms) summarizes the requirements for this control: CP-13 · Alternative Security Mechanisms Control Statement: Employ [organization-defined parameter] for satisfying [organization-defined parameter] when the primary means of implementing the security function is unavailable or compromised. Supplemental Guidance: Employ [organization-defined parameter] for satisfying [organization-defined parameter] when the primary means of implementing the security function is unavailable or compromised. Use of alternative security mechanisms supports system r

NIST SP 800-53 Rev 5 control CP-4 (Contingency Plan Testing) is defined as follows: CP-4 · Contingency Plan Testing Control Statement: a. Test the contingency plan for the system [organization-defined parameter] using the following tests to determine the effectiveness of the plan and the readiness to execute the plan: [organization-defined parameter]. b. Review the contingency plan test results; and c. Initiate corrective actions, if needed. Supplemental Guidance: a. Test the contingency plan for the system [organization-defined parameter] using the following tests to determine the effectiveness of the plan and the readiness to execute the plan: [organization-defined parame

Control CP-6: s i p u b l i c a t i o n i s a v a i l a b l e f r e e o f c h a r g e f r o m : h t t p s : / / d o i . o r g / 1 0 . 6 0 2 8 / N S T S P . 8 0 0 - 5 3 r 5 . I NIST SP 800-53, REV. 5
SECURITY AND PRIVACY CONTROLS FOR INFORMATION SYSTEMS AND ORGANIZATIONS

omission or commission. Organizations determine what is considered a sufficient degree of separation between primary and alternate storage sites based on the types of threats that are of concern. For threats such as hostile attacks, the degree of separation between sites is less relevant. Related Controls: RA-3. (2) ALTERNATE STORAGE SITE | RECOVERY TIME AND RECOVERY POINT OBJECTIVES Configure the alternate storage site to facilitate recovery operations in accordance with recovery time and recovery point objectives. Discussion: Organizations establish recovery time and recovery point objectives as part of contingency planning. Configuration of the alternate storage site includes physical facilities and the systems supporting recovery operations that ensure accessibility and correct execution. Related Controls: None. (3) ALTERNATE STORAGE SITE | ACCESSIBILITY Identify potential accessibility problems to the alternate storage site in the event of an area-wide disruption or disaster and outline explicit mitigation actions. Discussion: Area-wide disruptions refer to those types of disruptions that are broad in geographic scope with such determinations made by organizations based on organizational assessments of risk. Explicit mitigation actions include duplicating backup information at other alternate storage sites if access problems occur at originally designated alternate sites or planning for physical access to retrieve backup information if electronic accessibility to the alternate site is disrupted.

Under the FedRAMP Moderate baseline, CP-7.3 (CP-7.3 Priority of Service): FedRAMP Moderate Baseline · CP-7.3 · Priority of Service Control Statement: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Supplemental Guidance: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Priority of service agreements refer to negotiated agre

Under the FedRAMP Moderate baseline, CP-8.1 (CP-8.1 Priority of Service Provisions): FedRAMP Moderate Baseline · CP-8.1 · Priority of Service Provisions Control Statement: (a) Develop primary and alternate telecommunications service agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives); and (b) Request Telecommunications Service Priority for all telecommunications services used for national security emergency preparedness if the primary and/or alternate telecommunications services are provided by

NIST SP 800-53 Rev 5 control CP-10.3 (Compensating Security Controls) summarizes the requirements for this control: CP-10.3 · Compensating Security Controls Control Statement: Addressed through tailoring. Supplemental Guidance: Addressed through tailoring.

NIST SP 800-53 Rev 5 control CP-9.8 (Cryptographic Protection) summarizes the requirements for this control: CP-9.8 · Cryptographic Protection Control Statement: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. Supplemental Guidance: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. The selection of cryptographic mechanisms is based on the need to protect the confidentiality and integrity of backup information. The strength of mechanisms selected is comm

Under the FedRAMP Moderate baseline, CP-8.2 (CP-8.2 Single Points of Failure): FedRAMP Moderate Baseline · CP-8.2 · Single Points of Failure Control Statement: Obtain alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services. Supplemental Guidance: Obtain alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services. In certain circumstances, telecommunications service providers or services may share the same ph

Under the FedRAMP Moderate baseline, CP-3 (CP-3 Contingency Training): FedRAMP Moderate Baseline · CP-3 · Contingency Training Control Statement: a. Provide contingency training to system users consistent with assigned roles and responsibilities: 1. Within [organization-defined parameter] of assuming a contingency role or responsibility; 2. When required by system changes; and 3. [organization-defined parameter] thereafter; and b. Review and update contingency training content [organization-defined parameter] and following [organization-defined parameter].

NIST SP 800-53 Rev 5 control CP-4 (Contingency Plan Testing) summarizes the requirements for this control: CP-4 · Contingency Plan Testing Control Statement: a. Test the contingency plan for the system [organization-defined parameter] using the following tests to determine the effectiveness of the plan and the readiness to execute the plan: [organization-defined parameter]. b. Review the contingency plan test results; and c. Initiate corrective actions, if needed. Supplemental Guidance: a. Test the contingency plan for the system [organization-defined parameter] using the following tests to determi

NIST SP 800-53 Rev 5 control CP-7.6 (Inability to Return to Primary Site) summarizes the requirements for this control: CP-7.6 · Inability to Return to Primary Site Control Statement: Plan and prepare for circumstances that preclude returning to the primary processing site. Supplemental Guidance: Plan and prepare for circumstances that preclude returning to the primary processing site. There may be situations that preclude an organization from returning to the primary processing site such as if a natural disaster (e.g., flood or a hurricane) damaged or destroyed a facility and it was determined that rebuilding

NIST SP 800-53 Rev 5 control CP-7.6 (Inability to Return to Primary Site) is assessed by examining, interviewing, and testing: CP-7.6 · Inability to Return to Primary Site Control Statement: Plan and prepare for circumstances that preclude returning to the primary processing site. Supplemental Guidance: Plan and prepare for circumstances that preclude returning to the primary processing site. There may be situations that preclude an organization from returning to the primary processing site such as if a natural disaster (e.g., flood or a hurricane) damaged or destroyed a facility and it was determined that rebuilding

Under the FedRAMP High baseline, CP-10 (CP-10 System Recovery and Reconstitution): FedRAMP High Baseline · CP-10 · System Recovery and Reconstitution Control Statement: Provide for the recovery and reconstitution of the system to a known state within [organization-defined parameter] after a

disruption, compromise, or failure. Supplemental Guidance: Provide for the recovery and reconstitution of the system to a known state within [organization-defined parameter] after a disruption, compromise, or failure. Recovery is executing contingency plan activities to restore organizational

Under the FedRAMP High baseline, CP-7 (CP-7 Alternate Processing Site): FedRAMP High Baseline · CP-7 · Alternate Processing Site Control Statement: a. Establish an alternate processing site, including necessary agreements to permit the transfer and resumption of [organization-defined parameter] for essential mission and business functions within [organization-defined parameter] when the primary processing capabilities are unavailable; b. Make available at the alternate processing site, the equipment and supplies required to transfer and resume operations or put con

NIST SP 800-53 Rev 5 control CP-9.3 (Separate Storage for Critical Information): CP-9.3 · Separate Storage for Critical Information Control Statement: Store backup copies of [organization-defined parameter] in a separate facility or in a fire rated container that is not collocated with the operational system. Supplemental Guidance: Store backup copies of [organization-defined parameter] in a separate facility or in a fire rated container that is not collocated with the opera

NIST SP 800-53 Rev 5 control CP-2.2 (Capacity Planning) summarizes the requirements for this control: CP-2.2 · Capacity Planning Control Statement: Conduct capacity planning so that necessary capacity for information processing, telecommunications, and environmental support exists during contingency operations. Supplemental Guidance: Conduct capacity planning so that necessary capacity for information processing, telecommunications, and environmental support exists during contingency operations. Capacity planning is needed because different threats can result in a reduction of the available pr

NIST SP 800-53 Rev 5 control CP-2.6 (Alternate Processing and Storage Sites) summarizes the requirements for this control: CP-2.6 · Alternate Processing and Storage Sites Control Statement: Plan for the transfer of [organization-defined parameter] mission and business functions to alternate processing and/or storage sites with minimal or no loss of operational continuity and sustain that continuity through system restoration to primary processing and/or storage sites. Supplemental Guidance: Plan for the transfer of [organization-defined parameter] mission and business functions to alternate processing and/or stora

NIST SP 800-53 Rev 5 control CP-6.3 (Accessibility) summarizes the requirements for this control: CP-6.3 · Accessibility Control Statement: Identify potential accessibility problems to the alternate storage site in the event of an area-wide disruption or disaster and outline explicit mitigation actions. Supplemental Guidance: Identify potential accessibility problems to the alternate storage site in the event of an area-wide disruption or disaster and outline explicit mitigation actions. Area-wide disruptions refer to those types of disruptions that are broad in geographic scope with such

Under the FedRAMP Moderate baseline, CP-9 (CP-9 System Backup): FedRAMP Moderate Baseline · CP-9 · System Backup Control Statement: a. Conduct backups of user-level information contained in [organization-defined parameter] [organization-defined parameter]; b. Conduct backups of system-level information contained in the system [organization-defined parameter]; c. Conduct backups of system documentation, including security- and privacy-related documentation [organization-defined parameter] ; and d. Protect the confidentiality, integrity, and availability of b

NIST SP 800-53 Rev 5 control CP-11 (Alternate Communications Protocols): CP-11 · Alternate Communications Protocols Control Statement: Provide the capability to employ [organization-defined parameter] in support of maintaining continuity of operations. Supplemental Guidance: Provide the capability to employ [organization-defined parameter] in support of maintaining continuity of operations. Contingency plans and the contingency training or testing associated with tho

Control PD-5: is especially relevant to the ground segment. Space assets are high-cost, high-value assets that are inaccessible, have a limited ability to act autonomously, and are reliant on the ground segment. Response and business continuity plans for the ground segment need to be executed in a manner that is consistent with the space segment's ability to operate autonomously and in the case of a congested orbital slot, [IEC61850-90-12] 5.8, 4.12- 4.14 [NIST-SP800-53r5] CP-1,

CP-2, CP-7, CP-10, IR-1, IR- 7, IR-8, IR-9, PE-17 [NIST-SP800-61r2] [NIST-SP800-160V1] 6.5, 6.6, Appendix F.2 | | PR.IP-10 : Response and recovery plans are tested. | Organizations should assess preparedness by testing incident response and recovery plans to verify effectiveness and for training purposes. Organizations should also consider qualification and periodic testing to assess the response and recovery plans as the satellites lose capabilities due to age or changes to space operations that would significantly impact the performance requirements for the ground segment. Organizations should review the results of testing to determine the efficiency and effectiveness of the plans as well as readiness to execute the plans. The results can also be used to inform other Cybersecurity Framework Functions, such as Detect. Testing and verification of recovery plans should be done in a manner that does not impact operations. Consider the use of test environments (refer to PR.DS- 7).

NIST SP 800-53 Rev 5 control CP-8.2 (Single Points of Failure) is assessed by examining, interviewing, and testing: CP-8.2 · Single Points of Failure Control Statement: Obtain alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services. Supplemental Guidance: Obtain alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services. In certain circumstances, telecommunications service providers or services may share the same physical lines, which increase

Under the FedRAMP High baseline, CP-9 (CP-9 System Backup): FedRAMP High Baseline · CP-9 · System Backup Control Statement: a. Conduct backups of user-level information contained in [organization-defined parameter] [organization-defined parameter]; b. Conduct backups of system-level information contained in the system [organization-defined parameter]; c. Conduct backups of system documentation, including security- and privacy-related documentation [organization-defined parameter] ; and d. Protect the confidentiality, integrity, and availability of backu

NIST SP 800-53 Rev 5 control CP-10.4 (Restore Within Time Period) is assessed by examining, interviewing, and testing: CP-10.4 · Restore Within Time Period Control Statement: Provide the capability to restore system components within [organization-defined parameter] from configuration-controlled and integrity-protected information representing a known, operational state for the components. Supplemental Guidance: Provide the capability to restore system components within [organization-defined parameter] from configuration-controlled and integrity-protected information representing a known, operational state for

NIST SP 800-53 Rev 5 control CP-9.5 (Transfer to Alternate Storage Site) is assessed by examining, interviewing, and testing: CP-9.5 · Transfer to Alternate Storage Site Control Statement: Transfer system backup information to the alternate storage site [organization-defined parameter]. Supplemental Guidance: Transfer system backup information to the alternate storage site [organization-defined parameter]. System backup information can be transferred to alternate storage sites either electronically or by the physical shipment of storage media.

NIST SP 800-53 Rev 5 control CP-8.3 (Separation of Primary and Alternate Providers) summarizes the requirements for this control: CP-8.3 · Separation of Primary and Alternate Providers Control Statement: Obtain alternate telecommunications services from providers that are separated from primary service providers to reduce susceptibility to the same threats. Supplemental Guidance: Obtain alternate telecommunications services from providers that are separated from primary service providers to reduce susceptibility to the same threats. Threats that affect telecommunications services are defined in organizational assessments

NIST SP 800-53 Rev 5 control CP-4.4 (Full Recovery and Reconstitution) is assessed by examining, interviewing, and testing: CP-4.4 · Full Recovery and Reconstitution Control Statement: Include a full recovery and reconstitution of the system to a known state as part of contingency plan testing. Supplemental Guidance: Include a full recovery and reconstitution of the system to a known state as part of contingency plan testing. Recovery is executing contingency plan activities to restore organizational mission and business functions. Reconstitution takes place following recovery and includes activities for returning

Under the FedRAMP Moderate baseline, CP-2.1 (CP-2.1 Coordinate with Related Plans): FedRAMP Moderate Baseline · CP-2.1 · Coordinate with Related Plans Control Statement: Coordinate

contingency plan development with organizational elements responsible for related plans. Supplemental Guidance: Coordinate contingency plan development with organizational elements responsible for related plans. Plans that are related to contingency plans include Business Continuity Plans, Disaster Recovery Plans, Critical Infrastructure Plans, Continuity of Operations Plans, Crisis Communications

NIST SP 800-53 Rev 5 control CP-10.2 (Transaction Recovery) is assessed by examining, interviewing, and testing: CP-10.2 · Transaction Recovery Control Statement: Implement transaction recovery for systems that are transaction-based. Supplemental Guidance: Implement transaction recovery for systems that are transaction-based. Transaction-based systems include database management systems and transaction processing systems. Mechanisms supporting transaction recovery include transaction rollback and transaction journaling.

NIST SP 800-53 Rev 5 control CP-2.5 (Continue Mission and Business Functions) is assessed by examining, interviewing, and testing: CP-2.5 · Continue Mission and Business Functions Control Statement: Plan for the continuance of [organization-defined parameter] mission and business functions with minimal or no loss of operational continuity and sustains that continuity until full system restoration at primary processing and/or storage sites. Supplemental Guidance: Plan for the continuance of [organization-defined parameter] mission and business functions with minimal or no loss of operational continuity and sustains that co

NIST SP 800-53 Rev 5 control CP-8.1 (Priority of Service Provisions): CP-8.1 · Priority of Service Provisions Control Statement: (a) Develop primary and alternate telecommunications service agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives); and (b) Request Telecommunications Service Priority for all telecommunications services used for national security emergency preparedness if

NIST SP 800-53 Rev 5 control CP-4.3 (Automated Testing) is assessed by examining, interviewing, and testing: CP-4.3 · Automated Testing Control Statement: Test the contingency plan using [organization-defined parameter]. Supplemental Guidance: Test the contingency plan using [organization-defined parameter]. Automated mechanisms facilitate thorough and effective testing of contingency plans by providing more complete coverage of contingency issues, selecting more realistic test scenarios and environments, and effectively stressing the system and supported mission and business functions.

NIST SP 800-53 Rev 5 control CP-7.1 (Separation from Primary Site) summarizes the requirements for this control: CP-7.1 · Separation from Primary Site Control Statement: Identify an alternate processing site that is sufficiently separated from the primary processing site to reduce susceptibility to the same threats. Supplemental Guidance: Identify an alternate processing site that is sufficiently separated from the primary processing site to reduce susceptibility to the same threats. Threats that affect alternate processing sites are defined in organizational assessments of risk and include natural disas

Control CP-09:) Cybersecurity Supply Chain Risk Management Practices for Systems and Organizations. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-161, Rev. 1. - [34] Petersen R, Santos D, Smith MC, Wetzel KA, Witte G (2020) Workforce Framework for Cybersecurity (NICE Framework). (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-181, Rev. 1. <https://doi.org/10.6028/NIST.SP.800-181r1> - [35] Kent K, Souppaya MP (2006) Guide to Computer Security Log Management. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-92. - [36] Kent K, Chevalier S, Grance T, Dang H (2006) Guide to Integrating Forensic Techniques into Incident Response. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-86. <https://doi.org/10.6028/NIST.SP.800-86> - [37] Ayers RP, Brothers S, Jansen W (2014) Guidelines on Mobile Device Forensics. (National Institute of Standards and Technology, Gaithersburg, MD), NIST Special Publication (SP) 800-101, Rev. 1. - [38] National Institute of Standards and Technology (2019) Security Requirements for Cryptographic Modules. (U.S. Department of Commerce, Washington, D.C.), Federal Information Processing Standards Publication (FIPS) 140-3. <https://doi.org/10.6028/NIST.FIPS.140-3> - [39] National Institute of Standards and Technology (2015) Secure Hash Standard (SHS). (U.S. Department of Commerce, Washington, D.C.), Federal Information

Processing Standards Publication (FIPS) 180-4. <https://doi.org/10.6028/NIST.FIPS.180-4> - [40]
National Institute of Standards and Technology (2015) SHA-3 Standard: Permutation-Based Hash and Extendable-Output Functions. (U.S.

From the NIST SP 800-172 Rev 3 Final Public Draft: ADVERSARY EFFECTS 1328 P reclude (Preempt), Impede (Exert) REFERENCES Source Control: CP-09(07) 03.0 8.03E T esting System Backups for Reliability and Integrity Test backup information [Assignment: organization-defined frequency] to verify media reliability and information integrity. DISCUSSION Organizations need assurance that backup information can be reliably retrieved. Reliability pertains to the systems and system components in which the backup information is stored, the operations used to retrieve the information, and the integrity of the information being retrieved. Independent and specialized tests can be used for each of these aspects of reliability. For example, decrypting and transporting (or transmitting) a random sample of backup files from the alternate storage

NIST SP 800-53 Rev 5 control CP-4.5 (Self-challenge) summarizes the requirements for this control: CP-4.5 · Self-challenge Control Statement: Employ [organization-defined parameter] to [organization-defined parameter] to disrupt and adversely affect the system or system component. Supplemental Guidance: Employ [organization-defined parameter] to [organization-defined parameter] to disrupt and adversely affect the system or system component. Often, the best method of assessing system resilience is to disrupt the system in some manner. The mechanisms used by the organization could disrupt sys

near real-time] [Assignment: organization-defined failover capability] for the system. Discussion: Failover refers to the automatic switchover to an alternate system upon the failure of the primary system. Failover capability includes incorporating mirrored system operations at alternate processing sites or periodic data mirroring at regular intervals defined by the recovery time periods of organizations. Related Controls: CP-6, CP-7, CP-9. References: None.

NIST SP 800-53 Rev 5 control CP-7 (Alternate Processing Site) is defined as follows: CP-7 · Alternate Processing Site Control Statement: a. Establish an alternate processing site, including necessary agreements to permit the transfer and resumption of [organization-defined parameter] for essential mission and business functions within [organization-defined parameter] when the primary processing capabilities are unavailable; b. Make available at the alternate processing site, the equipment and supplies required to transfer and resume operations or put contracts in place to support delivery to the site within the organization-defined time period for transfer and resumption; and

NIST SP 800-53 Rev 5 control CP-9.6 (Redundant Secondary System) summarizes the requirements for this control: CP-9.6 · Redundant Secondary System Control Statement: Conduct system backup by maintaining a redundant secondary system that is not collocated with the primary system and that can be activated without loss of information or disruption to operations. Supplemental Guidance: Conduct system backup by maintaining a redundant secondary system that is not collocated with the primary system and that can be activated without loss of information or disruption to operations. The effect of system backup

NIST SP 800-53 Rev 5 control CP-7.3 (Priority of Service) is assessed by examining, interviewing, and testing: CP-7.3 · Priority of Service Control Statement: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Supplemental Guidance: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Priority of service agreements refer to negotiated agreements with service provider

Under the FedRAMP Low baseline, CP-2 (CP-2 Contingency Plan): FedRAMP Low Baseline · CP-2 · Contingency Plan Control Statement: a. Develop a contingency plan for the system that: 1. Identifies essential mission and business functions and associated contingency requirements; 2. Provides recovery objectives, restoration priorities, and metrics; 3. Addresses contingency roles, responsibilities, assigned individuals with contact information; 4. Addresses maintaining essential mission and business functions despite a system disruption, compromise, or f

NIST SP 800-53 Rev 5 control CP-9 (System Backup) is assessed by examining, interviewing, and testing: CP-9 · System Backup Control Statement: a. Conduct backups of user-level information contained in [organization-defined parameter] [organization-defined parameter]; b. Conduct backups of system-level information contained in the system [organization-defined parameter]; c. Conduct backups of system documentation, including security- and privacy-related documentation [organization-defined parameter] ; and d. Protect the confidentiality, integrity, and availability of backup information. Suppleme

Under the FedRAMP High baseline, CP-6.2 (CP-6.2 Recovery Time and Recovery Point Objectives): FedRAMP High Baseline · CP-6.2 · Recovery Time and Recovery Point Objectives Control Statement: Configure the alternate storage site to facilitate recovery operations in accordance with recovery time and recovery point objectives. Supplemental Guidance: Configure the alternate storage site to facilitate recovery operations in accordance with recovery time and recovery point objectives. Organizations establish recovery time and recovery point objectives as part of contingency planning. Configur

NIST SP 800-53 Rev 5 control CP-7.2 (Accessibility) is assessed by examining, interviewing, and testing: CP-7.2 · Accessibility Control Statement: Identify potential accessibility problems to alternate processing sites in the event of an area-wide disruption or disaster and outlines explicit mitigation actions. Supplemental Guidance: Identify potential accessibility problems to alternate processing sites in the event of an area-wide disruption or disaster and outlines explicit mitigation actions. Area-wide disruptions refer to those types of disruptions that are broad in geographic scope with suc

NIST SP 800-53 Rev 5 control CP-7.3 (Priority of Service): CP-7.3 · Priority of Service Control Statement: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Supplemental Guidance: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery t

NIST SP 800-53 Rev 5 control CP-2 (Contingency Plan) summarizes the requirements for this control: CP-2 · Contingency Plan Control Statement: a. Develop a contingency plan for the system that: 1. Identifies essential mission and business functions and associated contingency requirements; 2. Provides recovery objectives, restoration priorities, and metrics; 3. Addresses contingency roles, responsibilities, assigned individuals with contact information; 4. Addresses maintaining essential mission and business functions despite a system disruption, compromise, or failure; 5. Addresses

NIST SP 800-53 Rev 5 control CP-9.2 (Test Restoration Using Sampling) summarizes the requirements for this control: CP-9.2 · Test Restoration Using Sampling Control Statement: Use a sample of backup information in the restoration of selected system functions as part of contingency plan testing. Supplemental Guidance: Use a sample of backup information in the restoration of selected system functions as part of contingency plan testing. Organizations need assurance that system functions can be restored correctly and can support established organizational missions. To ensure that the selected system functions

NIST SP 800-53 Rev 5 control CP-2.3 (Resume Mission and Business Functions) summarizes the requirements for this control: CP-2.3 · Resume Mission and Business Functions Control Statement: Plan for the resumption of [organization-defined parameter] mission and business functions within [organization-defined parameter] of contingency plan activation. Supplemental Guidance: Plan for the resumption of [organization-defined parameter] mission and business functions within [organization-defined parameter] of contingency plan activation. Organizations may choose to conduct contingency planning activities to resume missi

Under the FedRAMP Moderate baseline, CP-2 (CP-2 Contingency Plan): FedRAMP Moderate Baseline · CP-2 · Contingency Plan Control Statement: a. Develop a contingency plan for the system that: 1. Identifies essential mission and business functions and associated contingency requirements; 2. Provides recovery objectives, restoration priorities, and metrics; 3. Addresses contingency roles, responsibilities, assigned individuals with contact information; 4. Addresses maintaining essential mission and business functions despite a system disruption, compromise,

Under the FedRAMP Moderate baseline, CP-9.1 (CP-9.1 Testing for Reliability and Integrity): FedRAMP Moderate Baseline · CP-9.1 · Testing for Reliability and Integrity Control Statement: Test backup information [organization-defined parameter] to verify media reliability and information integrity. Supplemental Guidance: Test backup information [organization-defined parameter] to verify media reliability and information integrity. Organizations need assurance that backup information can be reliably retrieved. Reliability pertains to the systems and system components where the backup in

Under the FedRAMP Moderate baseline, CP-7.2 (CP-7.2 Accessibility): FedRAMP Moderate Baseline · CP-7.2 · Accessibility Control Statement: Identify potential accessibility problems to alternate processing sites in the event of an area-wide disruption or disaster and outlines explicit mitigation actions. Supplemental Guidance: Identify potential accessibility problems to alternate processing sites in the event of an area-wide disruption or disaster and outlines explicit mitigation actions. Area-wide disruptions refer to those types of disruptions that are broad

Under the FedRAMP High baseline, CP-8 (CP-8 Telecommunications Services): FedRAMP High Baseline · CP-8 · Telecommunications Services Control Statement: Establish alternate telecommunications services, including necessary agreements to permit the resumption of [organization-defined parameter] for essential mission and business functions within [organization-defined parameter] when the primary telecommunications capabilities are unavailable at either the primary or alternate processing or storage sites. Supplemental Guidance: Establish alternate telecommunications ser

NIST SP 800-53 Rev 5 control CP-9.3 (Separate Storage for Critical Information) is assessed by examining, interviewing, and testing: CP-9.3 · Separate Storage for Critical Information Control Statement: Store backup copies of [organization-defined parameter] in a separate facility or in a fire rated container that is not collocated with the operational system. Supplemental Guidance: Store backup copies of [organization-defined parameter] in a separate facility or in a fire rated container that is not collocated with the operational system. Separate storage for critical information applies to all critical information regardl

NIST SP 800-53 Rev 5 control CP-7.3 (Priority of Service) is defined as follows: CP-7.3 · Priority of Service Control Statement: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Supplemental Guidance: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Priority of service agreements refer to negotiated agreements with service providers that ensure that organizations receive priority treatment consistent with their availability requi

Under the FedRAMP High baseline, CP-8.2 (CP-8.2 Single Points of Failure): FedRAMP High Baseline · CP-8.2 · Single Points of Failure Control Statement: Obtain alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services. Supplemental Guidance: Obtain alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services. In certain circumstances, telecommunications service providers or services may share the same physic

NIST SP 800-53 Rev 5 control CP-3 (Contingency Training) is assessed by examining, interviewing, and testing: CP-3 · Contingency Training Control Statement: a. Provide contingency training to system users consistent with assigned roles and responsibilities: 1. Within [organization-defined parameter] of assuming a contingency role or responsibility; 2. When required by system changes; and 3. [organization-defined parameter] thereafter; and b. Review and update contingency training content [organization-defined parameter] and following [organization-defined parameter]. Supplemental Guidance: a. Pr

Under the FedRAMP High baseline, CP-1 (CP-1 Policy and Procedures): FedRAMP High Baseline · CP-1 · Policy and Procedures Control Statement: a. Develop, document, and disseminate to [organization-defined parameter]: 1. [organization-defined parameter] contingency planning policy that: 2. Procedures to facilitate the implementation of the contingency planning policy and the associated contingency planning controls; b. Designate an [organization-defined parameter] to manage the development, documentation, and dissemination of the contingency planning policy a

Under the FedRAMP High baseline, CP-2 (CP-2 Contingency Plan): FedRAMP High Baseline · CP-2 ·

Contingency Plan Control Statement: a. Develop a contingency plan for the system that: 1. Identifies essential mission and business functions and associated contingency requirements; 2. Provides recovery objectives, restoration priorities, and metrics; 3. Addresses contingency roles, responsibilities, assigned individuals with contact information; 4. Addresses maintaining essential mission and business functions despite a system disruption, compromise, or

NIST SP 800-53 Rev 5 control CP-6.2 (Recovery Time and Recovery Point Objectives): CP-6.2 · Recovery Time and Recovery Point Objectives Control Statement: Configure the alternate storage site to facilitate recovery operations in accordance with recovery time and recovery point objectives. Supplemental Guidance: Configure the alternate storage site to facilitate recovery operations in accordance with recovery time and recovery point objectives. Organizations establish recovery

Under the FedRAMP High baseline, CP-9.8 (CP-9.8 Cryptographic Protection): FedRAMP High Baseline · CP-9.8 · Cryptographic Protection Control Statement: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. Supplemental Guidance: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. The selection of cryptographic mechanisms is based on the need to protect the confidentiality and integrity of backup information. The strength of mec

CP-10.2 · Transaction Recovery Control Statement: Implement transaction recovery for systems that are transaction-based. Supplemental Guidance: Implement transaction recovery for systems that are transaction-based. Transaction-based systems include database management systems and transaction processing systems. Mechanisms supporting transaction recovery include transaction rollback and transaction journaling.

NIST SP 800-53 Rev 5 control CP-6.2 (Recovery Time and Recovery Point Objectives) is assessed by examining, interviewing, and testing: CP-6.2 · Recovery Time and Recovery Point Objectives Control Statement: Configure the alternate storage site to facilitate recovery operations in accordance with recovery time and recovery point objectives. Supplemental Guidance: Configure the alternate storage site to facilitate recovery operations in accordance with recovery time and recovery point objectives. Organizations establish recovery time and recovery point objectives as part of contingency planning. Configuration of the alternate s

NIST SP 800-53 Rev 5 control CP-8.5 (Alternate Telecommunication Service Testing) is assessed by examining, interviewing, and testing: CP-8.5 · Alternate Telecommunication Service Testing Control Statement: Test alternate telecommunication services [organization-defined parameter]. Supplemental Guidance: Test alternate telecommunication services [organization-defined parameter]. Alternate telecommunications services testing is arranged through contractual agreements with service providers. The testing may occur in parallel with normal operations to ensure that there is no degradation in organizational missions or functions.

NIST SP 800-53 Rev 5 control CP-2.7 (Coordinate with External Service Providers) is assessed by examining, interviewing, and testing: CP-2.7 · Coordinate with External Service Providers Control Statement: Coordinate the contingency plan with the contingency plans of external service providers to ensure that contingency requirements can be satisfied. Supplemental Guidance: Coordinate the contingency plan with the contingency plans of external service providers to ensure that contingency requirements can be satisfied. When the capability of an organization to carry out its mission and business functions is dependent on externa

FedRAMP High Baseline · CP-9.8 · Cryptographic Protection Control Statement: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. Supplemental Guidance: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. The selection of cryptographic mechanisms is based on the need to protect the confidentiality and integrity of backup information. The strength of mechanisms selected is commensurate with the security category or classification of the information. Cryptographic protection applies to system backup information in storage at both primary and alternate locations. Organizations that implement cryptographic mechanisms to protect information at rest also consider cryptographic key management solutions. Assessment Objectives: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. FedRAMP Parameter Values: cp-09.08_odp: all

backup files

FedRAMP High Baseline · CP-9 · System Backup Control Statement: a. Conduct backups of user-level information contained in [organization-defined parameter] [organization-defined parameter]; b. Conduct backups of system-level information contained in the system [organization-defined parameter]; c. Conduct backups of system documentation, including security- and privacy-related documentation [organization-defined parameter] ; and d. Protect the confidentiality, integrity, and availability of backup information. Supplemental Guidance: a. Conduct backups of user-level information contained in [organization-defined parameter] [organization-defined parameter]; b. Conduct backups of system-level information contained in the system [organization-defined parameter]; c. Conduct backups of system documentation, including security- and privacy-related documentation [organization-defined parameter] ; and d. Protect the confidentiality, integrity, and availability of backup information. System-level information includes system state information, operating system software, middleware, application software, and licenses. User-level information includes information other than system-level information. Mechanisms employed to protect the integrity of system backups include digital signatures and cryptographic hashes. Protection of system backup information while in transit is addressed by [MP-5](#mp-5) and [SC-8](#sc-8) . System backups reflect the requirements in contingency plans as well as other organizational requirements for backing up information. Organizations may be subject to laws, executive orders, directives, regulations, or policies with requirements regarding specific categories of information (e.g., personal health information). Organizational personnel consult with the senior agency official for privacy and legal counsel regarding such requirements. Assessment Objectives: a. Conduct backups of user-level information contained in [organization-defined parameter] [organization-defined parameter]; b. Conduct backups of system-level information contained in the system [organization-defined parameter]; c. Conduct backups of system documentation, including security- and privacy-related documentation [organization-defined parameter] ; and d. Protect the confidentiality, integrity, and availability of backup information. FedRAMP Parameter Values: cp-09_odp.01: system components for which to conduct backups of user-level information is defined; cp-09_odp.02: daily incremental; weekly full cp-09_odp.03: daily incremental; weekly full cp-09_odp.04: daily incremental; weekly full

Under the FedRAMP Moderate baseline, CP-6 (CP-6 Alternate Storage Site): FedRAMP Moderate Baseline · CP-6 · Alternate Storage Site Control Statement: a. Establish an alternate storage site, including necessary agreements to permit the storage and retrieval of system backup information; and b. Ensure that the alternate storage site provides controls equivalent to that of the primary site. Supplemental Guidance: a. Establish an alternate storage site, including necessary agreements to permit the storage and retrieval of system backup information; and b. Ensure that t

NIST SP 800-53 Rev 5 control CP-6 (Alternate Storage Site) summarizes the requirements for this control: CP-6 · Alternate Storage Site Control Statement: a. Establish an alternate storage site, including necessary agreements to permit the storage and retrieval of system backup information; and b. Ensure that the alternate storage site provides controls equivalent to that of the primary site. Supplemental Guidance: a. Establish an alternate storage site, including necessary agreements to permit the storage and retrieval of system backup information; and b. Ensure that the alternate storage site pr

CP-2.1 · Coordinate with Related Plans Control Statement: Coordinate contingency plan development with organizational elements responsible for related plans. Supplemental Guidance: Coordinate contingency plan development with organizational elements responsible for related plans. Plans that are related to contingency plans include Business Continuity Plans, Disaster Recovery Plans, Critical Infrastructure Plans, Continuity of Operations Plans, Crisis Communications Plans, Insider Threat Implementation Plans, Data Breach Response Plans, Cyber Incident Response Plans, Breach Response Plans, and Occupant Emergency Plans.

NIST SP 800-53 Rev 5 control CP-2 (Contingency Plan) is defined as follows: CP-2 · Contingency Plan Control Statement: a. Develop a contingency plan for the system that: 1. Identifies essential mission and business functions and associated contingency requirements; 2. Provides recovery objectives, restoration priorities, and metrics; 3. Addresses contingency roles, responsibilities, assigned individuals with contact information; 4. Addresses maintaining essential mission and business functions despite a system disruption, compromise, or failure; 5. Addresses eventual, full

system restoration without deterioration of the controls originally planned and implemented.

CP-9.2 · Test Restoration Using Sampling Control Statement: Use a sample of backup information in the restoration of selected system functions as part of contingency plan testing. Supplemental Guidance: Use a sample of backup information in the restoration of selected system functions as part of contingency plan testing. Organizations need assurance that system functions can be restored correctly and can support established organizational missions. To ensure that the selected system functions are thoroughly exercised during contingency plan testing, a sample of backup information is retrieved to determine whether the functions are operating as intended. Organizations can determine the sample size for the functions and backup information based on the level of assurance needed.

NIST SP 800-53 Rev 5 control CP-9 (System Backup) summarizes the requirements for this control: CP-9 · System Backup Control Statement: a. Conduct backups of user-level information contained in [organization-defined parameter] [organization-defined parameter]; b. Conduct backups of system-level information contained in the system [organization-defined parameter]; c. Conduct backups of system documentation, including security- and privacy-related documentation [organization-defined parameter] ; and d. Protect the confidentiality, integrity, and availability of backup information. Supplemental Guidance:

NIST SP 800-53 Rev 5 control CP-8.2 (Single Points of Failure) summarizes the requirements for this control: CP-8.2 · Single Points of Failure Control Statement: Obtain alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services. Supplemental Guidance: Obtain alternate telecommunications services to reduce the likelihood of sharing a single point of failure with primary telecommunications services. In certain circumstances, telecommunications service providers or services may share the same physical lines, which increase the risk of a single point of failure.

Under the FedRAMP High baseline, CP-2.1 (CP-2.1 Coordinate with Related Plans): FedRAMP High Baseline · CP-2.1 · Coordinate with Related Plans Control Statement: Coordinate contingency plan development with organizational elements responsible for related plans. Supplemental Guidance: Coordinate contingency plan development with organizational elements responsible for related plans. Plans that are related to contingency plans include Business Continuity Plans, Disaster Recovery Plans, Critical Infrastructure Plans, Continuity of Operations Plans, Crisis Communications Plan

NIST SP 800-53 Rev 5 control CP-7.4 (Preparation for Use) is assessed by examining, interviewing, and testing: CP-7.4 · Preparation for Use Control Statement: Prepare the alternate processing site so that the site can serve as the operational site supporting essential mission and business functions. Supplemental Guidance: Prepare the alternate processing site so that the site can serve as the operational site supporting essential mission and business functions. Site preparation includes establishing configuration settings for systems at the alternate processing site consistent with the requirements for

and (c) Obtain evidence of contingency testing and training by providers [Assignment: organization-defined frequency]. Discussion: Reviews of provider contingency plans consider the proprietary nature of such plans. In some situations, a summary of provider contingency plans may be sufficient evidence for organizations to satisfy the review requirement. Telecommunications service providers may also participate in ongoing disaster recovery exercises in coordination with the Department of Homeland Security and state and local governments.

CP-9.5 · Transfer to Alternate Storage Site Control Statement: Transfer system backup information to the alternate storage site [organization-defined parameter]. Supplemental Guidance: Transfer system backup information to the alternate storage site [organization-defined parameter]. System backup information can be transferred to alternate storage sites either electronically or by the physical shipment of storage media.

Under the FedRAMP Low baseline, CP-4 (CP-4 Contingency Plan Testing): FedRAMP Low Baseline · CP-4 · Contingency Plan Testing Control Statement: a. Test the contingency plan for the system [organization-defined parameter] using the following tests to determine the effectiveness of the plan and the readiness to execute the plan: [organization-defined parameter]. b. Review the

contingency plan test results; and c. Initiate corrective actions, if needed. Supplemental Guidance: a. Test the contingency plan for the system [organization-defined parameter] using the fol

Under the FedRAMP Moderate baseline, CP-1 (CP-1 Policy and Procedures): FedRAMP Moderate Baseline · CP-1 · Policy and Procedures Control Statement: a. Develop, document, and disseminate to [organization-defined parameter]: 1. [organization-defined parameter] contingency planning policy that: 2. Procedures to facilitate the implementation of the contingency planning policy and the associated contingency planning controls; b. Designate an [organization-defined parameter] to manage the development, documentation, and dissemination of the contingency planning poli

NIST SP 800-53 Rev 5 control CP-2.8 (Identify Critical Assets) summarizes the requirements for this control: CP-2.8 · Identify Critical Assets Control Statement: Identify critical system assets supporting [organization-defined parameter] mission and business functions. Supplemental Guidance: Identify critical system assets supporting [organization-defined parameter] mission and business functions. Organizations may choose to identify critical assets as part of criticality analysis, business continuity planning, or business impact analyses. Organizations identify critical system assets so that additio

NIST SP 800-53 Rev 5 control CP-10.2 (Transaction Recovery) summarizes the requirements for this control: CP-10.2 · Transaction Recovery Control Statement: Implement transaction recovery for systems that are transaction-based. Supplemental Guidance: Implement transaction recovery for systems that are transaction-based. Transaction-based systems include database management systems and transaction processing systems. Mechanisms supporting transaction recovery include transaction rollback and transaction journaling.

Under the FedRAMP High baseline, CP-6.1 (CP-6.1 Separation from Primary Site): FedRAMP High Baseline · CP-6.1 · Separation from Primary Site Control Statement: Identify an alternate storage site that is sufficiently separated from the primary storage site to reduce susceptibility to the same threats. Supplemental Guidance: Identify an alternate storage site that is sufficiently separated from the primary storage site to reduce susceptibility to the same threats. Threats that affect alternate storage sites are defined in organizational risk assessments and include natural

NIST SP 800-53 Rev 5 control CP-4.2 (Alternate Processing Site) is assessed by examining, interviewing, and testing: CP-4.2 · Alternate Processing Site Control Statement: Test the contingency plan at the alternate processing site: (a) To familiarize contingency personnel with the facility and available resources; and (b) To evaluate the capabilities of the alternate processing site to support contingency operations. Supplemental Guidance: Test the contingency plan at the alternate processing site: (a) To familiarize contingency personnel with the facility and available resources; and (b) To evaluate the capa

CP-2.6 · Alternate Processing and Storage Sites Control Statement: Plan for the transfer of [organization-defined parameter] mission and business functions to alternate processing and/or storage sites with minimal or no loss of operational continuity and sustain that continuity through system restoration to primary processing and/or storage sites. Supplemental Guidance: Plan for the transfer of [organization-defined parameter] mission and business functions to alternate processing and/or storage sites with minimal or no loss of operational continuity and sustain that continuity through system restoration to primary processing and/or storage sites. Organizations may choose to conduct contingency planning activities for alternate processing and storage sites as part of business continuity planning or business impact analyses. Primary processing and/or storage sites defined by organizations as part of contingency planning may change depending on the circumstances associated with the contingency.

NIST SP 800-53 Rev 5 control CP-4.1 (Coordinate with Related Plans) summarizes the requirements for this control: CP-4.1 · Coordinate with Related Plans Control Statement: Coordinate contingency plan testing with organizational elements responsible for related plans. Supplemental Guidance: Coordinate contingency plan testing with organizational elements responsible for related plans. Plans related to contingency planning for organizational systems include Business Continuity Plans, Disaster Recovery Plans, Continuity of Operations Plans, Crisis Communications Plans, Critical Infrastructure Plans, Cyber In

NIST SP 800-53 Rev 5 control CP-8.1 (Priority of Service Provisions) is assessed by examining, interviewing, and testing: CP-8.1 · Priority of Service Provisions Control Statement: (a) Develop primary and alternate telecommunications service agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives); and (b) Request Telecommunications Service Priority for all telecommunications services used for national security emergency preparedness if the primary and/or alternate telecommunications services are provided by a common carrier. Suppleme

CP-7.3 · Priority of Service Control Statement: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Supplemental Guidance: Develop alternate processing site agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives). Priority of service agreements refer to negotiated agreements with service providers that ensure that organizations receive priority treatment consistent with their availability requirements and the availability of information resources for logical alternate processing and/or at the physical alternate processing site. Organizations establish recovery time objectives as part of contingency planning.

Under the FedRAMP High baseline, CP-2.2 (CP-2.2 Capacity Planning): FedRAMP High Baseline · CP-2.2 · Capacity Planning Control Statement: Conduct capacity planning so that necessary capacity for information processing, telecommunications, and environmental support exists during contingency operations. Supplemental Guidance: Conduct capacity planning so that necessary capacity for information processing, telecommunications, and environmental support exists during contingency operations. Capacity planning is needed because different threats can result in a reduc

NIST SP 800-53 Rev 5 control CP-13 (Alternative Security Mechanisms) is assessed by examining, interviewing, and testing: CP-13 · Alternative Security Mechanisms Control Statement: Employ [organization-defined parameter] for satisfying [organization-defined parameter] when the primary means of implementing the security function is unavailable or compromised. Supplemental Guidance: Employ [organization-defined parameter] for satisfying [organization-defined parameter] when the primary means of implementing the security function is unavailable or compromised. Use of alternative security mechanisms supports system r

NIST SP 800-53 Rev 5 control CP-10.4 (Restore Within Time Period) summarizes the requirements for this control: CP-10.4 · Restore Within Time Period Control Statement: Provide the capability to restore system components within [organization-defined parameter] from configuration-controlled and integrity-protected information representing a known, operational state for the components. Supplemental Guidance: Provide the capability to restore system components within [organization-defined parameter] from configuration-controlled and integrity-protected information representing a known, operational state for

NIST SP 800-53 Rev 5 control CP-12 (Safe Mode) is assessed by examining, interviewing, and testing: CP-12 · Safe Mode Control Statement: When [organization-defined parameter] are detected, enter a safe mode of operation with [organization-defined parameter]. Supplemental Guidance: When [organization-defined parameter] are detected, enter a safe mode of operation with [organization-defined parameter]. For systems that support critical mission and business functions-including military operations, civilian space operations, nuclear power plant operations, and air traffic control operations (esp

NIST SP 800-53 Rev 5 control CP-11 (Alternate Communications Protocols) is defined as follows: CP-11 · Alternate Communications Protocols Control Statement: Provide the capability to employ [organization-defined parameter] in support of maintaining continuity of operations. Supplemental Guidance: Provide the capability to employ [organization-defined parameter] in support of maintaining continuity of operations. Contingency plans and the contingency training or testing associated with those plans incorporate an alternate communications protocol capability as part of establishing resilience in organizational systems. Switching communications protocols may affect software applications a

Under the FedRAMP Moderate baseline, CP-6.3 (CP-6.3 Accessibility): FedRAMP Moderate Baseline · CP-6.3 · Accessibility Control Statement: Identify potential accessibility problems to the

alternate storage site in the event of an area-wide disruption or disaster and outline explicit mitigation actions. Supplemental Guidance: Identify potential accessibility problems to the alternate storage site in the event of an area-wide disruption or disaster and outline explicit mitigation actions. Area-wide disruptions refer to those types of disruptions that are broad in

NIST SP 800-53 Rev 5 control CP-2.1 (Coordinate with Related Plans) summarizes the requirements for this control: CP-2.1 · Coordinate with Related Plans Control Statement: Coordinate contingency plan development with organizational elements responsible for related plans. Supplemental Guidance: Coordinate contingency plan development with organizational elements responsible for related plans. Plans that are related to contingency plans include Business Continuity Plans, Disaster Recovery Plans, Critical Infrastructure Plans, Continuity of Operations Plans, Crisis Communications Plans, Insider Threat Implem

NIST SP 800-53 Rev 5 control CP-8.1 (Priority of Service Provisions) summarizes the requirements for this control: CP-8.1 · Priority of Service Provisions Control Statement: (a) Develop primary and alternate telecommunications service agreements that contain priority-of-service provisions in accordance with availability requirements (including recovery time objectives); and (b) Request Telecommunications Service Priority for all telecommunications services used for national security emergency preparedness if the primary and/or alternate telecommunications services are provided by a common carrier. Suppleme

NIST SP 800-53 Rev 5 control CP-9.8 (Cryptographic Protection) is assessed by examining, interviewing, and testing: CP-9.8 · Cryptographic Protection Control Statement: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. Supplemental Guidance: Implement cryptographic mechanisms to prevent unauthorized disclosure and modification of [organization-defined parameter]. The selection of cryptographic mechanisms is based on the need to protect the confidentiality and integrity of backup information. The strength of mechanisms selected is comm

Under the FedRAMP Low baseline, CP-10 (CP-10 System Recovery and Reconstitution): FedRAMP Low Baseline · CP-10 · System Recovery and Reconstitution Control Statement: Provide for the recovery and reconstitution of the system to a known state within [organization-defined parameter] after a disruption, compromise, or failure. Supplemental Guidance: Provide for the recovery and reconstitution of the system to a known state within [organization-defined parameter] after a disruption, compromise, or failure. Recovery is executing contingency plan activities to restore organizatio

NIST SP 800-53 Rev 5 control CP-10 (System Recovery and Reconstitution) is assessed by examining, interviewing, and testing: CP-10 · System Recovery and Reconstitution Control Statement: Provide for the recovery and reconstitution of the system to a known state within [organization-defined parameter] after a disruption, compromise, or failure. Supplemental Guidance: Provide for the recovery and reconstitution of the system to a known state within [organization-defined parameter] after a disruption, compromise, or failure. Recovery is executing contingency plan activities to restore organizational mission and busines

NIST SP 800-53 Rev 5 control CP-9.1 (Testing for Reliability and Integrity) is assessed by examining, interviewing, and testing: CP-9.1 · Testing for Reliability and Integrity Control Statement: Test backup information [organization-defined parameter] to verify media reliability and information integrity. Supplemental Guidance: Test backup information [organization-defined parameter] to verify media reliability and information integrity. Organizations need assurance that backup information can be reliably retrieved. Reliability pertains to the systems and system components where the backup information is stored, the ope

NIST SP 800-53 Rev 5 control CP-3.2 (Mechanisms Used in Training Environments) summarizes the requirements for this control: CP-3.2 · Mechanisms Used in Training Environments Control Statement: Employ mechanisms used in operations to provide a more thorough and realistic contingency training environment. Supplemental Guidance: Employ mechanisms used in operations to provide a more thorough and realistic contingency training environment. Operational mechanisms refer to processes that have been established to accomplish an organizational goal or a system that supports a particular organizational mission or business ob

NIST SP 800-53 Rev 5 control CP-4.2 (Alternate Processing Site) summarizes the requirements for this control: CP-4.2 · Alternate Processing Site Control Statement: Test the contingency plan at the alternate processing site: (a) To familiarize contingency personnel with the facility and available resources; and (b) To evaluate the capabilities of the alternate processing site to support contingency operations. Supplemental Guidance: Test the contingency plan at the alternate processing site: (a) To familiarize contingency personnel with the facility and available resources; and (b) To evaluate the capa