

MĪZĀN FORMATION INSTITUTE

One Lesson, End to End

Kindness · Grade 6 — every screen, both surfaces,
shown in the English interface

A worked specimen for engineering & UX · Cairo · 2026

ENGLISH EDITION

WHAT THIS DOCUMENT IS

§1 One finished lesson, so you can see the whole shape

This is a single lesson — Kindness, for Grade 6 — built out completely, so you can see exactly what one finished piece of the platform contains before we ask you to build the machine that holds two hundred and sixty of them.

The platform brief described the *system*. This describes the *unit of work*. Everything a teacher touches for one lesson is here: the prep they read first, the eight slides, the private script under each slide, the student handout, and what happens in the week after. This edition shows the lesson in the English interface; the product renders the same lesson in Arabic, right-to-left, when the teacher picks Arabic.

The language rule — one at a time


The teacher chooses **English** or **Arabic** once, on the lesson page, *before* teaching. That choice sets the whole interface: an English lesson runs left-to-right in English; an Arabic lesson flips the entire layout right-to-left and renders in Arabic. Students never see the two languages side by side — the app must support each on its own, and this edition documents the English side.

The two surfaces — one public, one private

The **board** (projector or shared screen) shows only the clean student-facing slide. The **teacher's own screen** — their phone, tablet, a second browser tab, or a printed sheet — shows the private script, timing, and the next-slide preview. Same slide, kept in sync; two very different views. This is the heart of the product, so it drives the diagrams and mockups that follow.


§2 How a lesson works — three pictures

FIGURE 1 — ONE LANGUAGE, CHOSEN BEFORE THE LESSON




The choice is made once and switches everything — not a per-slide toggle, and never both languages on screen together.

FIGURE 2 — TWO SURFACES, KEPT IN SYNC



The board never shows the script; the teacher's screen carries everything the class should not see. The teacher advances the slides from their own device.

FIGURE 3 — THE ANATOMY OF ONE LESSON



This split — board vs. script — is why a lesson must be structured data, not a flat slide file.

A lesson is prep, then a run of slides (each with its own bidden script), then a handout, then a short follow-up a week later.

§3 How it looks — mockups for the build

These are rough interface sketches, not final visual design — enough to fix the *shapes* on screen: where the language is chosen, what the board shows, and what the teacher holds privately. In Arabic these same three screens render right-to-left; that mirror is the second thing to build.

MOCKUP A — THE LESSON PAGE, BEFORE TEACHING

mizan.app / arete / grade-6 / kindness / lesson-3

ARÊTE · VIRTUE > UNIT 2: KINDNESS > LESSON 3

Kindness When No One Claps

Grade 6

≈ 35–40 min

8 slides

1 handout

Teach ▶

EN

AR

THE PRIME — READ BEFORE CLASS

This lesson does not work if you teach it from above the students. Before class, answer the question you will ask them: who is the one person it is hard for *you* to be kind to? Two things to protect — do not rescue the silence on Slide 5, and keep the handout private.

THE 8 SLIDES

1

A quiet start

2

Two words

3

The lunch table

4

It costs

5

No one claps

6

An experiment

7

One hard person

8

Where to start

MATERIALS

“One Hard Person” half-page handout — one per student · [download](#) / [print ▼](#)

What the teacher sees on opening the lesson. Language is chosen here (EN / AR) before pressing Teach; it sets everything that follows.

MOCKUP B — TEACHING: THE TWO SURFACES AT SLIDE 5

ON THE BOARD

Most real kindness gets no credit. No one claps — sometimes no one even knows it was you.

Would you still do it?

The board / projector — what the whole class sees

Slide 5 of 802:30

When no one claps — the heart of the lesson

YOUR SCRIPT (PRIVATE)

Read it, then **stop**. Do not answer your own question. Let the room be quiet and a little uncomfortable — that discomfort is them meeting the real question. Count to ten before you speak. If someone answers fast, push gently: “Even if you never got to tell anyone?”

Next — 6 · A quiet experiment

◀ Prev

The teacher’s own screen — private

Next ▶

Same slide, two surfaces. The board stays clean; the script, timer, and controls live only on the teacher’s device.

MOCKUP C — FINDING THE LESSON IN THE LIBRARY

mizan.app / library

Arête · Virtue > Grade 6 > Unit 2: Kindness

1

What kindness is · 8 slides

2

Kindness and how we feel · 7 slides

3

Kindness when no one claps · 8 slides · you are here

4

Kindness that costs something · 9 slides

Grade → track → unit → lesson. The same tree holds all ≈260 lessons; the lesson below is one leaf of it.

§4 The lesson

Kindness When No One Claps

Arête · Virtue track | Unit 2: Kindness | Lesson 3 | Grade 6 | ≈ 35–40 min | 8 slides

What it’s for: to move a student from knowing they “should be kind” to meeting the harder question — would they be kind with no reward, no credit, no audience.

By the end, a student can: tell the difference between being *nice* and being *kind*; see that real kindness usually costs something; name one person it is hard for *them* to be kind to; and commit to one kind act that earns them no credit.

Materials: projector / shared screen · the “One Hard Person” half-page handout (1 per student) · pencils.

The Prime — for the teacher, before class

Read this once, slowly, before you stand up. This lesson does not work if you teach it from *above* the students, as someone who has kindness figured out. It works when you teach it from inside the same struggle they have. So before class, answer the question you are about to ask them: **who is the one person it is hard for you to be kind to right now?** Hold that person in mind. You will not name them aloud — you will teach honestly *because* of them.

Two things to protect. **First, do not rescue Slide 5.** When you ask “would you still be kind if no one ever knew?”, the room may go quiet and uncomfortable. Let it. The discomfort *is* the lesson; do not fill the silence. **Second, keep the handout private.** No one reads theirs aloud. The moment it becomes a performance for the class, the honesty leaves the room. Timing is a guide, not a rule — if a real conversation opens, let it run and cut a later slide.

1

A quiet start

ON THE BOARD

Think of a time someone was kind to you when they did not have to be.

Don't say it out loud yet. Just hold it for a moment.

TEACHER SCRIPT (PRIVATE)

Settle the room first; lower the lights if you can. Read the prompt slowly, then stop talking. Give a real thirty seconds of silence — count it. Resist explaining. You are teaching them that this subject is worth slowing down for.

≈ 3 min · no hands yet — the silence is the point.

2

Two words that look alike

ON THE BOARD

NICE — pleasant, easy, keeps the peace.

KIND — wants what is good for you, even when it is hard.

They are not the same word.

TEACHER SCRIPT (PRIVATE)

Read both. Then a fast example: “A nice person laughs at your joke. A kind person tells you, gently, that you have spinach in your teeth — because they’d rather you be okay than comfortable for ten more seconds.” Ask for a quick show of hands: which is easier? (Nice.) Right. Hold that.

≈ 4 min · one example — don't over-teach it.

3

*The lunch table***ON THE BOARD**

A new student is sitting alone at lunch. Everyone already has their group. Sitting with them means leaving your seat with your friends.

What does nice do here? What does kind do?

TEACHER SCRIPT (PRIVATE)

Read it. Take two or three answers, no more. Listen for the gap: nice *feels bad* and stays put; kind *actually gets up and moves*. Say it back plainly: “So nice is a feeling. Kind is a thing you do with your legs.” Let that land.

≈ 5 min · surface feeling-versus-action.

4

*Kindness costs something***ON THE BOARD**

Kindness almost always costs something — your time, your comfort, your seat, looking cool.

That cost is not a bug. It is the point.

TEACHER SCRIPT (PRIVATE)

Name it directly: “If kindness were free and easy, everyone would already be doing it. The reason it’s rare is that it costs. And the cost is exactly what turns a nice *feeling* into a real *kindness*.” Don’t rush — let them feel that kindness is *supposed* to cost.

≈ 4 min.

5

When no one claps — the heart of the lesson

ON THE BOARD

Most real kindness gets no credit. No one claps. Sometimes no one even knows it was you.

Would you still do it?

TEACHER SCRIPT (PRIVATE)

This is the center of the lesson. Read it, then **stop**. Do not answer your own question. Let the room be quiet and a little uncomfortable — that discomfort is them meeting the real question. Count to ten in your head before you say anything. If someone answers fast and easily, push gently: “Even if you never got to tell anyone?”

≈ 5 min · protect the silence — do not rescue it.

6

A quiet experiment

ON THE BOARD

This week: do one kind thing that no one will ever credit you for. Tell no one you did it.

Then notice how it feels.

TEACHER SCRIPT (PRIVATE)

Explain the one rule and why it matters: “The *tell no one* part is the whole experiment. The second you tell someone, you’ve traded the kindness for a little bit of credit — and that’s fine, but it’s a different thing. This week, keep it for yourself and see what’s left.” Keep it light, not heavy.

≈ 3 min.

7

*One hard person — on the handout***ON THE BOARD**

On your paper, just for you: who is one person it is hard for you to be kind to? What is one small kind thing you could do for them this week?

No one will read this but you.

TEACHER SCRIPT (PRIVATE)

Hand out the half-sheet now. Say clearly: “This is private. No one reads yours, not even me — unless you want me to.” Then give real quiet time: three to four minutes, not thirty seconds. Walk the room slowly; don’t hover. Some kids need to see you are not reading over their shoulder.

≈ 6 min · private writing — protect it.

8

*Where to start***ON THE BOARD**

Kindness you have to force yourself into is still real kindness.

Start there. Start with the hard person. Start this week.

TEACHER SCRIPT (PRIVATE)

Land it gently; don’t preach. “You don’t have to feel kind to act kind. The feeling often shows up after, not before. So start with the person it’s hard with, do the small thing, and let the feeling catch up.” Thank them. Collect the handouts folded, or let them keep them — their choice.

≈ 3 min · close warm — no homework-y tone.

The handout — what each student writes on

One Hard Person

just for you · no one else reads this

1. One person it is hard for me to be kind to:

(you can write initials, or just hold a picture of them in your head)

2. One small kind thing I could do for them this week:

My one rule: I will tell no one I did it.

You don't have to feel kind to be kind. Start anyway.

The aftermath — what happens after the bell

Formation does not end when the slides do; this is the part most lessons skip, and it is where the lesson actually takes.

- **In the room:** collect nothing that is required. Offer an optional sealed drop-box for anyone who *wants* the teacher to read theirs — consent, not collection.
- **One week later (two minutes at the start of the next lesson):** “Last week you each picked one hard person and one quiet kindness. You don’t have to say what it was — but hands up if you actually did it.” Count the hands, say nothing evaluative, and move on. The follow-through is the formation; the count just makes it real.
- **What the platform captures (light, v1):** optionally, a single private reflection field — “*Did you do it? One word for how it felt.*” No grade, no sharing. This is the only student-side data in the whole lesson, and it is optional.

§5 Notes for the build

This one lesson took real design work to author — the board copy, the hidden script, the prime, the handout, the week-after follow-up. That labour is the actual project. The viewer you are being asked to build is the easy half; the expensive half is that every one of the roughly 260 lessons has to be written to this depth by a person, not a template. Budget and staff for the writing, not just the software. [Likely the real bottleneck]

- **A lesson is structured data, not a slide file.** Notice that each slide carries two separate fields — a public *board* block and a private *script* block — plus timing. That split is the whole reason this can't just be a PDF or a Google Slides embed: the two surfaces read from the same slide object but render different fields.
- **The language is a property of the session, set once.** One flag — `lang = en | ar` — chosen on the lesson page drives text direction, font, layout mirroring, and which language string each field shows. There is no per-slide toggle and no mixed-language student view.
- **The two surfaces are one synced state, two renderers.** Board and teacher screen share `currentSlide` and a timer; the teacher device is the controller. Screen-share, a second tab, a second device, or a printed script are all acceptable ways to run the second surface — so the board renderer must stand alone with zero private content.
- **Import-as-images still works.** If a slide's board is supplied as a finished image, it drops into the *board* field and the script stays as structured text beside it — you do not lose the two-surface behaviour by importing visual slides.
- **This maps to Phase 1 of the platform brief.** Everything shown here — library tree, lesson page, the two-surface teach view, one lesson's worth of content — is the MVP slice. No student logins, no analytics beyond the single optional reflection field. Build this one lesson's experience end to end before anything else is scoped.

The same lesson also renders in Arabic, right-to-left — the second thing to build, and the reason text direction and layout mirroring can't be an afterthought.