






<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TARI SOR 4	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2025	
<b>Releasing entity</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Maintainer</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	100 - 2000	
<b>Maturity (Days)</b>	-	
<b>Recommended ecological zones / region</b>	-	
<b>Potential yield (MT/ha)</b>	-	
<b>Special attributes</b>	-	
<b>Commercialization level</b>	NOT COMMERCIALISED	
<b>Commercializing Company(ies)</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	-	
<b>Other countries of release</b>	-	


<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TARI SOR 6	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2025	
<b>Releasing entity</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Maintainer</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	100 - 2000	
<b>Maturity (Days)</b>	-	
<b>Recommended ecological zones / region</b>	-	
<b>Potential yield (MT/ha)</b>	4.1	
<b>Special attributes</b>	BIG GRAIN	

<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-


---


<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TARI SOR 5	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2025	
<b>Releasing entity</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Maintainer</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	100 - 2000	
<b>Maturity (Days)</b>	-	
<b>Recommended ecological zones / region</b>	-	
<b>Potential yield (MT/ha)</b>	3.7	
<b>Special attributes</b>	HIGH GRAIN YIELD, DISEASE TOLARANCE	
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE	
<b>Commercialization level</b>	NOT COMMERCIALISED	
<b>Commercializing Company(ies)</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	-	
<b>Other countries of release</b>	-	

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TARI SOR 3	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2025	
<b>Releasing entity</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Maintainer</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	100 - 2000	


<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4
<b>Special attributes</b>	HIGH GRAIN YIELD, DISEASE TOLARANCE
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TARI SOR 7	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2025	
<b>Releasing entity</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Maintainer</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	100 - 2000	
<b>Maturity (Days)</b>	85 - 90	
<b>Recommended ecological zones / region</b>	-	
<b>Potential yield (MT/ha)</b>	4	
<b>Special attributes</b>	BIG GRAIN	
<b>Characteristics</b>	CONSUMER PREFERENCE	
<b>Commercialization level</b>	NOT COMMERCIALISED	
<b>Commercializing Company(ies)</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	-	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	MEGA SWEET	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2024	

<b>Releasing entity</b>	ADVANTA SEEDS INTERNATIONAL
<b>Maintainer</b>	ASI SEEDS ENTERPRISES KENYA LIMITED
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1100 - 2400
<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	LOWER HIGHLAND (LH) 2 - LOWER HIGHLAND (LH) 4, UPPER MIDLAND (UM) 4 - 5, UPPER MIDLAND (UM) 5, LOWER MIDLAND (LM) 5, SITES: LANET, EMBU, BUKURA, KIBOKO, NJORO, ELDORET, KITALE, NAKURU, BOMET
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	HIGH BIOMASS YIELDING MULTICUT (2 TO 3 TIMES), SWEET SORGHUM FORAGE HYBRID, LOW HYDROCYANIC ACID (HCN) CONTENT OF 86-90 PPM 30 DAYS AFTER PLANTING WHICH IS VERY SAFE FOR ANIMALS AS IT IS BELOW 200 PPM THRESHOLD, THICK AND JUICY STEMS, HIGH BRIX 14%-16% AT SOFT DOUGH STAGE, HIGH DIGESTIBILITY (63-65%)
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	PL 14	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2024	
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION	
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KATUMANI	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	1000 - 1800	
<b>Maturity (Days)</b>	90 - 120	
<b>Recommended ecological zones / region</b>	LOWER MIDLAND (LM) 3 - LOWER MIDLAND (LM) 5,	

UPPER MIDLAND (UM) 4-5, SITES: KITUI, KAMPI YA MAWE, THARAKA NITHI, KILIMAMBOGO ETC

<b>Potential yield (MT/ha)</b>	2 - 3.6
<b>Special attributes</b>	95% BIRD ESCAPING (5% BIRD DAMAGE), BROWN GRAIN, DROUGHT TOLERANT, MODERATE BREWING QUALITY (61.59% STARCH CONTENT)
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	PL 20
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2024
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KATUMANI
-------------------	---

<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	900 - 1700
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	LOWER MIDLAND (LM) 4 - LOWER MIDLAND (LM) 5, UPPER MIDLAND (UM) 4-5, SITES: KITUI, MAKUENI, KAMPI YA MAWE, THARAKA NITHI, KILIMAMBOGO ETC

<b>Potential yield (MT/ha)</b>	2 - 3
<b>Special attributes</b>	95% BIRD ESCAPING (5% BIRD DAMAGE), WHITE GRAIN WITH BROWN SPOTS, DROUGHT TOLERANT, HAS BREWING QUALITY (63.42% STARCH CONTENT)
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-

Commercial names	-
Other countries of release	-

---

Crop name	SORGHUM
Variety release name	PL 39
Country	KENYA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2024
Releasing entity	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



Maintainer	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KATUMANI
------------	---

Type of license	NO DATA
Maintenance status	NO DATA
Production altitude (masl)	900 - 1500
Maturity (Days)	90 - 120
Recommended ecological zones / region	LOWER MIDLAND (LM) 4 - LOWER MIDLAND (LM) 5, UPPER MIDLAND (UM) 4-5, SITES: KITUI, KAMPI YA MAWE, THARAKA NITHI, KILIMAMBOGO ETC

Potential yield (MT/ha)	2 - 3.5
Special attributes	99.4% BIRD ESCAPING (0.6% BIRD DAMAGE), PEARL WHITE GRAIN, DROUGHT TOLERANT, HAS BREWING QUALITY (66.28% STARCH CONTENT)

Characteristics	DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT
-----------------	---

Commercialization level	NO DATA
-------------------------	---------

Commercializing Company(ies)	-
------------------------------	---

Presence in regional catalogue	-
--------------------------------	---

Commercial names	-
------------------	---


Other countries of release	-
----------------------------	---

---

Crop name	SORGHUM
Variety release name	RAMSES
Country	KENYA
Botanical name	SORGHUM BICOLOR L.
Variety type	HYBRID
Year of release	2024
Releasing entity	HYTECH SEED KENYA



<b>Maintainer</b>	MISR HYTECH SEED INTERNATIONAL
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	300 - 1500
<b>Maturity (Days)</b>	75 - 90
<b>Recommended ecological zones / region</b>	LOWER MIDLAND (LM) 4-5, SITES: KATUMANI, KAMBI MAWE, KILIMAMBOGO, RWIKA, MUKOTHIMA ETC
<b>Potential yield (MT/ha)</b>	2.4 - 5
<b>Special attributes</b>	SPECIALLY ADAPTED TO COASTAL AND LOWER MEDIUM ALTITUDES, GRAIN SUITABLE FOR FOOD, FEED AND BREWING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	KWS PASHO	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2024	
<b>Releasing entity</b>	KWS SAAT SE AND COMPANY KGAA	
<b>Maintainer</b>	AGVENTURE LIMITED	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	1200 - 1800	
<b>Maturity (Days)</b>	90 - 120	
<b>Recommended ecological zones / region</b>	LOWER MIDLAND (LM) 3 - LOWER MIDLAND (LM) 5, UPPER MIDLAND (UM) 3-5, SITES: BARINGO, NAKURU, NAROK, LAIKIPIA, MERU ETC.	
<b>Potential yield (MT/ha)</b>	-	
<b>Special attributes</b>	MULTIPURPOSE CUTTING: GREEN CHOP AND SILAGE, GOOD COLD TOLERANCE, TOLERANCE TO LEAF BLIGHT (E. TURCICUM), STRONG RATOONING	
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE	
<b>Commercialization level</b>	NO DATA	
<b>Commercializing Company(ies)</b>	-	

Presence in regional catalogue -  
Commercial names -  
Other countries of release -

---

Crop name SORGHUM  
Variety release name TZ 2 LOCAL  
Country KENYA  
Botanical name SORGHUM BICOLOR L.  
Variety type OPV  
Year of release 2024  
Releasing entity KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



Maintainer KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KATUMANI

Type of license NO DATA

Maintenance status NO DATA

Production altitude (masl) 100 - 1700

Maturity (Days) 90 - 120

Recommended ecological zones / region LOWER MIDLAND (LM) 4 - LOWER MIDLAND (LM) 5, UPPER MIDLAND (UM) 4-5, SITES: KITUI, KAMPI YA MAWE, THARAKA NITHI, KILIMAMBOGO ETC

Potential yield (MT/ha) 2 - 3.8

Special attributes 97.5% BIRD ESCAPING (2.5% BIRD DAMAGE), CHALKY WHITE GRAIN, DROUGHT TOLERANT, HAS BREWING QUALITY (66.03% STARCH CONTENT)

Characteristics DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT

Commercialization level NO DATA

Commercializing Company(ies) -

Presence in regional catalogue -

Commercial names -

Other countries of release -

---

Crop name SORGHUM  
Variety release name ICS  
Country KENYA  
Botanical name SORGHUM BICOLOR L.  
Variety type OPV  
Year of release 2024





<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KATUMANI
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1000 - 2100
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	LOWER MIDLAND (LM) 3 - LOWER MIDLAND (LM) 5, UPPER MIDLAND (UM) 4-5, SITES: KITUI, KAMPI YA MAWE, THARAKA NITHI, MAKUENI, KILIMAMBOGO ETC
<b>Potential yield (MT/ha)</b>	2 - 3
<b>Special attributes</b>	88% BIRD ESCAPING (12% BIRD DAMAGE), RED GRAIN, DROUGHT TOLERANT, HIGH CALCIUM 50 MG/100G
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	GOLDEN SH1
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2024
<b>Releasing entity</b>	HYTECH SEED INTERNATIONAL - EGYPT
<b>Maintainer</b>	HYTECH SEED INTERNATIONAL
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	150 - 700
<b>Maturity (Days)</b>	100 - 110
<b>Recommended ecological zones / region</b>	DERIVED AND GUINEA SAVANNA ECOLOGIES
<b>Potential yield (MT/ha)</b>	6.2
<b>Special attributes</b>	HIGH YIELDING, EARLY MATURING, DWARNESS, STAY-GREEN TRAIT
<b>Characteristics</b>	CONSUMER PREFERENCE



<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	HYTECH SEED INTERNATIONAL
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	GOLDEN SH1
<b>Other countries of release</b>	-

Crop name	SORGHUM
Variety release name	AGV KUZO
Country	KENYA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2024
Releasing entity	KWS SAAT SE AND COMPANY KGAA
Maintainer	AGVENTURE LIMITED
Type of license	NO DATA
Maintenance status	NO DATA
Production altitude (masl)	1200 - 1800
Maturity (Days)	120 - 150
Recommended ecological zones / region	LOWER MIDLAND (LM) 3 - LOWER MIDLAND (LM) 5, UPPER MIDLAND (UM) 3-5, SITES: BARINGO, NAKURU, NAROK, LAIKIPIA, MERU ETC.

<b>Potential yield (MT/ha)</b>	4 - 6
<b>Special attributes</b>	GOOD BREWING QUALITY, SHORT PLANT HEIGHT, COMBINE HARVESTABLE, FAST DRY DOWN, ADAPTABLE TO DIFFERENT PLANTING DENSITIES
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-


<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	BMR ROCKET	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2024	
<b>Releasing entity</b>	ADVANTA SEEDS INTERNATIONAL	
<b>Maintainer</b>	ASI SEEDS ENTERPRISES KENYA LIMITED	

Type of license	NO DATA
Maintenance status	NO DATA
Production altitude (masl)	1100 - 2400
Maturity (Days)	-
Recommended ecological zones / region	LOWER HIGHLAND (LH) 2 TO LOWER HIGHLAND (LH) 4, UPPER MIDLAND (UM) 4 - 5, UPPER MIDLAND (UM) 5, LOWER MIDLAND (LM) 5 SITES: LANET, EMBU, BUKURA, KIBOKO, NJORO, ELDORET, KITALE, NAKURU, BOMET
Potential yield (MT/ha)	-
Special attributes	HYBRID WITH BMR 6 TRAIT (LOW LIGNIN) FOR INCREASED DIGESTIBILITY, LOW HYDROCYANIC ACID (HCN) CONTENT OF 68-100 PPM 30 DAYS AFTER PLANTING WHICH IS VERY SAFE FOR ANIMALS AS IT IS BELOW 200 PPM THRESHOLD, MULTICUT ABILITY (2 TO 3 TIMES), HIGH PROTEIN (8% - 10%), HIGH LEAF TO STEM RATIO, HIGH DIGESTIBILITY (60%) AT DOUGH STAGE
Characteristics	CONSUMER PREFERENCE
Commercialization level	NO DATA
Commercializing Company(ies)	-
Presence in regional catalogue	COMESA
Commercial names	-
Other countries of release	UGANDA, TANZANIA, ZAMBIA & SOUTH AFRICA


Crop name	SORGHUM	
Variety release name	SAMSORG 52	
Country	NIGERIA	
Botanical name	SORGHUM BICOLOR L.	
Variety type	OPV	
Year of release	2023	
Releasing entity	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
Maintainer	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - NIGERIA	
Type of license	LICENCE NOT REQUIRED	
Maintenance status	ACTIVELY MAINTAINED	
Production altitude (masl)	250 - 800	
Maturity (Days)	85 - 90	
Recommended ecological zones / region	SAHEL AND SUDAN SAVANNA	
Potential yield (MT/ha)	3.7	
Special attributes	EARLY MATURING, IRON (FE) DENSE (55.0PPM/1G),	

	TOLERANT TO STRIGA INFESTATION AND DWARFNESS
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 52
<b>Other countries of release</b>	-

Crop name	SORGHUM
Variety release name	SAMSORG 53
Country	NIGERIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2023
Releasing entity	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
Maintainer	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - NIGERIA
Type of license	LICENCE NOT REQUIRED
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	350 - 800
Maturity (Days)	95 - 100
Recommended ecological zones / region	SUDAN SAVANNA
Potential yield (MT/ha)	3.8
Special attributes	HIGH GRAIN AND BIOMASS YIELD, SEMI-DWARF, IRON (FE) DENSE (54.0PPM/1G), TOLERANT TO STRIGA
Characteristics	CONSUMER PREFERENCE, FIELD PEST RESISTANT
Commercialization level	FULL
Commercializing Company(ies)	INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT
Presence in regional catalogue	-
Commercial names	SAMSORG 53
Other countries of release	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG 54	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2023	

<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - NIGERIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	95 - 110
<b>Recommended ecological zones / region</b>	SUDAN SAVANNA
<b>Potential yield (MT/ha)</b>	3.7
<b>Special attributes</b>	HIGH GRAIN YIELD, TOLERANT TO STRIGA
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 54
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	MABROUK	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2023	
<b>Releasing entity</b>	HYTECH SEED KENYA	
<b>Maintainer</b>	MISR HYTECH SEED INTERNATIONAL	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	700 - 2500	
<b>Maturity (Days)</b>	75 - 90	
<b>Recommended ecological zones / region</b>	LOWER MIDLAND (LM) 1-3, UPPER MIDLAND (UM) 1, SITES: LANET, EMBU, KITALE, KIBOKO, KAGURU ETC	
<b>Potential yield (MT/ha)</b>	3	
<b>Special attributes</b>	MULTI-CUT VARIETY WITH CUTTING INTERVALS OF 50-65 DAYS, SILAGE PROTEIN LEVELS AT 15.74%, HIGH SUGAR CONTENT (BRIX 17-20%) HENCE HIGH ENSILING QUALITY, CAN WITHSTAND DIRECT GRAZING, SUITABLE IN A WIDE RANGE OF ENVIRONMENTS	
<b>Characteristics</b>	CONSUMER PREFERENCE	

<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	TEX 14
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2023
<b>Releasing entity</b>	AGVENTURE LIMITED
<b>Maintainer</b>	AGVENTURE LIMITED
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1200 - 1900
<b>Maturity (Days)</b>	90 - 120



<b>Recommended ecological zones / region</b>	UPPER MIDLAND (UM) 1-3,4-5; LOWER MIDLAND (LM)1-3,4-5; LOWLAND (L) 1-3, 4-5, SITES: BAHATI, KABARAK, TIMAU, LENGETIA, ATHI RIVER, NJORO, MAU NAROK
--	--

**Potential yield (MT/ha)**

-

**Special attributes**

MULTI CUT FORAGE (3 - 4 PER CROPPING SEASON), HIGH REGROWTH CAPACITY, HIGH NUTRITIONAL QUALITY FODDER IN TERMS OF ENERGY, PROTEIN AND FIBRE, CAN BE USED FOR GREEN CHOP AND SILAGE, TEX 14 IS A SORGHUM X SUDAN SO IS A LOW-RISK HYBRID FOR PRUSSIC ACID POISONING, DRY MATTER CONTENT OF 30%

**Characteristics** CONSUMER PREFERENCE

<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	AGVENTURE LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	TEX 14
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	HORUS
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.



<b>Variety type</b>	HYBRID
<b>Year of release</b>	2023
<b>Releasing entity</b>	HYTECH SEED KENYA
<b>Maintainer</b>	MISR HYTECH SEED INTERNATIONAL
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	300 - 1500
<b>Maturity (Days)</b>	75 - 90
<b>Recommended ecological zones / region</b>	LOWER MIDLAND (LM) 4-5, SITES:KATUMANI, KAMBI MAWE, KILIMAMBOGO, RWIKA, MUKOTHIMA ETC
<b>Potential yield (MT/ha)</b>	3 - 4
<b>Special attributes</b>	SPECIALLY ADAPTED TO COASTAL AND LOWER MEDIUM ALTITUDES, MEDIUM HEIGHTS AND UNIFORM HEIGHTS SUITABLE FOR MACHINE HARVESTING, GRAIN SUITABLE FOR FOOD, FEED AND BREWING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	COMESA
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	JABAA [ETSL101259 (ACC. 200161)]
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2022
<b>Releasing entity</b>	BAKO AGRICULTURAL RESEARCH CENTER/OROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	BAKO AGRICULTURAL RESEARCH CENTER/OROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1500 - 1900
<b>Maturity (Days)</b>	150
<b>Recommended ecological zones / region</b>	BAKO, GUTE, BILO BOSHE AND UKE SIMILAR AGROECOLOGIES OF ETHIOPIA
<b>Potential yield (MT/ha)</b>	3.5 - 3.8



<b>Special attributes</b>	TOLERANT TO ANTHRACNOSE, TOLERANT TO GRAIN MOLD, TOLERANT TO LEAF BLIGHT, TOLERANT TO RUST, TOLERANT TO SMUT, BIRD ATTACK TOLERANT
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	JABAA
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ASSOSA-2 (ACC.MOK079)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2022
<b>Releasing entity</b>	ASSOSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	ASSOSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1200 - 1900
<b>Maturity (Days)</b>	175
<b>Recommended ecological zones / region</b>	ASSOSA, PAWE, JIMMA, BAKKO, MAO-KOMO SPECIAL WOREDA AND SIMILAR AGROECOLOGIES

<b>Potential yield (MT/ha)</b>	3.5 - 3.9
<b>Special attributes</b>	RESISTANT TO ANTHRACNOSE, RESISTANT TO GRAIN MOLD
<b>Characteristics</b>	DISEASE TOLERANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ASSOSA-2
<b>Other countries of release</b>	-

---




<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	A2267-2
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2022
<b>Releasing entity</b>	BIO AND EMERGING TECHNOLOGY INSTITUTE (BETIN)/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH/MELKASSA AGRICULTURAL RESEARCH CENTER
<b>Maintainer</b>	BIO AND EMERGING TECHNOLOGY INSTITUTE (BETIN)/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH/MELKASSA AGRICULTURAL RESEARCH CENTER
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1000 - 1600
<b>Maturity (Days)</b>	120 - 155
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	0.9 - 1.5
<b>Special attributes</b>	TOLERANT TO ANTHRACNOSE, TOLERANT TO GRAIN MOLD, TOLERANT TO LEAF BLIGHT, TOLERANT TO RUST, TOLERANT TO SMUT, BIRD ATTACK TOLERANT
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	A2267-2
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	NTJ2
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2022
<b>Releasing entity</b>	BIO AND EMERGING TECHNOLOGY INSTITUTE (BETIN)/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH/MELKASSA AGRICULTURAL RESEARCH CENTER




<b>Maintainer</b>	BIO AND EMERGING TECHNOLOGY INSTITUTE (BETIN)/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH/MELKASSA AGRICULTURAL RESEARCH CENTER
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1000 - 1600
<b>Maturity (Days)</b>	115 - 147
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	1.6 - 2.7
<b>Special attributes</b>	TOLERANT TO ANTHRACNOSE, TOLERANT TO GRAIN MOLD, TOLERANT TO LEAF BLIGHT, TOLERANT TO RUST, TOLERANT TO SMUT, BIRD ATTACK TOLERANT
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	NTJ2
<b>Other countries of release</b>	-


<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TARISOR 1	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2021	
<b>Releasing entity</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Maintainer</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Type of license</b>	NON-EXCLUSIVE	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	800 - 1500	
<b>Maturity (Days)</b>	110 - 120	
<b>Recommended ecological zones / region</b>	MEDIUM ALTITUDE	
<b>Potential yield (MT/ha)</b>	3.6	
<b>Special attributes</b>	TOLERANT TO STRIGA, TOLERANT TO BIRDS, HIGH YIELDING, GOOD FOR FOOD AND BREWING, HIGH CARBOHYDRATE CONTENT AND LOW TANNIN	
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT	
<b>Commercialization level</b>	EMERGING	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	

<b>Commercial names</b>	TARISOR 1
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TARISOR 2	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2021	
<b>Releasing entity</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Maintainer</b>	TANZANIA AGRICULTURAL RESEARCH INSTITUTE (TARI)	
<b>Type of license</b>	NON-EXCLUSIVE	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	800 - 1500	
<b>Maturity (Days)</b>	100 - 110	
<b>Recommended ecological zones / region</b>	MEDIUM ALTITUDE	
<b>Potential yield (MT/ha)</b>	3.2	
<b>Special attributes</b>	TOLERANT TO STRIGA, TOLERANT TO BIRDS, HIGH YIELDING, GOOD FOR FOOD AND BREWING	
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT	
<b>Commercialization level</b>	EMERGING	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	TARISOR 2	
<b>Other countries of release</b>	-	

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	AYINAGE (ACC.5012)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2021	
<b>Releasing entity</b>	MECHARA AGRICULTURAL RESEARCH CENTER/ROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Maintainer</b>	MECHARA AGRICULTURAL RESEARCH CENTER/ROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	1700 - 2000	

<b>Maturity (Days)</b>	146
<b>Recommended ecological zones / region</b>	DARO LEBU, TULO AND SIMILAR AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	3.3
<b>Special attributes</b>	TOLERANT TO LEAF BLIGHT, TOLERANT TO STALK BORER, ERECT GROWTH HABIT
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	AYINAGE
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ERER (#2005MI5081)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2021
<b>Releasing entity</b>	FADIS AGRICULTURAL RESEARCH CENTER/ROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE



<b>Maintainer</b>	FADIS AGRICULTURAL RESEARCH CENTER/ROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1300 - 1700
<b>Maturity (Days)</b>	141
<b>Recommended ecological zones / region</b>	FADIS, BABILE AND OTHER SIMILAR AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	3.4 - 4
<b>Special attributes</b>	TOLERANT TO STRIGA, TOLERANT TO ANTHRACNOSE, TOLERANT TO HEAD SMUT
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ERER
<b>Other countries of release</b>	-


<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG 50SW
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2020
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	70 - 80
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA
<b>Potential yield (MT/ha)</b>	0.8
<b>Special attributes</b>	HIGH BRIX CONTENT (22%), BRIX EXTRACT (15,000 LITRES/HA)
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 50SW
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG 51SW
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2020
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	250 - 800



<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA
<b>Potential yield (MT/ha)</b>	1.5
<b>Special attributes</b>	HIGH BRIX CONTENT (26%), BRIX EXTRACT (15,387 LITRES/HA)
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 51SW
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	MARARA [ETSL 101371(ACC.212642)]	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2020	
<b>Releasing entity</b>	BAKO AGRICULTURAL RESEARCH CENTER/OROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Maintainer</b>	BAKO AGRICULTURAL RESEARCH CENTER/OROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	1200 - 1950	
<b>Maturity (Days)</b>	156	
<b>Recommended ecological zones / region</b>	WESTERN OROMIA (BAKO, GUTE, UKE, BILLO BOSH) AND SIMILAR AGROECOLOGIES	
<b>Potential yield (MT/ha)</b>	3.9 - 5.1	
<b>Special attributes</b>	TOLERANT TO LEAF SPOT, TOLERANT TO HEAD DISEASE, TOLERANT TO BIRD ATTACK, ERECT GROWTH HABIT	
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT	
<b>Commercialization level</b>	EMERGING	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	MARARA	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	BELETEW (ICSR24005)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2020
<b>Releasing entity</b>	DEBRE BERHAN AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	DEBRE BERHAN AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1200 - 1500
<b>Maturity (Days)</b>	127
<b>Recommended ecological zones / region</b>	DEBRE BIRHAN (SHEWAROBIT, ATAYE, MERHABETE), KOBO (SIRINKA), TACH ARMACHIHO (GONDAR) AND SIMILAR AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	RESISTANT TO SORGHUM MIDGE INSECT PEST, RESISTANT TO ANTHRACNOSE DISEASE
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	BELETEW
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SADII (SLRC-046)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2020
<b>Releasing entity</b>	HARO SEBU AGRICULTURAL RESEARCH CENTER/OROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	HARO SEBU AGRICULTURAL RESEARCH



<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1400 - 1900
<b>Maturity (Days)</b>	183
<b>Recommended ecological zones / region</b>	KELLEM WOLLEGA, WEST WOLLEGA ZONES AND SIMILAR AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	4.8
<b>Special attributes</b>	TOLERANT TO STEM BORER, TOLERANT TO ANTHRACNOSE LEAF BLIGHT, TOLERANT TO LEAF SPOT, TOLERANT TO DIEBACK
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SADI
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	RAKODZI
<b>Country</b>	TANZANIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2019
<b>Releasing entity</b>	KLEIN KAROO SEED MARKETING ZIMBABWE
<b>Maintainer</b>	KLEIN KAROO SEED MARKETING ZIMBABWE
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	600 - 1500
<b>Maturity (Days)</b>	110
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	6
<b>Special attributes</b>	DROUGHT TOLERANT
<b>Characteristics</b>	DROUGHT TOLERANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	KLEIN KAROO SEED MARKETING ZIMBABWE
<b>Presence in regional catalogue</b>	SADC
<b>Commercial names</b>	RAKODZI





Other countries of release -

---

Crop name	SORGHUM
Variety release name	SC SHAKU
Country	TANZANIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2019
Releasing entity	SEED CO LIMITED
Maintainer	SEED CO LIMITED
Type of license	NO DATA
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	600 - 1500
Maturity (Days)	116
Recommended ecological zones / region	-
Potential yield (MT/ha)	-
Special attributes	EARLY MATURING, HEAT AND DROUGHT TOLERANT
Characteristics	DROUGHT TOLERANT, CONSUMER PREFERENCE
Commercialization level	NO DATA
Commercializing Company(ies)	SEED CO LIMITED
Presence in regional catalogue	SADC, COMESA
Commercial names	SC SHAKU
Other countries of release	-

---




---


Crop name	SORGHUM
Variety release name	SHIRIKURE
Country	TANZANIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2019
Releasing entity	KLEIN KAROO SEED MARKETING ZIMBABWE
Maintainer	KLEIN KAROO SEED MARKETING ZIMBABWE
Type of license	NO DATA
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	600 - 1500
Maturity (Days)	116
Recommended ecological zones / region	-
Potential yield (MT/ha)	-
Special attributes	DROUGHT TOLERANT

---



<b>Characteristics</b>	DROUGHT TOLERANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	KLEIN KAROO SEED MARKETING ZIMBABWE
<b>Presence in regional catalogue</b>	SADC
<b>Commercial names</b>	SHIRIKURE
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	VUMBA	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2019	
<b>Releasing entity</b>	KLEIN KAROO SEED MARKETING ZIMBABWE	
<b>Maintainer</b>	KLEIN KAROO SEED MARKETING ZIMBABWE	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	600 - 1500	
<b>Maturity (Days)</b>	114	
<b>Recommended ecological zones / region</b>	-	
<b>Potential yield (MT/ha)</b>	7.5	
<b>Special attributes</b>	TOLERANT TO RUST, TOLERANT TO LEAF BLIGHT	
<b>Characteristics</b>	DISEASE TOLERANT	
<b>Commercialization level</b>	NO DATA	
<b>Commercializing Company(ies)</b>	KLEIN KAROO SEED MARKETING ZIMBABWE	
<b>Presence in regional catalogue</b>	SADC	
<b>Commercial names</b>	VUMBA	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TILAHUN (14MWLSDT7114 (2005MI5060/E-36-1)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2019	
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL	

## RESEARCH

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	120
<b>Recommended ecological zones / region</b>	WEST AND EAST HARARGHE, NORTH SHEWA, NORTH & SOUTH WELLO, SOUTH TIGRAY, NORTH WEST TIGRAY AND SIMILAR AGRO-ECOLOGIES
<b>Potential yield (MT/ha)</b>	3.3 - 5.5
<b>Special attributes</b>	TOLERANT TO MAJOR INSECTS AND DISEASES OF SORGHUM
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	TILAHUN
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SIMA (KALU)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2019
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE



<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1400 - 1850
<b>Maturity (Days)</b>	120
<b>Recommended ecological zones / region</b>	CHEFA, JARI, SIRINKA, SHEWAROBIT AND SIMILAR AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	3 - 3.9
<b>Special attributes</b>	RESISTANCE TO MAJOR DISEASES, RESISTANCE TO STALK BORERS

<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SIMA (KALU)
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ELEMO (ACC.237261))
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2019
<b>Releasing entity</b>	MECHARA AGRICULTURAL RESEARCH CENTER/OROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE



<b>Maintainer</b>	MECHARA AGRICULTURAL RESEARCH CENTER/OROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1700 - 1800
<b>Maturity (Days)</b>	164
<b>Recommended ecological zones / region</b>	MECHARA, HABRO AND SIMILAR AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	2.7
<b>Special attributes</b>	CROP PEST REACTION (1-5 SCALE): LEAF BLIGHT: 2, STEM BORER: 2, GRAIN MOLD: 1, WEEDING FREQUENCY: 3-4 DEPENDING ON WEED INFESTATION

<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ELEMO
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	FADIS 01 (M-36121 X P- 9403)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV



<b>Year of release</b>	2019
<b>Releasing entity</b>	FADIS AGRICULTURAL RESEARCH CENTER/ROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	FADIS AGRICULTURAL RESEARCH CENTER/ROMIA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1700
<b>Maturity (Days)</b>	120
<b>Recommended ecological zones / region</b>	FADIS, BABILE, HARARI, DIRE DAWA AND OTHER LOWLAND SORGHUM GROWING AREAS
<b>Potential yield (MT/ha)</b>	3 - 4.1
<b>Special attributes</b>	TOLERANT TO STRIGA WEED, TILLERING: NO TILLERS
<b>Characteristics</b>	FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	FADIS-01
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	KAMANI	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2019	
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION	
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KATUMANI	
<b>Type of license</b>	NOT LICENSED	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	500 - 1800	
<b>Maturity (Days)</b>	90 - 120	
<b>Recommended ecological zones / region</b>	BUKURA, EMBU, KIBOKO, KITALE, LANET	
<b>Potential yield (MT/ha)</b>	3.5 - 4	
<b>Special attributes</b>	GOOD MALTING QUALITY, BIG SEEDED, WHITE SEEDED, SHORT PLANTS SUITABLE FOR MACHINE HARVESTS,	

	DROUGHT TOLERANT, TOLERANT TO LOW TEMPERATURES, HAS VERY LOW TANNIN (SWEET GRAIN), GOOD FOR DEHULLING
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	KAMANI
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SUGARGRAZE
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2019
<b>Releasing entity</b>	ADVANTA SEEDS INTERNATIONAL
<b>Maintainer</b>	ADVANTA SEEDS INTERNATIONAL
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	500 - 1500
<b>Maturity (Days)</b>	90-100
<b>Recommended ecological zones / region</b>	BUKURA, EMBU, KIBOKO, KITALE, LANET
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	SWEET STEM WITH VERY HIGH SUGAR LEVELS (16% - 18% BRIX), MULTI CUT FORAGE AND DROUGHT TOLERANT, DRY MATTER CONTENT OF 14%, SUITABLE FOR HAY, GREEN CHOPS AND SILAGE, SOFT STEMS AND INTERNODES HENCE HIGH PALATABILITY, HIGHER DIGESTABILITY AND FORAGE QUALITY
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	UGANDA, TANZANIA, ZAMBIA, SOUTH AFRICA



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SC XH 101
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2018
<b>Releasing entity</b>	AGRI SEEDCO LIMITED/CHROMATIN
<b>Maintainer</b>	CHROMATIN
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	400 - 1500
<b>Maturity (Days)</b>	102 - 150
<b>Recommended ecological zones / region</b>	LOWLAND TO MEDIUM ALTITUDES LIKE KWALE, TAVETA, EMBU, MACHAKOS, KITUI, THIKA, EMBU, BARINGO, KISUMU, HOMABAY, BUSIA, BUNGOMA
<b>Potential yield (MT/ha)</b>	3 - 5
<b>Special attributes</b>	LIGHT BROWN GRAIN COLOURED SORGHUM, LOW TANNIN HENCE SUITABLE FOR BREWING, LARGE PLANTS HENCE SUITABLE FOR USE AS FODDER CROP/FORAGE, TOLERANT TO RUSTS (PUCCINIA PURPUREA), TOLERANT TO BLIGHT (EXSEROHILUM TURCICUM), TOLERANT TO SOOTY STRIPE (RAMULISPORA SORGHI)
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-




<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG 47
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2018
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	4.8
<b>Special attributes</b>	HIGH GRAIN YIELD
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	AISAN SEEDS NIGERIA LIMITED, ZEERAGRIC SEEDS, BABA SALEH AGRO-BASED LIMITED, HAPPY SEEDS AND AGRO ALLIED COMPANY LIMITED, REAL AGRO SEED LIMITED, INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 47
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG 48	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2018	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	350 - 800	
<b>Maturity (Days)</b>	90 - 110	
<b>Recommended ecological zones / region</b>	SUDAN AND NORTHERN GUINEA SAVANNA	
<b>Potential yield (MT/ha)</b>	4.7	
<b>Special attributes</b>	HIGH GRAIN YIELD	
<b>Characteristics</b>	CONSUMER PREFERENCE	
<b>Commercialization level</b>	FULL	
<b>Commercializing Company(ies)</b>	ZEERAGRIC SEEDS, ATASP, INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT	



<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 48
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG 49
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2018
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	70 - 90
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA
<b>Potential yield (MT/ha)</b>	2.8
<b>Special attributes</b>	EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	TECNI SEED NIGERIA LIMITED, YABO AGRO, INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT

<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 49
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	9058 (ESH-5) (P9511A/PRL020817)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2018
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	110
<b>Recommended ecological zones / region</b>	WEST AND EAST HARARGHE, NORTH SHEWA, NORTH AND SOUTH WELLO, SOUTH TIGRAY, NORTH WEST TIGRAY AND SIMILAR AGRO-ECOLOGIES
<b>Potential yield (MT/ha)</b>	5.8
<b>Special attributes</b>	WHITE SEED COLOUR, SEMI-COMPACT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	MENTEBTEB (DEBIR) (MALT SORGHUM)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2018
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH




<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	103
<b>Recommended ecological zones / region</b>	WEST AND EAST HARARGE, NORTH SHOWA, NORTH AND SOUTH WELLO, SOUTH TIGRAY, NORTH WEST TIGRAY, GONDER AND SIMILAR AGRO-ECOLOGIES
<b>Potential yield (MT/ha)</b>	3.7

<b>Special attributes</b>	TOLERANT TO MAJOR INSECTS AND DISEASES OF SORGHUM
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MENTEBTEB
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	ADV7031	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2018	
<b>Releasing entity</b>	ADVANTA SEEDS INTERNATIONAL	
<b>Maintainer</b>	ADVANTA SEEDS INTERNATIONAL	
<b>Type of license</b>	EXCLUSIVE	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	0 - 1800	
<b>Maturity (Days)</b>	90 - 120	
<b>Recommended ecological zones / region</b>	LOW TO MODERATELY HIGH RAINFALL AREAS (450 TO 750 MM ANNUAL RAINFALL)	
<b>Potential yield (MT/ha)</b>	3.2 - 4	
<b>Special attributes</b>	LATE MATURING AND HIGH YIELDING CREAM HYBRID, SEMI-OPEN HEAD TYPE, RESISTANT TO GREENBUG PEST, RESISTANT TO MIDGE, EXCELLENT DROUGHT TOLERANCE	
<b>Characteristics</b>	DISEASE TOLERANT, DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT	
<b>Commercialization level</b>	EMERGING	
<b>Commercializing Company(ies)</b>	ADVANTA SEEDS	
<b>Presence in regional catalogue</b>	COMESA	
<b>Commercial names</b>	ADV7031	
<b>Other countries of release</b>	UGANDA, TANZANIA, ZAMBIA & SOUTH AFRICA	

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	ADV7431	
<b>Country</b>	KENYA	

<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2018
<b>Releasing entity</b>	ADVANTA SEEDS INTERNATIONAL
<b>Maintainer</b>	ADVANTA SEEDS INTERNATIONAL
<b>Type of license</b>	EXCLUSIVE
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	0 - 1800
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	LOW TO MODERATELY HIGH RAINFALL AREAS (450 TO 650 MM ANNUAL RAINFALL)
<b>Potential yield (MT/ha)</b>	3.2 - 3.8
<b>Special attributes</b>	LATE MATURING AND HIGH YIELDING CREAM HYBRID, SEMI-OPEN HEAD TYPE, RESISTANT TO GREENBUG AND SUGARCANE APHIDS PEST, EXCELLENT STAY-GREEN HENCE SUITABLE FOR BOTH GRAIN AND FODDER, EXCELLENT DROUGHT TOLERANCE, VERY GOOD PLANT UNIFORMITY
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	ADVANTA SEEDS
<b>Presence in regional catalogue</b>	COMESA
<b>Commercial names</b>	ADV7431
<b>Other countries of release</b>	UGANDA, TANZANIA, ZAMBIA & SOUTH AFRICA

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ADV7450
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2018
<b>Releasing entity</b>	ADVANTA SEEDS INTERNATIONAL
<b>Maintainer</b>	ADVANTA SEEDS INTERNATIONAL
<b>Type of license</b>	EXCLUSIVE
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	0 - 1800
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	LOW TO MODERATELY HIGH RAINFALL AREAS (450 TO 750 MM ANNUAL RAINFALL)



<b>Potential yield (MT/ha)</b>	3 - 3.5
<b>Special attributes</b>	LATE MATURING AND HIGH YIELDING CREAM HYBRID, SEMI-OPEN HEAD TYPE, RESISTANT TO GREENBUG PEST, RESISTANT TO MIDGE, EXCELLENT DROUGHT TOLERANCE
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	ADVANTA SEEDS
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ADV7450
<b>Other countries of release</b>	-

---


<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	BONASA (07MW6085) (97BK6129/85MW4138)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2017
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH




<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
-------------------	--


<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1600 - 1900
<b>Maturity (Days)</b>	176
<b>Recommended ecological zones / region</b>	BAKO, JIMMA, MECHARA AND SIMILAR AGROECOLOGIES(FOR INTERMIDATE ALTITUDE)

<b>Potential yield (MT/ha)</b>	4.3
<b>Special attributes</b>	TOLERANT TO MAJOR INSECTS AND DISEASES OF SORGHUM
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	BONASA
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	ARGETI (2005M15064)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2017	
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	0 - 1600	
<b>Maturity (Days)</b>	125	
<b>Recommended ecological zones / region</b>	WEST AND EAST HARARGHE, NORTH SHOA, NORTH AND SOUTH WELLO, NORTH WEST TIGRAY AND SIMILAR AGROECOLOGIES	
<b>Potential yield (MT/ha)</b>	2.1	
<b>Special attributes</b>	TOLERANT TO MAJOR INSECTS AND DISEASES OF SORGHUM	
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT, STORAGE PEST RESISTANT	
<b>Commercialization level</b>	LIMITED	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	ARGETI	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	ALENE (WSV-387 X E-36-2)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2017	
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	

<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1450 - 1850
<b>Maturity (Days)</b>	116
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4.3
<b>Special attributes</b>	TOLERANT TO MAJOR DISEASE, TOLERANT TO STALK BORERS
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ALENE
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	RUE97	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2017	
<b>Releasing entity</b>	RONGO UNIVERSITY	
<b>Maintainer</b>	RONGO UNIVERSITY	
<b>Type of license</b>	EXCLUSIVE	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	1000 - 2000	
<b>Maturity (Days)</b>	90	
<b>Recommended ecological zones / region</b>	WESTERN KENYA (KAKAMEGA COUNTY), AROUND THE LOW LAND AREAS OF LAKE VICTORIA BASIN (HOMABAY, MIGORI, SIAYA, KISUMU, BUSIA,), EASTERN KENYA, (MACHAKOS, KITUI, EMBU	
<b>Potential yield (MT/ha)</b>	4 - 4.5	
<b>Special attributes</b>	TOLERANCE TO ERGOT, TOLERANCE TO HEAD SMUT, DROUGHT TOLERANT, MODERATELY TOLERANT TO STRIGA, TOLERANT TO ALUMINIUM TOXICITY AND LOW LEVELS OF PHOSPHOROUS IN THE SOIL	
<b>Characteristics</b>	DISEASE TOLERANT, DROUGHT TOLERANT, FIELD PEST RESISTANT	

<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	RONGO UNIVERSITY
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KS-SWEET SORG 21
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - NAIROBI
-------------------	--

<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	500 - 1800
<b>Maturity (Days)</b>	90 - 150
<b>Recommended ecological zones / region</b>	MWEA, KITUI, MACHAKOS, KAGIO
<b>Potential yield (MT/ha)</b>	3.2
<b>Special attributes</b>	BRIX 13.0%
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KS-SWEET SORG 4
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	KENYA SEED COMPANY/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR SEMI-ARID TROPICS





<b>Maintainer</b>	KENYA SEED COMPANY LIMITED
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	250 - 1750
<b>Maturity (Days)</b>	60 - 90
<b>Recommended ecological zones / region</b>	MWEA, HOMABAY, BUNGOMA
<b>Potential yield (MT/ha)</b>	2.9
<b>Special attributes</b>	HIGH MILLING CAPACITY
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	NYADUNDO
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	RONGO UNIVERSITY
<b>Maintainer</b>	RONGO UNIVERSITY
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1000 - 2000
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	WESTERN AND EASTERN KENYA AGRO-ECOLOGIES
<b>Potential yield (MT/ha)</b>	2.5 - 3
<b>Special attributes</b>	DROUGHT TOLERANT, TOLERANT TO BIRD DAMAGE, STAY-GREEN, MODERATELY TOLERANT TO STRIGA AND ACID SOIL, TOLERANT TO HEAD SMUT
<b>Characteristics</b>	DISEASE TOLERANT, DROUGHT TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	RUE95
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	RONGO UNIVERSITY
<b>Maintainer</b>	RONGO UNIVERSITY
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	0 - 1800
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	WESTERN AND EASTERN KENYA AGRO-ECOLOGIES
<b>Potential yield (MT/ha)</b>	2.5 - 3
<b>Special attributes</b>	DROUGHT TOLERANT, TOLERANT TO ALUMINIUM TOXICITY AND LOW AVAILABLE PHOSPHORUS
<b>Characteristics</b>	DROUGHT TOLERANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	RUT53
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	RONGO UNIVERSITY
<b>Maintainer</b>	RONGO UNIVERSITY
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1000 - 2000
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	WESTERN AND EASTERN KENYA AGRO-ECOLOGIES
<b>Potential yield (MT/ha)</b>	2.2 - 3.6
<b>Special attributes</b>	STRIGA TOLERANT, TOLERANT TO LOW PHOSPHOROUS, TOLERANT TO BIRD DAMAGE, TOLERANT TO ACID SOIL, TOLERANT TO HEAD SMUT



<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SC SMILE
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	AGRI SEEDCO LIMITED
<b>Maintainer</b>	AGRI SEEDCO LIMITED
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	400 - 1500
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	LOWLAND TO MEDIUM ALTITUDES UP TO 1500 M.A.S.L, E.G. BUSIA, KITUI, KISUMU, MACHAKOS, EMBU, MERU, HOMA BAY, BOMET, THIKA, KILIFI, MIGORI, BARINGO, BUNGOMA AND MAKUENI



<b>Potential yield (MT/ha)</b>	2.5 - 3
<b>Special attributes</b>	TOLERANT TO BIRD DAMAGE DUE TO ITS RED SEEDED COLOUR, REDUCED LODGING AS A RESULT OF SHORT STATURE AND STRONG STALKS, IT HAS GOOD TOLERANCE TO BOTH DROUGHT AND HEAT, SATISFACTORY HIGH YIELD POTENTIAL ACROSS A WIDE RANGE OF ENVIRONMENTS, TOLERANT TO LEAF BLIGHT AND SOOTY STRIPE, SUITABLE FOR MALTING, SDU (SORGHUM DIASTATIC UNITS) 26-29 (SPEC 25-35), SOLUBILITY 100 %( SPEC>90%), MOISTURE ≤ 6% ( SPEC 5-10%)

<b>Characteristics</b>	DISEASE TOLERANT, DROUGHT TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KS-SWEET SORG 17
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	KENYA SEED COMPANY/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR SEMI-ARID TROPICS
<b>Maintainer</b>	KENYA SEED COMPANY LIMITED
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	200 - 1000
<b>Maturity (Days)</b>	60 - 90
<b>Recommended ecological zones / region</b>	MWEA, HOMABAY, BUNGOMA
<b>Potential yield (MT/ha)</b>	3.12
<b>Special attributes</b>	HIGH STALK AND JUICE YIELD, HIGH BRIX YIELD
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	EUSS11
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	EGERTON UNIVERSITY
<b>Maintainer</b>	EGERTON UNIVERSITY
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1200 - 1500
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	LOWER MIDLAND 1 (LM1)
<b>Potential yield (MT/ha)</b>	2.4 - 3.0
<b>Special attributes</b>	STALK RICH IN FERMENTABLE SUGARS
<b>Characteristics</b>	CONSUMER PREFERENCE



<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KAK SWEET SORGH1
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - NAIROBI
-------------------	--

<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	500 - 1800
<b>Maturity (Days)</b>	120 - 150
<b>Recommended ecological zones / region</b>	WESTERN KENYA: KAKAMEGA, VIHIGA, BUNGOMA AND BUSIA, NYANZA: SIAYA, MIGORI, HOMABAY AND KISUMU, NAKURU, KERICHO, NAIVASHA, KAJIADO, NAROK, BOMET, BARINGO, ELGEYO MARAKWET, WEST POKOT, AND TURKANA, NYERI, NYANDARUA

<b>Potential yield (MT/ha)</b>	2
<b>Special attributes</b>	BROWN MIDRIB SWEET SORGHUM, DUAL PURPOSE, SEET STEMS, WHITE LARGE GRAINS, DROUGHT TOLERANT, MEDIUM MATURITY, SUITABLE FOR ETHANOL PRODUCTION

<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KS-KENSORG-11
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2016
<b>Releasing entity</b>	KENYA SEED COMPANY/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR SEMI-ARID TROPICS
<b>Maintainer</b>	KENYA SEED COMPANY LIMITED
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	200 - 1500
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	EASTERN PARTS OF KENYA, HOMA BAY
<b>Potential yield (MT/ha)</b>	2 - 3.5
<b>Special attributes</b>	DROUGHT TOLERANT, RESISTANT TO DISEASES, IT DOES WELL IN EASTERN AND NYANZA, POORLY PERFORMED IN KIMAETI, BUKURA AND BUSIA
<b>Characteristics</b>	DISEASE TOLERANT, DROUGHT TOLERANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KS-KENSORG-12
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2016
<b>Releasing entity</b>	KENYA SEED COMPANY/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR SEMI-ARID TROPICS
<b>Maintainer</b>	KENYA SEED COMPANY LIMITED
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	200 - 1500
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	EASTERN PARTS OF KENYA, HOMA BAY, KIMAETI,



BUKURA, BUSIA

<b>Potential yield (MT/ha)</b>	2 - 3.5
<b>Special attributes</b>	DROUGHT TOLERANT, RESISTANT TO DISEASES
<b>Characteristics</b>	DISEASE TOLERANT, DROUGHT TOLERANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KS-KENSORG-13
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2016
<b>Releasing entity</b>	KENYA SEED COMPANY/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR SEMI-ARID TROPICS



<b>Maintainer</b>	KENYA SEED COMPANY LIMITED
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	200 - 1500
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	EASTERN PARTS OF KENYA, HOMA BAY, KIMAETI, BUKURA, BUSIA

<b>Potential yield (MT/ha)</b>	2 - 4
<b>Special attributes</b>	DROUGHT TOLERANT, RESISTANT TO DISEASES
<b>Characteristics</b>	DISEASE TOLERANT, DROUGHT TOLERANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KS-KENSORG-14
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.



<b>Variety type</b>	HYBRID
<b>Year of release</b>	2016
<b>Releasing entity</b>	KENYA SEED COMPANY/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR SEMI-ARID TROPICS
<b>Maintainer</b>	KENYA SEED COMPANY LIMITED
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	200 - 1500
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	EASTERN PARTS OF KENYA, HOMA BAY, KIMAETI, BUKURA, BUSIA
<b>Potential yield (MT/ha)</b>	2 - 4
<b>Special attributes</b>	DROUGHT TOLERANT, RESISTANT TO DISEASES
<b>Characteristics</b>	DISEASE TOLERANT, DROUGHT TOLERANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	EUSS10
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	EGERTON UNIVERSITY
<b>Maintainer</b>	EGERTON UNIVERSITY
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1200 - 2200
<b>Maturity (Days)</b>	90 - 120
<b>Recommended ecological zones / region</b>	LOWER MIDLAND TO UPPER MIDLAND
<b>Potential yield (MT/ha)</b>	1.3 -2.0
<b>Special attributes</b>	STALK RICH IN FERMENTABLE SUGARS, GOOD FOR ETHANOL PRODUCTION AND ANIMAL FEED
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-





Presence in regional catalogue -

Commercial names -

Other countries of release -

Crop name SORGHUM

Variety release name KS-SWEET SORG 14

Country KENYA

Botanical name SORGHUM BICOLOR L.

Variety type OPV

Year of release 2016

Releasing entity KENYA SEED COMPANY/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR SEMI-ARID TROPICS



Maintainer KENYA SEED COMPANY LIMITED

Type of license NO DATA

Maintenance status NO DATA

Production altitude (masl) 200 - 1750

Maturity (Days) 60 - 90

Recommended ecological zones / region HOMABAY

Potential yield (MT/ha) 3.83

Special attributes DUAL PURPOSE, HIGH BRIX YIELD

Characteristics CONSUMER PREFERENCE

Commercialization level NO DATA

Commercializing Company(ies) -

Presence in regional catalogue -

Commercial names -

Other countries of release -

Crop name SORGHUM

Variety release name SAMSORG 45

Country NIGERIA

Botanical name SORGHUM BICOLOR L.

Variety type OPV

Year of release 2016


Releasing entity INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - KANO

Maintainer INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - MALI


Type of license LICENCE NOT REQUIRED



<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	70 - 90
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ECOLOGIES
<b>Potential yield (MT/ha)</b>	4.2
<b>Special attributes</b>	EARLY MATURING, HIGH GRAIN IRON (FE) (128.99PPM/1G) CONTENT
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	MAZEEB SEEDS, ZEERAGRIC SEEDS, KAB AGRO LIMITED, SUNSHINE FARM SEEDS LIMITED COMPANY, WAZIRI SEED NIGERIA LIMITED, SHIAGRO NIGERIA LIMITED, MASLAHA SEED NIGERIA LIMITED, ABU ANAS AGRO VENTURES, AL-MUBARAK SEED LIMITED, CLIMAX SEED LIMITED, BABA SALEH AGRO-BASED LIMITED, HAPPY SEEDS AND AGRO ALLIED COMPANY LIMITED, LIFTED AGRO SEED LIMITED, REAL AGRO SEED LIMITED, INTER PRODUCT, MAIZUMA SEED, RAHAMA SEEDS, FAHEEMA AGRO-ALLIED CONCEPT LIMITED, SAHELIAN AGRO SEED VENTURES, TECNI SEED NIGERIA LIMITED, SABANA SEED NIGERIA LIMITED, SENTEX AGROTEK, EVANDER SEED, ABMYE FARMS LIMITED, MASROTUN SEEDS, SOKODABO AGRO LINKS, MAAP SEED, AMRAF SEEDS LIMITED, BAGAUDA SEED LIMITED, VITAE SEED LIMITED, INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT, PREMIER SEED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 45
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG 46	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2016	
<b>Releasing entity</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - KANO	
<b>Maintainer</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - MALI	
<b>Type of license</b>	LICENCE NOT REQUIRED	

<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	70 - 90
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ECOLOGIES
<b>Potential yield (MT/ha)</b>	3
<b>Special attributes</b>	EARLY MATURING, MODERATE GRAIN IRON (FE) (53.92PPM/1G) CONTENT
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	MAZEEB SEEDS, VALUE SEEDS LIMITED, BABA SALEH AGRO-BASED LIMITED, SAHELIAN AGRO SEED VENTURES, TECNI SEED NIGERIA LIMITED, SENTEX AGROTEK, SOKODABO AGRO LINKS, MAAP SEED, BAGAUDA SEED LIMITED, VITAE SEED LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 46
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	ESH-4 (PU209A/ PU304)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2016	
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	0 - 1600	
<b>Maturity (Days)</b>	110	
<b>Recommended ecological zones / region</b>	WEST AND EAST HARARGHE, NORTH SHOA, NORTH AND SOUTH WELLO, NORTH WEST TIGRAY AND SIMILAR AGRO-ECOLOGIES	
<b>Potential yield (MT/ha)</b>	4.2	
<b>Special attributes</b>	TOLERANT TO STEM BORER, TOLERANT TO	

	ANTHRACNOSE, TOLERANT TO LEAF SPOT
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ESH-4
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ADELE (ACC#70583)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1900 - 2600
<b>Maturity (Days)</b>	160 - 235
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	3.0 - 4.0
<b>Special attributes</b>	TOLERANT TO STEM BORER, TOLERANT TO ANTHRACNOSE, TOLERANT TO LEAF SPOT
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ADELE
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	JIRU/ETS-2752
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.





<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1900 - 2600
<b>Maturity (Days)</b>	158 - 227
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	3.2 - 4.4
<b>Special attributes</b>	TOLERANT TO STEM BORER, TOLERANT TO ANTHRACNOSE, TOLERANT TO LEAF SPOT, YELLOW
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	JIRU
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ADV23012
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2016
<b>Releasing entity</b>	ADVANTA SEEDS INTERNATIONAL
<b>Maintainer</b>	ADVANTA SEEDS INTERNATIONAL
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	0 - 1800
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	KIBOKO, KITUI, RWIKA, KATUMANI, KILIMAMBOGO
<b>Potential yield (MT/ha)</b>	2.5 - 6
<b>Special attributes</b>	DWARF HYBRID, SHORT IN HEIGHT, SUITABLE FOR MECHANICAL HARVESTING - GOOD FOR BIG FARMS, TOLERANT TO LODGING, TOLERANT TO DROUGHT,



	GRAIN SUITABLE FOR FOOD, FEED AND BREWERY
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	ADVANTA SEEDS
<b>Presence in regional catalogue</b>	COMESA
<b>Commercial names</b>	ADV23012
<b>Other countries of release</b>	UGANDA, TANZANIA, ZAMBIA & SOUTH AFRICA

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	EGERTON SORGHUM HYBRID	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2016	
<b>Releasing entity</b>	EGERTON UNIVERSITY	
<b>Maintainer</b>	EGERTON UNIVERSITY	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	1300 - 1500	
<b>Maturity (Days)</b>	90 - 120	
<b>Recommended ecological zones / region</b>	LOWER MIDLAND 1 (LM1) - LOWER MIDLAND 3 (LM3)	
<b>Potential yield (MT/ha)</b>	4.5 - 6.0	
<b>Special attributes</b>	GRAIN SUITABLE FOR MALTING AND BREWING	
<b>Characteristics</b>	CONSUMER PREFERENCE	
<b>Commercialization level</b>	NO DATA	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	-	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	DIBABA (ETS 639/SRN-39)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2015	
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	

<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1900 - 2600
<b>Maturity (Days)</b>	180 - 200
<b>Recommended ecological zones / region</b>	HARAMAYA, ARSI NEGELLE, TONGA, KULUMSA AND SIMILAR AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	3.7 - 5.0
<b>Special attributes</b>	BROWN SEED COLOUR, TOLERANT TO MAJOR INSECT PESTS OF SORGHUM
<b>Characteristics</b>	FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	DIBABA
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ADUKARA
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2015
<b>Releasing entity</b>	ASSOSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	ASSOSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1500 - 1850
<b>Maturity (Days)</b>	204 - 212
<b>Recommended ecological zones / region</b>	ASSOSA, BAMBASI, MAO KOMO, AND SIMILAR AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	3.6 - 4.2

<b>Special attributes</b>	RED SEED COLOUR, COMPACT INFLORESCENCE, TOLERANT TO MOJOR INSECT PESTS OF SORGHUM
<b>Characteristics</b>	FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ADUKARA
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ASSOSSA-1 (BAMBASI NO-9)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2015
<b>Releasing entity</b>	ASSOSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	ASSOSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1500 - 1850
<b>Maturity (Days)</b>	189 - 197
<b>Recommended ecological zones / region</b>	ASSOSA, BAMBASI, MAO KOMO, AND SIMILAR AGROECOLOGIES

<b>Potential yield (MT/ha)</b>	3.5 - 4.1
<b>Special attributes</b>	WHITE SEED COLOUR, INFLORESCENCE IS SEMI-LOOSE, ERECT PRIMARY BRANCHES, TOLERANT TO MAJOR INSECT PESTS OF SORGHUM
<b>Characteristics</b>	FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ASSOSA-1
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	FENDISHA-1
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2015
<b>Releasing entity</b>	HARAMAYA UNIVERSITY
<b>Maintainer</b>	HARAMAYA UNIVERSITY
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1900 - 2600
<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	HIGHLAND
<b>Potential yield (MT/ha)</b>	6.3
<b>Special attributes</b>	GOOD FOR INJERA MAKING, SEMICOMPACT PANICLE
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	FENDISHA-1
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	MLSH 151
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2014
<b>Releasing entity</b>	DEVGEN SEEDS AND CROP TECHNOLOGY PVT LIMITED - INDIA
<b>Maintainer</b>	SYNGENTA - INDIA
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	450 - 800
<b>Maturity (Days)</b>	95 - 100
<b>Recommended ecological zones / region</b>	SUDAN SAVANNA
<b>Potential yield (MT/ha)</b>	5.4
<b>Special attributes</b>	MEDIUM BOLD ROUND GRAINS WITH CREAM COLOUR AND HIGH GRAIN YIELD



<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	DEVGEN SEEDS
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MLSH 151
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	MLSH 296 GOLD
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2014
<b>Releasing entity</b>	DEVGEN SEEDS AND CROP TECHNOLOGY PVT LIMITED - INDIA




<b>Maintainer</b>	SYNGENTA - INDIA
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	100 - 110
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA AND SUDAN SAVANNA
<b>Potential yield (MT/ha)</b>	4.6
<b>Special attributes</b>	HIGH GRAIN YIELD
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	DEVGEN SEEDS
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MLSH 296 GOLD
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	PRADHAN
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2014
<b>Releasing entity</b>	DEVGEN SEEDS AND CROP TECHNOLOGY PVT LIMITED - INDIA

<b>Maintainer</b>	SYNGENTA - INDIA
-------------------	------------------



Type of license	PROPRIETARY
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	350 - 800
Maturity (Days)	95 - 110
Recommended ecological zones / region	SUDAN AND NORTHERN GUINEA SAVANNA
Potential yield (MT/ha)	4.2
Special attributes	WHITE AND BOLD GRAINS, HIGH GRAIN YIELDS
Characteristics	CONSUMER PREFERENCE
Commercialization level	FULL
Commercializing Company(ies)	DEVGEN SEEDS
Presence in regional catalogue	-
Commercial names	PRADHAN
Other countries of release	-

Crop name	SORGHUM	
Variety release name	PAC 501	
Country	TANZANIA	
Botanical name	SORGHUM BICOLOR L.	
Variety type	HYBRID	
Year of release	2014	
Releasing entity	ADVANTA SEEDS	
Maintainer	ADVANTA SEEDS	
Type of license	NO DATA	
Maintenance status	ACTIVELY MAINTAINED	
Production altitude (masl)	600 - 1500	
Maturity (Days)	105 - 115	
Recommended ecological zones / region	MEDIUM ALTITUDE	
Potential yield (MT/ha)	3.7	
Special attributes	SUITABLE FOR ANIMAL FEEDS AND HUMAN CONSUMPTION	
Characteristics	CONSUMER PREFERENCE	
Commercialization level	FULL	
Commercializing Company(ies)	ADVANTA SEEDS	
Presence in regional catalogue	-	
Commercial names	PAC 501	
Other countries of release	INDIA	

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	PAC 537
<b>Country</b>	TANZANIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2014
<b>Releasing entity</b>	ADVANTA SEEDS
<b>Maintainer</b>	ADVANTA SEEDS
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	600 - 1500
<b>Maturity (Days)</b>	115 - 125
<b>Recommended ecological zones / region</b>	MEDIUM ALTITUDE
<b>Potential yield (MT/ha)</b>	3.8
<b>Special attributes</b>	SUITABLE FOR ANIMAL FEEDS AND HUMAN CONSUMPTION
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	ADVANTA SEEDS
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	PAC 537
<b>Other countries of release</b>	INDIA



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ESH-3 (ETHIOPIAN SORGHUM HYBRID -3)/(ICSA-15 X M-5568)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2014
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	103 - 121
<b>Recommended ecological</b>	



<b>zones / region</b>	MELKASSA, MIESSO, KOBO, SHOAROBIT, BABILE AND OTHER SIMILAR AGROECOLOGIES OF LOWLAND SORGHUM GROWING AREAS
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	MODERATELY TOLERANT TO MAJOR INSECT PESTS OF SORGHUM, MINIMUM TILLERING CAPACITY, GOOD GENERAL ACCEPTANCE FOR "INJERA" (LOCAL LEAVENED BREAD) HAVING CREAMY WHITE COLOUR AND GOOD ELASTICITY
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ESH-3
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	PD86W15
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2013
<b>Releasing entity</b>	DUPONT PIONEER - NIGERIA
<b>Maintainer</b>	DUPONT CROP PROTECTION/PURDUE UNIVERSITY - USA
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	350 - 700
<b>Maturity (Days)</b>	125 - 130
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	3.5 - 4
<b>Special attributes</b>	TOLERANT TO METSULFURON METHYL SEED TREATMENT, MEDIUM MATURING, GOOD STAY-GREEN CHARACTERISTIC, THE HEIGHT, EARLINESS AND UNIFORMITY ALLOWS FOR MECHANIZATION, GOOD SEED IN THE OFF-SEASON OF NORTHERN GUINEA SAVANNA AND DERIVED SAVANNA ECOLOGIES UNDER IRRIGATION
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	CORTEVA AGRISCIENCE LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	PD86W15



---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	PD87W16
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2013
<b>Releasing entity</b>	DUPONT PIONEER - NIGERIA
<b>Maintainer</b>	DUPONT CROP PROTECTION/PURDUE UNIVERSITY - USA
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	115 - 120
<b>Recommended ecological zones / region</b>	SUDAN GUINEA SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	4 - 5
<b>Special attributes</b>	TOLERANT TO METSULFURON METHYL SEED TREATMENT, GOOD STAY-GREEN CHARACTERISTIC, THE HEIGHT, EARLINESS AND UNIFORMITY ALLOWS FOR MECHANIZATION, GOOD SEED IN THE OFF-SEASON OF NORTHERN GUINEA SAVANNA AND DERIVED SAVANNA ECOLOGIES UNDER IRRIGATION, ALSO PHOTOPERIOD INSENSITIVE
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	CORTEVA AGRISCIENCE LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	PD87W16
<b>Other countries of release</b>	-

---




---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	NACO SH1
<b>Country</b>	TANZANIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2013
<b>Releasing entity</b>	NAMBURI AGRICULTURAL COMPANY
<b>Maintainer</b>	NAMBURI AGRICULTURAL COMPANY
<b>Type of license</b>	NON-EXCLUSIVE
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1200



<b>Maturity (Days)</b>	110 - 115
<b>Recommended ecological zones / region</b>	LOW TO MEDIUM ALTITUDE
<b>Potential yield (MT/ha)</b>	3 - 3.5
<b>Special attributes</b>	BIG SEED SIZE COMPARED TO OTHER SORGHUM VARIETIES
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	NACO SH1
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	NACO SH2	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2013	
<b>Releasing entity</b>	NAMBURI AGRICULTURAL COMPANY	
<b>Maintainer</b>	NAMBURI AGRICULTURAL COMPANY	
<b>Type of license</b>	NON-EXCLUSIVE	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	0 - 1200	
<b>Maturity (Days)</b>	110 - 115	
<b>Recommended ecological zones / region</b>	LOW TO MEDIUM ALTITUDE	
<b>Potential yield (MT/ha)</b>	3 - 3.5	
<b>Special attributes</b>	BIG SEED SIZE COMPARED TO OTHER SORGHUM VARIETIES	
<b>Characteristics</b>	CONSUMER PREFERENCE	
<b>Commercialization level</b>	FULL	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	NACO SH2	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	PAC 537
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.



<b>Variety type</b>	OPV
<b>Year of release</b>	2013
<b>Releasing entity</b>	GCT/MELKASA AGRICULTURAL RESEARCH CENTER/ADVANTA SEEDS
<b>Maintainer</b>	GCT/MELKASA AGRICULTURAL RESEARCH CENTER/ADVANTA SEEDS
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	500 - 1600
<b>Maturity (Days)</b>	119
<b>Recommended ecological zones / region</b>	LOWLAND AREAS OF SHEWA ROBIT, KOBO, HUMERA AND AREAS WITH SIMILAR CLIMATE
<b>Potential yield (MT/ha)</b>	2.6 - 3.7
<b>Special attributes</b>	RESISTANCE TO MAJOR DISEASES AND INSECT PEST, GOOD FOR INJERA MAKING
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	ADVANTA SEEDS
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	PAC 537
<b>Other countries of release</b>	UGANDA, TANZANIA

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	CHEMEDA (ACC-BRC-18)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2013
<b>Releasing entity</b>	BAKO AGRICULTURAL RESEARCH CENTER/ROMIA AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	BAKO AGRICULTURAL RESEARCH CENTER/ROMIA AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1500 - 1900
<b>Maturity (Days)</b>	180
<b>Recommended ecological zones / region</b>	-





<b>Potential yield (MT/ha)</b>	2.5
<b>Special attributes</b>	TOLERANT TO DISEASES AND INSECT PESTS, JUICY STALK
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	CHEMEDA
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	GEMEDI (ACC-BCC-5)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2013
<b>Releasing entity</b>	BAKO AGRICULTURAL RESEARCH CENTER/ROMIA AGRICULTURAL RESEARCH INSTITUTE



<b>Maintainer</b>	BAKO AGRICULTURAL RESEARCH CENTER/ROMIA AGRICULTURAL RESEARCH INSTITUTE
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1500 - 1900
<b>Maturity (Days)</b>	175
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.8
<b>Special attributes</b>	TOLERANT TO PEST, JUICY STALK
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	GEMEDI
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	KS-SORG1	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2013	
<b>Releasing entity</b>	KENYA SEED COMPANY LIMITED	
<b>Maintainer</b>	KENYA SEED COMPANY LIMITED	
<b>Type of license</b>	PROPRIETARY	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	200 - 1800	
<b>Maturity (Days)</b>	75 - 105	
<b>Recommended ecological zones / region</b>	BUNGOMA, HOMABAY, SIAYA, EMBU, KAKAMEGA	
<b>Potential yield (MT/ha)</b>	2.5 - 3.2	
<b>Special attributes</b>	TOLERANCE TO BIRD DAMAGE, TOLERANCE TO ERGOT	
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT	
<b>Commercialization level</b>	NOT COMMERCIALISED	
<b>Commercializing Company(ies)</b>	KENYA SEED COMPANY LIMITED	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	KS-SORG1	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	KS-SORG2	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2013	
<b>Releasing entity</b>	KENYA SEED COMPANY LIMITED	
<b>Maintainer</b>	KENYA SEED COMPANY LIMITED	
<b>Type of license</b>	PROPRIETARY	
<b>Maintenance status</b>	NO DATA	
<b>Production altitude (masl)</b>	250 - 1750	
<b>Maturity (Days)</b>	75 - 105	
<b>Recommended ecological zones / region</b>	BUNGOMA, HOMABAY, SIAYA, EMBU, KAKAMEGA	
<b>Potential yield (MT/ha)</b>	2 - 3	
<b>Special attributes</b>	HIGH MILLING CAPACITY, ANTHRACNOSE TOLERANCE, ERGOT TOLERANCE	
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE	
<b>Commercialization level</b>	NOT COMMERCIALISED	

<b>Commercializing Company(ies)</b>	KENYA SEED COMPANY LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	KS-SORG2
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	HYBRID MTAMA-1 (KSBH-01)
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2012
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KATUMANI
-------------------	---

<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	900 - 1800
<b>Maturity (Days)</b>	90 - 105
<b>Recommended ecological zones / region</b>	DOES WELL IN HOT DRY AND HOT HUMID SEMI-ARID AREAS
<b>Potential yield (MT/ha)</b>	2 - 4
<b>Special attributes</b>	HYBRID SORGHUM, BROWN LARGE SEED, SWEET STEMS (15+% BRIX WHICH INCREASES AFTER HARVESTING HEADS), HIGH EXTRACTABLE STARCH (77.4%), DROUGHT TOLERANT, EARLY TO MEDIUM MATURITY, FLOWERING 56-59 DAYS
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT


<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	HYBRID MTAMA-1 (KSBH-01)
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	CSR-03H
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID





<b>Year of release</b>	2012
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA/ABA MALTING PLANT (AMP)/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	90 - 100
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA AND SUDAN SAVANNA
<b>Potential yield (MT/ha)</b>	4 - 4.9
<b>Special attributes</b>	EXTRA EARLY MATURING, HIGH YIELDING, GOOD MALTING QUALITIES, STAY-GREEN TRAIT, SMALL PLANT TYPE (AMENABLE FOR MECHANIZATION) WITH SHORT INTERNODES
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	CSR-04H	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	2012	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA/ABA MALTING PLANT (AMP)/INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	RETIRED	
<b>Production altitude (masl)</b>	350 - 800	
<b>Maturity (Days)</b>	100 - 105	

<b>Recommended ecological zones / region</b>	NORTHERN GUINEA AND SUDAN SAVANNA
<b>Potential yield (MT/ha)</b>	4.5 - 5
<b>Special attributes</b>	EARLY MATURING, HIGH YIELDING, GOOD MALTING QUALITIES, STAY-GREEN TRAIT, BULKY PLANT TYPE WITH LONG INTERNODES
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	NACO MTAMA1	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2012	
<b>Releasing entity</b>	NAMBURI AGRICULTURAL COMPANY	
<b>Maintainer</b>	NAMBURI AGRICULTURAL COMPANY	
<b>Type of license</b>	NON-EXCLUSIVE	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	0 - 1200	
<b>Maturity (Days)</b>	100 - 115	
<b>Recommended ecological zones / region</b>	LOW TO MEDIUM ALTITUDE	
<b>Potential yield (MT/ha)</b>	4.5 - 5.5	
<b>Special attributes</b>	-	
<b>Commercialization level</b>	FULL	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	NACO MTAMA1	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	DEKEBA (ICSR 24004)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2012	
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH	

CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL  
RESEARCH

<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	119
<b>Recommended ecological zones / region</b>	LOWLAND
<b>Potential yield (MT/ha)</b>	2.6 - 2.7
<b>Special attributes</b>	RESISTANCE TO MAJOR DISEASES, RESISTANCE TO INSECT PESTS
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT, STORAGE PEST RESISTANT
<b>Commercialization level</b>	NO DATA
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	DEKEBA
<b>Other countries of release</b>	-


---


<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG 42
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2011
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	100 - 800
<b>Maturity (Days)</b>	120 - 160
<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	2.5 - 3
<b>Special attributes</b>	HIGH YIELDING, LARGE WHITE SEEDED TYPE

<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	LIFTED AGRO SEED LIMITED, FAHEEMA AGRO-ALLIED CONCEPT LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 42
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG 43	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2011	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	100 - 800	
<b>Maturity (Days)</b>	120 - 160	
<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA SAVANNA	
<b>Potential yield (MT/ha)</b>	2.5 - 3	
<b>Special attributes</b>	HIGH YIELDING, YELLOW SEED (PRO VITAMIN A)	
<b>Characteristics</b>	CONSUMER PREFERENCE	
<b>Commercialization level</b>	FULL	
<b>Commercializing Company(ies)</b>	BASAMUKH, INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	SAMSORG 43	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG 44	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	

<b>Variety type</b>	OPV
<b>Year of release</b>	2011
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA/SUDAN SAVANNA AGROECOLOGIES
<b>Potential yield (MT/ha)</b>	2 - 2.5
<b>Special attributes</b>	HIGH YIELDING, HIGH CARBOHYDRATE (FLOUR)
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG 44
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	MESAY (MEKO X GOBYE-2)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2011
<b>Releasing entity</b>	SINANA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	SINANA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1850
<b>Maturity (Days)</b>	106 - 134
<b>Recommended ecological zones / region</b>	LOWLAND
<b>Potential yield (MT/ha)</b>	3.8 - 6.2
<b>Special attributes</b>	WHITE SEED COLOUR, RESISTANT TO MAJOR DISEASES AND STALK BORER





<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MESAY
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	DAGEM (97 MW 6130)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2011
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1600 - 1900
<b>Maturity (Days)</b>	158
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.7 - 5.4
<b>Special attributes</b>	BROWN SEED COLOUR, GOOD FOR INJERA MAKING, RESISTANT TO GRAIN MOLD, RESISTANT TO LEAF DISEASE

<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE, STORAGE PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	DAGEM
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	CHARE/PGRC/E#222880
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.



<b>Variety type</b>	OPV
<b>Year of release</b>	2011
<b>Releasing entity</b>	DEBRE BIRHAN AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	DEBRE BIRHAN AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1250 - 1600
<b>Maturity (Days)</b>	120
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4.2
<b>Special attributes</b>	SEMI-COMPACT PANICLE, WHITE SEED COLOUR, TOLERANT TO ANTHRACNOSE
<b>Characteristics</b>	DISEASE TOLERANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	CHARE
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KIBUYU
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2011
<b>Releasing entity</b>	LELDET LIMITED
<b>Maintainer</b>	LELDET LIMITED
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1500 - 1800
<b>Maturity (Days)</b>	120 - 150
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	3 - 4
<b>Special attributes</b>	WIDE ADAPTABILITY, DUAL PURPOSE, RED SEED, RESISTANT TO BIRD DAMAGE
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT



<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	LELDET LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	KIBUYU
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	MELKAM (WSV 387)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2009
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	118
<b>Recommended ecological zones / region</b>	LOWLAND
<b>Potential yield (MT/ha)</b>	3.7 - 5.8
<b>Special attributes</b>	SEMI-COMPACT AND ERECT PANICLE APPEARANCE, WHITE SEEDED, TOLERANT TO MAJOR LEAF DISEASES, VERY GOOD FOR INJERA

<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE
------------------------	---------------------------------------

<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MELKAM
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ESH-1
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2009





<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	115
<b>Recommended ecological zones / region</b>	LOWLAND
<b>Potential yield (MT/ha)</b>	5.0 - 5.5
<b>Special attributes</b>	SEMI-COMPACT AND ERECT PANICLE, WHITE SEEDED, TOLERANT TO MAJOR LEAF DISEASES
<b>Characteristics</b>	DISEASE TOLERANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ESH-1
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ESH-2
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	2009
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	120
<b>Recommended ecological zones / region</b>	LOWLAND
<b>Potential yield (MT/ha)</b>	4.2 - 6.0



<b>Special attributes</b>	SEMI-COMPACT AND ERECT PANICLE, WHITE SEEDED, TOLERANT TO MAJOR LEAF DISEASES
<b>Characteristics</b>	DISEASE TOLERANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ESH-2
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SILA	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2008	
<b>Releasing entity</b>	SEED CO LIMITED	
<b>Maintainer</b>	SEED CO LIMITED	
<b>Type of license</b>	NO DATA	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	600 - 1500	
<b>Maturity (Days)</b>	100	
<b>Recommended ecological zones / region</b>	DODOMA, SHINYANGA, SINGIDA	
<b>Potential yield (MT/ha)</b>	2.2 - 2.6	
<b>Special attributes</b>	DROUGHT TOLERANT, HIGH MALTING QUALITY, GOOD FOR HUMAN CONSUMPTION AND ANIMAL FODDER	
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE	
<b>Commercialization level</b>	NO DATA	
<b>Commercializing Company(ies)</b>	SEED CO LIMITED	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	SILA	
<b>Other countries of release</b>	KENYA	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	KARIA-SH2	
<b>Country</b>	KENYA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2008	
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION	

<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1500 - 2000
<b>Maturity (Days)</b>	165
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4
<b>Special attributes</b>	DUAL PURPOSE, TOLERANT TO RUST AND COLD
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	KARIA-SH2
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KARI MTAMA 2
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2008
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	500 - 1200
<b>Maturity (Days)</b>	105
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	3.5
<b>Special attributes</b>	RESISTANT TO BIRDS
<b>Characteristics</b>	FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT

<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	KARI MTAMA 2
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	LEGIO
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2008
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
-------------------	--

<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1000 - 2000
<b>Maturity (Days)</b>	120
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4.5
<b>Special attributes</b>	HIGH YIELD
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT

<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	LEGIO
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KABURU
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2008
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH
-------------------	---

## ORGANISATION

Type of license	NOT LICENSED
Maintenance status	NO DATA
Production altitude (masl)	500 - 1500
Maturity (Days)	105
Recommended ecological zones / region	-
Potential yield (MT/ha)	4
Special attributes	HIGH YIELD
Characteristics	CONSUMER PREFERENCE
Commercialization level	NOT COMMERCIALISED
Commercializing Company(ies)	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT
Presence in regional catalogue	-
Commercial names	KABURU
Other countries of release	-

Crop name	SORGHUM
Variety release name	GEDO
Country	ETHIOPIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2007
Releasing entity	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
Maintainer	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
Type of license	LICENCE NOT REQUIRED
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	1450 - 1850
Maturity (Days)	122
Recommended ecological zones / region	-
Potential yield (MT/ha)	3.4
Special attributes	STRIGA RESISTANT
Characteristics	FIELD PEST RESISTANT
Commercialization level	LIMITED
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	GEDO





Other countries of release

-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	87 BK - 4122 (GEREMEW)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2007
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1600 - 1800
<b>Maturity (Days)</b>	150 - 160
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4.9
<b>Special attributes</b>	FOOD TYPE
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	GEREMEW
<b>Other countries of release</b>	-

---



---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	RED SWAZI
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2007
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL



## RESEARCH


Type of license	LICENCE NOT REQUIRED
Maintenance status	SPORADICALLY MAINTAINED
Production altitude (masl)	500 - 1600
Maturity (Days)	106 - 112
Recommended ecological zones / region	LOWLAND
Potential yield (MT/ha)	3.0 - 3.3
Special attributes	MALTING TYPE
Characteristics	CONSUMER PREFERENCE
Commercialization level	LIMITED
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	RED SWAZI
Other countries of release	-


Crop name	SORGHUM
Variety release name	MACIA
Country	ETHIOPIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2007
Releasing entity	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



Maintainer	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
------------	--

Type of license	LICENCE NOT REQUIRED
Maintenance status	SPORADICALLY MAINTAINED
Production altitude (masl)	500 - 1600
Maturity (Days)	113 - 130
Recommended ecological zones / region	LOWLAND
Potential yield (MT/ha)	4.2 - 4.4
Special attributes	MALTING TYPE
Characteristics	CONSUMER PREFERENCE
Commercialization level	LIMITED
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	MACIA

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SORGHUM EMAHOY (PW01-092)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2007	
<b>Releasing entity</b>	PAWE AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Maintainer</b>	PAWE AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	700 - 1680	
<b>Maturity (Days)</b>	136 - 142	
<b>Recommended ecological zones / region</b>	LOWLAND	
<b>Potential yield (MT/ha)</b>	4.0 - 4.5	
<b>Special attributes</b>	RED SEED COLOUR	
<b>Commercialization level</b>	LIMITED	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	EMAHOY	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	RAYA (PGRC/EX222878XKAT369-1)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2007	
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	1450 - 1850	

<b>Maturity (Days)</b>	129
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	3.8
<b>Special attributes</b>	WHITE SEED COLOUR
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	RAYA
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	MISKIR (PGRC/E#69441XP-9401)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2007
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE



<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1450 - 1850
<b>Maturity (Days)</b>	126
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4.1
<b>Special attributes</b>	EARLY MATURITY
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MISKIR
<b>Other countries of release</b>	-


<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	GIRANA-1
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.



<b>Variety type</b>	OPV
<b>Year of release</b>	2007
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1450 - 1850
<b>Maturity (Days)</b>	122
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4.1
<b>Special attributes</b>	EARLY MATURITY
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	GIRANA-1
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	CSR 01*
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2006
<b>Releasing entity</b>	NIGERIAN BREWERIES PLC
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	100 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 2.5
<b>Special attributes</b>	EXCELLENT GRAINS QUALITIES FOR INDUSTRIAL USE IN-MALTING AND BREWING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL



Commercializing Company(ies)	ZEERAGRIC SEEDS, ATASP, GREENTILL AGRO VENTURE, LIFTED AGRO SEED LIMITED, RAHAMA SEEDS, FAHEEMA AGRO-ALLIED CONCEPT LIMITED, KAINUWA SEEDS AND AGRO LIMITED, TECNI SEED NIGERIA LIMITED, SENTEX AGROTEK, YABO AGRO, MASROTUN SEEDS, MAAP SEED, BAGAUDA SEED LIMITED, VITAE SEED LIMITED, VITAL SEEDS, INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT, PREMIER SEED	
Presence in regional catalogue	-	
Commercial names	CSR 01*	
Other countries of release	-	

Crop name	SORGHUM
Variety release name	CSR 02*
Country	NIGERIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2006
Releasing entity	NIGERIAN BREWERIES PLC
Maintainer	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
Type of license	LICENCE NOT REQUIRED
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	350 - 800
Maturity (Days)	102 - 107
Recommended ecological zones / region	SUDAN AND NORTHERN GUINEA SAVANNA
Potential yield (MT/ha)	1.8 - 2.5
Special attributes	EXCELLENT GRAINS QUALITIES FOR INDISTRIAL USE IN MALTING AND BREWING
Characteristics	CONSUMER PREFERENCE
Commercialization level	FULL
Commercializing Company(ies)	YABO AGRO, MAAP SEED, INSTITUTE FOR AGRICULTURAL RESEARCH SEEDS UNIT, PREMIER SEED
Presence in regional catalogue	-
Commercial names	CSR 02*
Other countries of release	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	LALO (BRC-245)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2006
<b>Releasing entity</b>	BAKO AGRICULTURAL RESEARCH CENTER/ROMIA AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	BAKO AGRICULTURAL RESEARCH CENTER/ROMIA AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1500 - 1900
<b>Maturity (Days)</b>	199
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4.0 - 5.2
<b>Special attributes</b>	LIGHT ORANGE SEED COLOUR, LOOSE INFLORESCENCE
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	LALO
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	DANO (BRC-378)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2006
<b>Releasing entity</b>	BAKO AGRICULTURAL RESEARCH CENTER/ROMIA AGRICULTURAL RESEARCH INSTITUTE
<b>Maintainer</b>	BAKO AGRICULTURAL RESEARCH CENTER/ROMIA AGRICULTURAL RESEARCH INSTITUTE
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1500 - 1900
<b>Maturity (Days)</b>	198



<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	4.0 - 5.0
<b>Special attributes</b>	STAY-GREEN AFTER PHYSIOLOGICAL MATURITY, POPPING TYPE
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	DNO
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SILA
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2006
<b>Releasing entity</b>	AGRI SEEDCO LIMITED
<b>Maintainer</b>	SEED CO ZAMBIA
<b>Type of license</b>	PROPRIETARY
<b>Maintenance status</b>	SPORADICALLY MAINTAINED
<b>Production altitude (masl)</b>	250 - 1800
<b>Maturity (Days)</b>	90 - 105
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2 - 4
<b>Special attributes</b>	DUAL PURPOSE
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	AGRISEED/SEED CO
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SILA
<b>Other countries of release</b>	TANZANIA




<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	CHELENKO ETS 1176
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2005





<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1900 - 2700
<b>Maturity (Days)</b>	181 - 207
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.9 - 6.3
<b>Special attributes</b>	RED SEED COLOUR
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	CHELENKO
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	HORMAT - (ICSV 1112 BF)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2005	
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	1450 - 1850	
<b>Maturity (Days)</b>	121	
<b>Recommended ecological zones / region</b>	-	
<b>Potential yield (MT/ha)</b>	2.3	
<b>Special attributes</b>	WHITE SEED COLOUR	
<b>Commercialization level</b>	LIMITED	
<b>Commercializing Company(ies)</b>	-	

<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	HORMAT
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ABUARE (90MW 5353)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2003
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE



<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1850
<b>Maturity (Days)</b>	102 - 157
<b>Recommended ecological zones / region</b>	KOBO, SIRINKA, MERSA, CHEFA, AND SIMILAR AREAS
<b>Potential yield (MT/ha)</b>	2.6 - 5.7
<b>Special attributes</b>	WHITE SEED COLOR, YELLOW FLOWER
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ABUARE
<b>Other countries of release</b>	-


<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	HAKIKA
<b>Country</b>	TANZANIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2002
<b>Releasing entity</b>	AGRICULTURAL RESEARCH INSTITUTE - ILONGA
<b>Maintainer</b>	AGRICULTURAL RESEARCH INSTITUTE - ILONGA
<b>Type of license</b>	NON-EXCLUSIVE
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	600 - 1500
<b>Maturity (Days)</b>	105




<b>Recommended ecological zones / region</b>	MOROGORO, DODOMA, SHINYANGA, KILIMANJARO, SINGIDA, PWANI
<b>Potential yield (MT/ha)</b>	3.5
<b>Special attributes</b>	RESISTANT TO STRIGA HERMONTHICA, RESISTANT TO S. ASIATICA, RESISTANT TO S. FORBESII, RESISTANT TO LEAF BLIGHT
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	HAKIKA
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	WAHI	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2002	
<b>Releasing entity</b>	AGRICULTURAL RESEARCH INSTITUTE - ILONGA	
<b>Maintainer</b>	AGRICULTURAL RESEARCH INSTITUTE - ILONGA	
<b>Type of license</b>	NON-EXCLUSIVE	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	600 - 1500	
<b>Maturity (Days)</b>	100	
<b>Recommended ecological zones / region</b>	MOROGORO, DODOMA, SHINYANGA, KILIMANJARO, SINGIDA, PWANI	
<b>Potential yield (MT/ha)</b>	3.5	
<b>Special attributes</b>	TOLERANT TO STRIGA HERMONTHICA, TOLERANT TO S. ASIATICA, TOLERANT TO S. FORBESII, RESISTANT TO LEAF BLIGHT, RESISTANT TO SOOTY STRIPE, SUSCEPTIBLE TO LONG SMUT	
<b>Characteristics</b>	DISEASE TOLERANT, FIELD PEST RESISTANT	
<b>Commercialization level</b>	FULL	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	WAHI	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	BIRHAN (KEY#8566)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2002	
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	0 - 1850	
<b>Maturity (Days)</b>	101	
<b>Recommended ecological zones / region</b>	STRIGA PRONE AREAS OF WOLLO	
<b>Potential yield (MT/ha)</b>	4	
<b>Special attributes</b>	REDDISH BROWN SEED COLOR, YELLOW FLOWER	
<b>Commercialization level</b>	LIMITED	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	BIRHAN	
<b>Other countries of release</b>	-	


<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	TESHALE (3443-2-OP)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2002	
<b>Releasing entity</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE/MELKASA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Maintainer</b>	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE/MELKASA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	


Type of license	LICENCE NOT REQUIRED
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	0 - 1850
Maturity (Days)	123
Recommended ecological zones / region	LOWLAND SORGHUM GROWING AREAS
Potential yield (MT/ha)	6.1
Special attributes	WHITE SEED COLOR, YELLOW FLOWER
Commercialization level	LIMITED
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	TESHALE
Other countries of release	-

Crop name	SORGHUM
Variety release name	YEJU (ICSV 111 INC)
Country	ETHIOPIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	2002
Releasing entity	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE
Maintainer	SIRINKA AGRICULTURAL RESEARCH CENTER/AMHARA REGIONAL AGRICULTURAL RESEARCH INSTITUTE



Type of license	LICENCE NOT REQUIRED
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	0 - 1850
Maturity (Days)	108
Recommended ecological zones / region	DRY AREAS OF WOLLO
Potential yield (MT/ha)	5
Special attributes	WHITE SEED COLOR, YELLOW FLOWER
Commercialization level	LIMITED
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	YEJU
Other countries of release	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	ABA-MELKO (SARTU)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2001	
<b>Releasing entity</b>	JIMMA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Maintainer</b>	JIMMA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	1600 - 1800	
<b>Maturity (Days)</b>	160 - 180	
<b>Recommended ecological zones / region</b>	SOUTH WESTERN REGION	
<b>Potential yield (MT/ha)</b>	7.5	
<b>Special attributes</b>	RED TO BROWN SEED, WHITE BROWN COLOR	
<b>Commercialization level</b>	LIMITED	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	ABA-MELKO	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	MUYRA-1 (EST-1005)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	2000	
<b>Releasing entity</b>	HARAMAYA UNIVERSITY	
<b>Maintainer</b>	HARAMAYA UNIVERSITY	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	1900 - 2600	
<b>Maturity (Days)</b>	-	
<b>Recommended ecological zones / region</b>	HIGHLANDS OF EASTERN HARARGHE	
<b>Potential yield (MT/ha)</b>	8.3	
<b>Special attributes</b>	WHITE SEED, WHITE FLOWER	

<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MUYRA-1
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	MUYRA-2 (EST-567)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2000
<b>Releasing entity</b>	HARAMAYA UNIVERSITY
<b>Maintainer</b>	HARAMAYA UNIVERSITY
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	1900 - 2600
<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	HIGHLANDS OF EASTERN HARARGHE
<b>Potential yield (MT/ha)</b>	6.8
<b>Special attributes</b>	-
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MUYRA-2
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	GUBIYE (P-9401)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2000
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	95 - 120
<b>Recommended ecological zones / region</b>	LOWLANDS
<b>Potential yield (MT/ha)</b>	2.7
<b>Special attributes</b>	WHITE SEED, WHITE FLOWER
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	GUBIYE
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	ABSHIR (P-9403)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2000
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	95 - 120
<b>Recommended ecological zones / region</b>	LOWLANDS
<b>Potential yield (MT/ha)</b>	2.4
<b>Special attributes</b>	WHITE SEED, WHITE FLOWER
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	ABSHIR
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	E1291
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2000
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - LANET
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	SPORADICALLY MAINTAINED
<b>Production altitude (masl)</b>	1750 - 2300
<b>Maturity (Days)</b>	210
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.7
<b>Special attributes</b>	DUAL PURPOSE, GOOD BEVERAGE QUALITY
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	KENYA SEED COMPANY LIMITED, LEDET LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	E1291
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	E6518
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2000
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - LANET
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1750 - 2300
<b>Maturity (Days)</b>	240



<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	3.4
<b>Special attributes</b>	HIGH QUALITY
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	EMERGING
<b>Commercializing Company(ies)</b>	LELDET LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	E6518
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KARI MTAMA 1
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	2000
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KATUMANI
-------------------	---

<b>Type of license</b>	NON-EXCLUSIVE
<b>Maintenance status</b>	SPORADICALLY MAINTAINED
<b>Production altitude (masl)</b>	250 - 1800
<b>Maturity (Days)</b>	90 - 105
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	3.4
<b>Special attributes</b>	TOLERANT TO STEM BORER
<b>Characteristics</b>	FIELD PEST RESISTANT
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	KARI MTAMA 1
<b>Other countries of release</b>	-

---


<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	KAT/PRO I
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1998
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
<b>Type of license</b>	EXCLUSIVE
<b>Maintenance status</b>	SPORADICALLY MAINTAINED
<b>Production altitude (masl)</b>	1000 - 1700
<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	1.4
<b>Special attributes</b>	-
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	KENYA SEED COMPANY LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	KAT/PRO I
<b>Other countries of release</b>	-




<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	MACIA
<b>Country</b>	TANZANIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1998
<b>Releasing entity</b>	AGRICULTURAL RESEARCH INSTITUTE - ILONGA
<b>Maintainer</b>	AGRICULTURAL RESEARCH INSTITUTE - ILONGA
<b>Type of license</b>	NON-EXCLUSIVE
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	600 - 1500
<b>Maturity (Days)</b>	120
<b>Recommended ecological zones / region</b>	MOROGORO, DODOMA, SHINYANGA, KILIMANJARO, SINGIDA, PWANI
<b>Potential yield (MT/ha)</b>	2.5 - 3



<b>Special attributes</b>	RESISTANT TO STRIGA HERMONTHICA, RESISTANT TO S. ASIATICA, RESISTANT TO S. FORBESII
<b>Characteristics</b>	FIELD PEST RESISTANT
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	MACIA
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	PATO	
<b>Country</b>	TANZANIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	1997	
<b>Releasing entity</b>	AGRICULTURAL RESEARCH INSTITUTE - ILONGA	
<b>Maintainer</b>	AGRICULTURAL RESEARCH INSTITUTE - ILONGA	
<b>Type of license</b>	NON-EXCLUSIVE	
<b>Maintenance status</b>	ACTIVELY MAINTAINED	
<b>Production altitude (masl)</b>	600 - 1500	
<b>Maturity (Days)</b>	120	
<b>Recommended ecological zones / region</b>	MOROGORO, DODOMA, SHINYANGA, KILIMANAJARO, SINGIDA, PWANI	
<b>Potential yield (MT/ha)</b>	1.6 - 3.3	
<b>Special attributes</b>	SUSCEPTIBLE TO STRIGA HERMONTHICA, SUSCEPTIBLE TO S. ASIATICA, SUSCEPTIBLE TO S. FORBESII	
<b>Commercialization level</b>	FULL	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	PATO	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	MEKO-1 ( M-36121)	
<b>Country</b>	ETHIOPIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	1997	
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL	

## RESEARCH

<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	NOT MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	LOWLAND
<b>Potential yield (MT/ha)</b>	3.3
<b>Special attributes</b>	WHITE SEED COLOUR
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	BAJI (85 MW 5334)
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1996
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	NOT MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	-
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-

Presence in regional catalogue -  
Commercial names -  
Other countries of release -

---

Crop name SORGHUM  
Variety release name CHIRO (COLL#4)  
Country ETHIOPIA  
Botanical name SORGHUM BICOLOR L.  
Variety type OPV  
Year of release 1996  
Releasing entity MELKASSA AGRICULTURAL RESEARCH  
CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL  
RESEARCH



Maintainer MELKASSA AGRICULTURAL RESEARCH  
CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL  
RESEARCH

Type of license LICENCE NOT REQUIRED  
Maintenance status NOT MAINTAINED  
Production altitude (masl) 0 - 1600  
Maturity (Days) -  
Recommended ecological  
zones / region -  
Potential yield (MT/ha) -  
Special attributes -  
Commercialization level NOT COMMERCIALISED  
Commercializing Company(ies) -  
Presence in regional catalogue -  
Commercial names -  
Other countries of release -

---

Crop name SORGHUM  
Variety release name IS8193  
Country KENYA  
Botanical name SORGHUM BICOLOR L.  
Variety type OPV  
Year of release 1996  
Releasing entity KENYA AGRICULTURAL AND LIVESTOCK RESEARCH  
ORGANISATION



Maintainer KENYA AGRICULTURAL AND LIVESTOCK RESEARCH  
ORGANISATION

Type of license	NOT LICENSED
Maintenance status	SPORADICALLY MAINTAINED
Production altitude (masl)	500 - 1600
Maturity (Days)	120
Recommended ecological zones / region	-
Potential yield (MT/ha)	2.5
Special attributes	RESISTANT TO BIRD DAMAGE
Characteristics	FIELD PEST RESISTANT
Commercialization level	LIMITED
Commercializing Company(ies)	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT
Presence in regional catalogue	-
Commercial names	IS8193
Other countries of release	-

Crop name	SORGHUM
Variety release name	IKINYALUKA
Country	KENYA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	1996
Releasing entity	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



Maintainer	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - KAKAMEGA
------------	---

Type of license	NOT LICENSED
Maintenance status	SPORADICALLY MAINTAINED
Production altitude (masl)	1750 - 2300
Maturity (Days)	210
Recommended ecological zones / region	-
Potential yield (MT/ha)	-
Special attributes	HIGH QUALITY FORAGE
Characteristics	CONSUMER PREFERENCE
Commercialization level	LIMITED
Commercializing Company(ies)	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT, LELDET LIMITED
Presence in regional catalogue	-
Commercial names	IKINYALUKA

Other countries of release

-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	GADAM
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1994
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1500
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	COASTAL AND SEMI-ARID LOWLANDS
<b>Potential yield (MT/ha)</b>	2 - 2.5
<b>Special attributes</b>	SPECIALLY ADAPTED TO COASTAL AND SEMI-ARID LOWLANDS
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	DRYLAND SEED LIMITED, FRESHCO KENYA LIMITED, KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT, KENYA SEED COMPANY LIMITED, LEDET LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	GADAM
<b>Other countries of release</b>	-

---



---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	BIRMASH
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1989
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH

---





<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	NOT MAINTAINED
<b>Production altitude (masl)</b>	1600 - 1900
<b>Maturity (Days)</b>	88 - 120
<b>Recommended ecological zones / region</b>	MID-ALTITUDE
<b>Potential yield (MT/ha)</b>	6.6
<b>Special attributes</b>	-
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SEREDO
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1986
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	SPORADICALLY MAINTAINED
<b>Production altitude (masl)</b>	0 - 1600
<b>Maturity (Days)</b>	70 - 90
<b>Recommended ecological zones / region</b>	LOWLANDS, 600 MM RAINFALL
<b>Potential yield (MT/ha)</b>	4
<b>Special attributes</b>	-
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-

Other countries of release KENYA, RWANDA

---

**Crop name** SORGHUM  
**Variety release name** DINKIMASH  
**Country** ETHIOPIA  
**Botanical name** SORGHUM BICOLOR L.  
**Variety type** OPV  
**Year of release** 1986  
**Releasing entity** MELKASSA AGRICULTURAL RESEARCH  
CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL  
RESEARCH



**Maintainer** MELKASSA AGRICULTURAL RESEARCH  
CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL  
RESEARCH

**Type of license** LICENCE NOT REQUIRED  
**Maintenance status** NOT MAINTAINED  
**Production altitude (masl)** 0 - 1600  
**Maturity (Days)** 63 - 90  
**Recommended ecological  
zones / region** LOWLAND  
**Potential yield (MT/ha)** 5  
**Special attributes** WHITE SEED COLOUR  
**Commercialization level** NOT COMMERCIALISED  
**Commercializing Company(ies)** -  
**Presence in regional catalogue** -  
**Commercial names** -  
**Other countries of release** -

---

**Crop name** SORGHUM  
**Variety release name** SAMSORG-7  
**Country** NIGERIA  
**Botanical name** SORGHUM BICOLOR L.  
**Variety type** OPV  
**Year of release** 1984  
**Releasing entity** INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU,  
ZARIA



**Maintainer** INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU,  
ZARIA

**Type of license** LICENCE NOT REQUIRED

<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-7
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-8
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1984
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-8
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-9
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1984
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.8 - 3.5
<b>Special attributes</b>	EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-9
<b>Other countries of release</b>	-




<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-13
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	140 - 150




<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA AND SOUTHERN SUDAN SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3.0
<b>Special attributes</b>	SHORT, SEMI-DWARF MEDIUM SEASON VARIETY
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-13
<b>Other countries of release</b>	-


---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-14	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	1982	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	SPORADICALLY MAINTAINED	
<b>Production altitude (masl)</b>	350 - 800	
<b>Maturity (Days)</b>	90 - 110	
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA AND SOUTHERN SUDAN SAVANNA	
<b>Potential yield (MT/ha)</b>	1.5 - 3	
<b>Special attributes</b>	TOLERANT TO STRIGA	
<b>Characteristics</b>	FIELD PEST RESISTANT	
<b>Commercialization level</b>	LIMITED	
<b>Commercializing Company(ies)</b>	AGROECOLOGICAL SEEDS, BASAMUKH	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	SAMSORG-14	
<b>Other countries of release</b>	-	

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-23	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	

<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 700
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	HIGH YIELDING, TOLERANT TO STRIGA
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-23
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-24	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	1982	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	RETIRED	
<b>Production altitude (masl)</b>	100 - 700	
<b>Maturity (Days)</b>	150 - 165	
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA AND SOUTHERN SUDAN SAVANNA	
<b>Potential yield (MT/ha)</b>	1.8 - 3	
<b>Special attributes</b>	GOOD FOR BREWING, TOLERANT TO STRIGA, HIGH YIELDING	
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT	

<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-24
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-25
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	100 - 800
<b>Maturity (Days)</b>	150 - 165
<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3.5
<b>Special attributes</b>	HIGH YIELDING, TOLERANT TO STRIGA
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-25
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-26
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	100 - 800
<b>Maturity (Days)</b>	150 - 165
<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3.5
<b>Special attributes</b>	HIGH YIELDING
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-26
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-38
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT)
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	70 - 90
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	3 - 4
<b>Special attributes</b>	HIGH YIELDING, EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-38



Other countries of release -

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-39
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT)
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	70 - 90
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	3 - 4
<b>Special attributes</b>	HIGH YIELDING, EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-39
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-40
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - KANO
-------------------	--

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED

<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	75 - 80
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.5 - 2.0
<b>Special attributes</b>	NON-LODGING, DROUGHT TOLERANT, NON-SCENT VARIETY WITH GOOD RESPONSE TO FERTILIZERS, GRAINS HAVE GOOD FOOD AND MALTING QUALITY
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	SHIAGRO NIGERIA LIMITED, MAAP SEED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-40
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-41
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - KANO
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	75 - 80
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.5 - 2.0
<b>Special attributes</b>	HARD GRAINS WITH GOOD LOCAL FOOD QUALITY, HIGH YIELDING, DROUGHT TOLERANT
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	RAHAMA SEEDS, AGROECOLOGICAL SEEDS
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-41
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-5
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.8 - 3.5
<b>Special attributes</b>	VERY EARLY MATURING VARIETY, DWARF SORGHUM VARIETY
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-5
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-6
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800



<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-6
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-H1
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	HIGH YIELDING, EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-H1
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-H2
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	-
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	HIGH YIELDING, EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-H2
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-H3
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	HYBRID
<b>Year of release</b>	1982
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - KANO
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	-



<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	STABLE, HIGH YIELDING, DROUGHT TOLERANT, GOOD HYBRID GRAINS, GOOD MALTING PROPERTY
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-H3
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-H4	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	HYBRID	
<b>Year of release</b>	1982	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Maintainer</b>	INTERNATIONAL CROPS RESEARCH INSTITUTE FOR THE SEMI-ARID TROPICS (ICRISAT) - KANO	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	RETIRED	
<b>Production altitude (masl)</b>	250 - 800	
<b>Maturity (Days)</b>	-	
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES	
<b>Potential yield (MT/ha)</b>	-	
<b>Special attributes</b>	STABLE, HIGH YIELDING, DROUGHT TOLERANT, GOOD HYBRID GRAINS	
<b>Characteristics</b>	DROUGHT TOLERANT, CONSUMER PREFERENCE	
<b>Commercialization level</b>	NOT COMMERCIALISED	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	-	
<b>Other countries of release</b>	-	

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	IS8595
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1982
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	250 - 1800
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.7
<b>Special attributes</b>	GRAIN COVERED BY GLUM, LOW BIRD DAMAGE
<b>Characteristics</b>	FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	IS8595
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	IS76
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1981
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
<b>Type of license</b>	EXCLUSIVE
<b>Maintenance status</b>	NO DATA



<b>Production altitude (masl)</b>	250 - 1500
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2 - 3
<b>Special attributes</b>	SEMI-HARD ENDOSPERM
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	KENYA SEED COMPANY LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	IS76
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	IS 9302
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1981
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	NOT MAINTAINED
<b>Production altitude (masl)</b>	1600 - 1900
<b>Maturity (Days)</b>	87 - 120
<b>Recommended ecological zones / region</b>	MID-ALTITUDE
<b>Potential yield (MT/ha)</b>	3.5
<b>Special attributes</b>	RED SEED COLOUR
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-





<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	2K X 17
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1981
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
<b>Type of license</b>	EXCLUSIVE
<b>Maintenance status</b>	SPORADICALLY MAINTAINED
<b>Production altitude (masl)</b>	250 - 1500
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.5
<b>Special attributes</b>	HARD ENDOSPERM, DEHULLED TO MAKE A RICE LIKE PRODUCT
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	LIMITED
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT, KENYA SEED COMPANY LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	2K X 17
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	76TI# 23
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1979
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



Type of license	LICENCE NOT REQUIRED
Maintenance status	NOT MAINTAINED
Production altitude (masl)	0 - 1600
Maturity (Days)	70 - 90
Recommended ecological zones / region	LOWLAND, 600 MM RAINFALL
Potential yield (MT/ha)	2.6
Special attributes	WHITE SEED COLOUR
Commercialization level	NOT COMMERCIALISED
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	-
Other countries of release	-

Crop name	SORGHUM
Variety release name	TEGEMEO
Country	TANZANIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	1978
Releasing entity	AGRICULTURAL RESEARCH INSTITUTE - ILONGA
Maintainer	AGRICULTURAL RESEARCH INSTITUTE - ILONGA
Type of license	NON-EXCLUSIVE
Maintenance status	ACTIVELY MAINTAINED
Production altitude (masl)	600 - 1500
Maturity (Days)	120
Recommended ecological zones / region	MOROGORO, DODOMA, SHINYANGA, KILIMANAJARO, SINGIDA, PWANI
Potential yield (MT/ha)	2.5 - 3
Special attributes	SUSCEPTIBLE TO STRIGA HERMONTHICA, SUSCEPTIBLE TO S. ASIATICA, SUSCEPTIBLE TO S. FORBESII
Commercialization level	FULL
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	TEGEMEO
Other countries of release	KENYA



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	BJ28
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1978
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION - LANET
<b>Type of license</b>	EXCLUSIVE
<b>Maintenance status</b>	NO DATA
<b>Production altitude (masl)</b>	1750 - 2300
<b>Maturity (Days)</b>	210
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.5 - 3
<b>Special attributes</b>	DUAL PURPOSE
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION SEED UNIT
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	BJ28
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-11
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1977
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED



<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	140 - 150
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	-
<b>Special attributes</b>	EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-11
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-12
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1977
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 800
<b>Maturity (Days)</b>	140 - 150
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA AND SOUTHERN SUDAN SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	TOLERANT TO STRIGA
<b>Characteristics</b>	FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-12
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-2
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1977
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	90 - 100
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.5 - 3
<b>Special attributes</b>	EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-2
<b>Other countries of release</b>	-




<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-20
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1977
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 700
<b>Maturity (Days)</b>	160 - 180



<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	HIGH YIELDING, TOLERANT TO STRIGA
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	-
<b>Other countries of release</b>	-


---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-21	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	1977	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	

<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
-------------------	---


<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 700
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	TOLERANT TO STRIGA
<b>Characteristics</b>	FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-21
<b>Other countries of release</b>	-

---


<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-22	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	


<b>Variety type</b>	OPV
<b>Year of release</b>	1977
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 700
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	HIGH YIELDING, TOLERANT TO STRIGA
<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-22
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-3	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	1977	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	RETIRED	
<b>Production altitude (masl)</b>	250 - 800	
<b>Maturity (Days)</b>	90 - 100	
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES	
<b>Potential yield (MT/ha)</b>	1.8 - 2	
<b>Special attributes</b>	EARLY MATURING, TOLERANT TO STRIGA, GOOD PALABILITY	

<b>Characteristics</b>	CONSUMER PREFERENCE, FIELD PEST RESISTANT
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-3
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-35	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	1977	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	
<b>Type of license</b>	LICENCE NOT REQUIRED	
<b>Maintenance status</b>	RETIRED	
<b>Production altitude (masl)</b>	100 - 800	
<b>Maturity (Days)</b>	160 - 180	
<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA SAVANNA	
<b>Potential yield (MT/ha)</b>	1.5 - 3	
<b>Special attributes</b>	HIGH YIELDING	
<b>Characteristics</b>	CONSUMER PREFERENCE	
<b>Commercialization level</b>	NOT COMMERCIALISED	
<b>Commercializing Company(ies)</b>	-	
<b>Presence in regional catalogue</b>	-	
<b>Commercial names</b>	SAMSORG-35	
<b>Other countries of release</b>	-	

<b>Crop name</b>	SORGHUM	
<b>Variety release name</b>	SAMSORG-36	
<b>Country</b>	NIGERIA	
<b>Botanical name</b>	SORGHUM BICOLOR L.	
<b>Variety type</b>	OPV	
<b>Year of release</b>	1977	
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA	



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	100 - 800
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.5 - 3
<b>Special attributes</b>	HIGH YIELDING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-36
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-37
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1977
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	100 - 800
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.5 - 3
<b>Special attributes</b>	HIGH YIELDING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-37

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-4
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1977
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	250 - 800
<b>Maturity (Days)</b>	90 - 110
<b>Recommended ecological zones / region</b>	SUDAN AND SAHEL SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.5 - 2
<b>Special attributes</b>	EARLY MATURING, RESISTANT TO MAJOR DISEASES
<b>Characteristics</b>	DISEASE TOLERANT, CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-4
<b>Other countries of release</b>	-

---



---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	GAMBELLA 1107
<b>Country</b>	ETHIOPIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1976
<b>Releasing entity</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH
<b>Maintainer</b>	MELKASSA AGRICULTURAL RESEARCH CENTER/ETHIOPIAN INSTITUTE OF AGRICULTURAL RESEARCH



Type of license	LICENCE NOT REQUIRED
Maintenance status	SPORADICALLY MAINTAINED
Production altitude (masl)	0 - 1600
Maturity (Days)	80 - 95
Recommended ecological zones / region	LOWLAND, 500 - 800 MM RAINFALL
Potential yield (MT/ha)	3.1
Special attributes	WHITE SEED COLOUR
Commercialization level	NOT COMMERCIALISED
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	-
Other countries of release	-

Crop name	SORGHUM
Variety release name	SAMSORG-1
Country	NIGERIA
Botanical name	SORGHUM BICOLOR L.
Variety type	OPV
Year of release	1970
Releasing entity	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



Maintainer	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
------------	---

Type of license	LICENCE NOT REQUIRED
Maintenance status	RETIRED
Production altitude (masl)	350 - 800
Maturity (Days)	90 - 100
Recommended ecological zones / region	SUDAN AND SAHEL SAVANNA ZONES
Potential yield (MT/ha)	1.5 - 2.5
Special attributes	RESISTANT TO LEAF BLIGHT, RESISTANT TO SOOTY STRIPE, RESISTANT TO ZONATE LEAF SPOT
Characteristics	DISEASE TOLERANT
Commercialization level	NOT COMMERCIALISED
Commercializing Company(ies)	-
Presence in regional catalogue	-
Commercial names	SAMSORG-1
Other countries of release	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-10
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1970
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	100 - 800
<b>Maturity (Days)</b>	140 - 150
<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA AND SUDAN SAVANNA ZONES
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	EARLY MATURING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-10
<b>Other countries of release</b>	-



<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-15
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1970
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	100 - 300
<b>Maturity (Days)</b>	160 - 180



<b>Recommended ecological zones / region</b>	SOUTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	HIGH YIELDING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-15
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-16
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1970
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA

<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
-------------------	---

<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 700
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	HIGH YIELDING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-16
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-17
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.



<b>Variety type</b>	OPV
<b>Year of release</b>	1970
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	100 - 700
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	NORTHERN AND SOUTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	GOOD FOR BREWING, HIGH YIELDING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	GOLDAGRIC NIGERIA LIMITED, AISAN SEEDS NIGERIA LIMITED, MITUBI AGRO ALLIED, MAILAYA INDUSTRIES LIMITED, PARISOR GLOBAL CONCEPT LIMITED, ASRAMM FARMS, PRO IMPORT AND EXPORT SYNERGY, MAZEEB SEEDS, DANDUTSE INTEGRATED FARMS LIMITED, TUKUNYAR GWARI SEED, TAGO AGRO VENTURE, FALGATES SEEDS, VALUE SEEDS LIMITED, AHUTA AND BROTHERS, JAMY NAGARI SEED LIMITED, SHIAGRO NIGERIA LIMITED, MASLAHA SEED NIGERIA LIMITED, ABU ANAS AGRO VENTURES, AL-MUBARAK SEED LIMITED, GALKO AGRO LIMITED, HALSYON FARMS, FAHEEMA AGRO-ALLIED CONCEPT LIMITED, TECNI SEED NIGERIA LIMITED, SENTEX AGROTEK, HILLA AGRO SEED, YABANYA SEED, YABO AGRO, SOKODABO AGRO LINKS, BAGAUDA SEED LIMITED, VITAL SEEDS, AS-SAMAD, NAGARI, BASAMUKH, PREMIER SEED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SK5912
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-18
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1970
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU,



ZARIA

<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 700
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	HIGH YIELDING
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SAMSORG-18
<b>Other countries of release</b>	-

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SAMSORG-19
<b>Country</b>	NIGERIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1970
<b>Releasing entity</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA



<b>Maintainer</b>	INSTITUTE FOR AGRICULTURAL RESEARCH - SAMARU, ZARIA
<b>Type of license</b>	LICENCE NOT REQUIRED
<b>Maintenance status</b>	RETIRED
<b>Production altitude (masl)</b>	350 - 700
<b>Maturity (Days)</b>	160 - 180
<b>Recommended ecological zones / region</b>	NORTHERN GUINEA AND SUDAN SAVANNA
<b>Potential yield (MT/ha)</b>	1.8 - 3
<b>Special attributes</b>	HIGH YIELDING, HIGH QUALITY PEARLY GRAIN
<b>Characteristics</b>	CONSUMER PREFERENCE
<b>Commercialization level</b>	NOT COMMERCIALISED
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-

<b>Commercial names</b>	SAMSORG-19
<b>Other countries of release</b>	-

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SERENA
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1970
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION/KENYA SEED COMPANY LIMITED
-------------------	---

<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	250 - 1750
<b>Maturity (Days)</b>	90
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.7
<b>Special attributes</b>	WIDE ADAPTABILITY
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	KENYA SEED COMPANY LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SERENA
<b>Other countries of release</b>	TANZANIA, RWANDA

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SEREDO
<b>Country</b>	KENYA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1970
<b>Releasing entity</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION



<b>Maintainer</b>	KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANISATION
-------------------	--

<b>Type of license</b>	NOT LICENSED
<b>Maintenance status</b>	ACTIVELY MAINTAINED



<b>Production altitude (masl)</b>	250 - 1750
<b>Maturity (Days)</b>	120
<b>Recommended ecological zones / region</b>	-
<b>Potential yield (MT/ha)</b>	2.7
<b>Special attributes</b>	WIDE ADAPTABILITY
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	DRYLAND SEED LIMITED, KENYA SEED COMPANY LIMITED
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SEREDO
<b>Other countries of release</b>	ETHIOPIA, RWANDA

---

<b>Crop name</b>	SORGHUM
<b>Variety release name</b>	SERENA
<b>Country</b>	TANZANIA
<b>Botanical name</b>	SORGHUM BICOLOR L.
<b>Variety type</b>	OPV
<b>Year of release</b>	1960
<b>Releasing entity</b>	KENYA SEED COMPANY LIMITED/KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANIZATION
<b>Maintainer</b>	KENYA SEED COMPANY LIMITED/KENYA AGRICULTURAL AND LIVESTOCK RESEARCH ORGANIZATION
<b>Type of license</b>	NO DATA
<b>Maintenance status</b>	ACTIVELY MAINTAINED
<b>Production altitude (masl)</b>	600 - 1500
<b>Maturity (Days)</b>	105 - 115
<b>Recommended ecological zones / region</b>	MOROGORO, DODOMA, SHINYANGA, KILIMANJARO, SINGIDA, PWANI
<b>Potential yield (MT/ha)</b>	3 - 3.5
<b>Special attributes</b>	TOLERANT TO STRIGA HERMONTHICA, TOLERANT TO S. ASIATICA, TOLERANT TO S. FORBESII
<b>Characteristics</b>	FIELD PEST RESISTANT
<b>Commercialization level</b>	FULL
<b>Commercializing Company(ies)</b>	-
<b>Presence in regional catalogue</b>	-
<b>Commercial names</b>	SERENA
<b>Other countries of release</b>	KENYA, UGANDA

---



