Test Plan - SCRUM-5

[VWO] Add Passkey and SSO Login Options to VWO Login Page

Review draft v0.2 | 25 October 2026 | Source: complete Jira REST ticket retrieved 25 October 2026 | No execution performed

Jira authentication and complete SCRUM-5 retrieval succeeded. The ticket contains original UI/SSO criteria plus Additional Acceptance Criteria - Proposed and a proposed Definition of Done. Proposed items are documented as draft requirements awaiting author approval. This plan does not use the earlier general login PRD as ticket requirements.

1. Scope & Objectives

Validate the two new login options alongside existing authentication methods: their required visibility and position, SSO success and invalid-credential handling, and the proposed Passkey, failure recovery, compatibility, accessibility and regression behaviors pending author approval. The story goal is more secure and convenient access without relying solely on email/password.

Field	Retrieved Jira evidence
Key / issue type	SCRUM-5 / Story (type stated in description)
Title	[VWO] Add Passkey and SSO Login Options to VWO Login Page
Project / epic	Description: VWO Project; Epic Link: Authentication Enhancements. Jira navigation shows AIBlueprint; actual parent field says Add parent. Relationship not verified.
Status / priority	Live Jira fields: In Progress / Medium. Description still states To Do / High; reconcile stale prose with live fields.
Assignment / schedule	Unassigned. Sprint, due date, start date and story points are unset in visible fields. Fix version and components not visible.
Linked issues / attachments	Retrieved issue fields contain no linked issues or attachments. Components and fix versions are empty; sprint is unset.
Company context	Local mycompanydetails.md describes VWO as a Bingify product providing website A/B testing and states 5,000 employees. Supplied internal context only; not independently verified or acceptance criteria.
Brand asset	misc/company.png is an empty 0-byte file; no usable logo is available. Text-only branding used pending replacement.

Ticket requirement baseline - original criteria

Reference	Original ticket requirement
ST-01	User can log in using Passkey or SSO for secure, convenient access alongside existing authentication methods.
AC-01	On the login page, show both "Sign in using SSO" and "Sign in with Passkey" below the "Sign in with Google" option.
AC-02	Clicking "Sign in using SSO" and supplying valid SSO credentials successfully authenticates the user and redirects to the dashboard.
AC-03	Display appropriate error messages for invalid credentials. Exact wording, placement and security behavior are unspecified.

Inclusions: confirmed UI and SSO paths; proposed risk-based Passkey, authorization, failure recovery, compatibility and existing-login regression coverage, pending clarification. Exclusions: unrelated dashboard business functions and experimentation features. Detailed test cases and automation are deferred until human approval.

Additional ticket criteria - explicitly Proposed

Draft reference	Proposed behavior - author approval required
P-AC04	Registered Passkey on a supported browser/device opens an authentication prompt; successful authentication logs into the correct account and redirects to dashboard.
P-AC05	Failed, cancelled or incomplete Passkey authentication leaves the user unauthenticated; show an appropriate message where applicable and allow retry or another available login method.
P-AC06	IdP rejection, user cancellation or service outage leaves the user unauthenticated, without crash or redirect loop; allow retry or return to login.
P-AC07	Existing email/password and Google authentication continue to work as expected.
P-AC08	Both new flows work on an agreed browser/device matrix; unsupported/unavailable Passkeys are explained clearly with another login option.
P-AC09	Both buttons stay readable, correctly positioned and usable on supported screens; keyboard access, visible focus and meaningful accessible names are required.

Ticket Suggested QA Scope: labels/visibility/position; SSO and Passkey success; failure/cancel/retry; no access on failed authentication; existing email/password and Google; desktop/mobile; keyboard and responsive layout.

Ticket Clarifications Required Before Sign-off: supported SSO providers/account types; Passkey registration and no-Passkey behavior; browser/device matrix; approved error messages and fallback.

Ticket Definition of Done - Proposed: agreed criteria implemented/reviewed; relevant functional/regression tests pass; evidence attached or linked; outstanding defects resolved or explicitly accepted. This is not an existing approval or QA result.

2. Gaps & Questions for the author

Checklist statuses: Present = explicit visible evidence; Ambiguous = partial, vague or conflicting; Missing = unspecified in the retrieved ticket. Proposed criteria are present in the ticket but not treated as approved. Every ambiguous or missing item below requires an answer before relevant acceptance is finalized.

ID / status	Checklist item	Finding / author question
C01 / Present	Clear user story / goal	Passkey or SSO access and benefit are stated; ST-01.
C02 / Ambiguous	Testable acceptance criteria	AC-01/02 observable; AC-03 says appropriate. Proposed criteria P-AC04 through P-AC09 require approval and precise errors/redirects.
C03 / Ambiguous	Happy path	SSO success and proposed registered-Passkey success are described. Approve proposed criteria; clarify provisioning and exact destination.
C04 / Ambiguous	Negative / error paths	Proposed criteria describe failure/cancel, IdP rejection/outage, unsupported Passkey and retry. Approve these; define exact messages, timeouts and missing/revoked credential behavior.
C05 / Missing	Boundary & empty states	Define blank SSO inputs, length limits, retry boundaries, no credentials and multiple Passkeys/accounts.
C06 / Ambiguous	State transitions	SSO click-to-dashboard stated. Define challenge lifecycle, expiry, retry, back/refresh, duplicate tabs and session state.
C07 / Missing	Required test data	Provide valid/invalid SSO fixtures, tenants, approved role accounts and Passkey-enabled/disabled fixtures.
C08 / Missing	Environment / flags	Provide QA/staging URL, build, feature flags, configuration and rollout cohorts.
C09 / Ambiguous	Dependencies / integrations	SSO/Passkey named; identify IdPs, protocols, authenticators, Google regression integration and failure controls.

ID / status	Checklist item	Finding / author question
C10 / Missing	Preconditions / setup	Define eligible users, SSO membership, Passkey provisioning, supported hardware and session prerequisites.
C11 / Missing	Performance / load	Specify authentication and page timing metrics, thresholds, network profile and concurrency.
C12 / Ambiguous	Security / authorization	Secure access is a goal. Define roles/tenant boundaries, enrollment/linking rules, assurance, challenge policy and session controls.
C13 / Ambiguous	Accessibility	Proposed criteria require keyboard access, visible focus and meaningful names; approve them and define standard, announcements and contrast.
C14 / Missing	Internationalization	Identify supported locales, translated errors and text direction.
C15 / Missing	Audit / observability	Define login events, error categories, correlation and privacy/redaction/retention rules.
C16 / Ambiguous	Regression surface	Proposed criteria explicitly preserve email/password and Google. Approve baseline; define recovery, logout and session regression scope.
C17 / Missing	Backward compatibility / migration	Are existing accounts automatically eligible? Define account linking, existing sessions and any migration.
C18 / Ambiguous	Device / browser matrix	Supported environments mentioned but unnamed. Supply OS/browser/version, mobile and authenticator matrix.
C19 / Missing	Rollback / flag behavior	Define enable/disable controls, fallback, rollback and behavior for accounts already enrolled.
C20 / Ambiguous	Unambiguous wording	Define seamlessly, smooth, more securely and appropriate through measurable outcomes.
C21 / Ambiguous	Consistent terms	Clarify SSO protocol/provider, Passkey meaning, metadata conflicts and authoritative project/epic fields.
C22 / Missing	Mockups / designs	Provide approved login design, button order, spacing, responsive layouts and error/loading states.

Additional source questions

Q23 resolved: complete ticket fetched; no components, fix versions, linked issues, attachments or sprint are populated. Confirm whether any are required for release planning. Q24: Supply a valid company logo and confirm company wording if it must appear in the approved document. These are source/branding gaps, separate from product defects.

3. Test Scenarios (P0/P1/P2)

P0 = potential access-control or account compromise; P1 = main login functionality or material user access; P2 = lower-risk compatibility/content refinement. Priorities are QA proposals. Confirmed scenarios derive from visible AC; gap-driven scenarios are candidate coverage, with expected behavior blocked until answered. These are planning scenarios, not detailed test cases.

Scenario	Traceability	Coverage / expected-result status
S01 / P1	AC-01	Confirmed: visit login page; verify exact labels for SSO and Passkey and that both appear below Google. Relative order between the new buttons is unspecified.
S02 / P1	AC-02	Confirmed: valid SSO user selects SSO and completes authentication; user reaches dashboard. Exact dashboard route and eligible account setup need C07/C10.
S03 / P1	AC-03; C02/C04	Confirmed intent: invalid SSO credentials produce an error. Wording, placement and retry behavior need confirmation; no precise oracle yet.
S04 / P1	P-AC04; C03/C10	Candidate positive Passkey login using an eligible provisioned account; proposed P-AC04 specifies prompt, correct account and dashboard; user verification policy and provisioning remain TBD.
S05 / P1	P-AC05; C04/C05/C06	Candidate Passkey cancellation, absent/revoked credential, unsupported authenticator and expiry/retry boundaries; expected recovery/fallback TBD.
S06 / P0	C12; C07	Candidate cross-role/tenant paths: authorized and unauthorized SSO users, unknown user, disabled account and wrong organization. Required permission and provisioning matrix TBD.
S07 / P0	C12; C06	Candidate authentication challenge validation, replay/expiry and wrong origin/account attempts; applicable protocol and security assertions require Security approval.
S08 / P0	C12/C17	Candidate account linking: existing local/Google/SSO/Passkey identities cannot attach to an unintended account. Matching/provisioning and recovery policy TBD.
S09 / P1	P-AC06; C04/C09	Candidate IdP rejection/outage, dropped network and interrupted redirect; safe recovery and user-facing state TBD.
S10 / P1	C05/C06	Candidate empty SSO input, min/max boundaries, rapid clicks, refresh/back and parallel tabs. Input surface and duplicate-request/session handling TBD.
S11 / P1	P-AC07; C16/C17	Candidate regression of existing email/password and Google login, recovery, session and logout. Approved baseline and feature availability TBD.
S12 / P1	P-AC09; C13/C22	Candidate keyboard/screen reader checks for new controls, focus transfer and error announcements; accessibility target and designs TBD.
S13 / P1	P-AC08; C03/C09/C18	Candidate supported browser/mobile/authenticator combinations including cross-device Passkeys only if specified; matrix TBD.
S14 / P1	C19	Candidate flag off/on and rollback behavior preserves intended login access. Rollout and fallback contract TBD.
S15 / P2	P-AC09; C14/C22	Candidate localization, long labels, responsive button placement and zoom. Locale/device/design acceptance TBD.
S16 / P1	C11	Candidate login timing and agreed traffic profile; all thresholds, metric definitions and load authorization TBD.
S17 / P1	C15/C12	Candidate success/failure telemetry completeness, secrets redaction and authorized audit access. Event schema/retention and policy TBD.

4. Test Data & Environment

Need	Required setup / current status
Application	QA and pre-production URLs, build ID, deployment configuration and feature flags not supplied.
Identity systems	Sandbox IdP and protocol configuration, eligible tenant/users, invalid/disabled/cross-tenant fixtures; exact services TBD.
Passkeys	Provisioned synthetic accounts, unregistered/revoked credentials and supported authenticators/devices; enrollment/recovery policy TBD.
Boundary data	Approved field limits, expiry duration, retries and allowed states needed before boundary values can be selected.
Coverage matrix	Exact OS/browser/mobile versions, locales and assistive technology combinations await approval.
Access / evidence	Use synthetic identities; do not record credentials, private keys, raw tokens or personal data in reports. Redacted logs and controlled failure setup needed.
Dependencies	Mail/recovery or Google integration only if confirmed in regression scope; designs, telemetry and rollback controls TBD.

5. Risks & Assumptions

No unsupported product rules are assumed. Candidate scenarios are proposals, not acceptance criteria. Principal risks are unapproved proposed acceptance criteria, ambiguous identity/authorization rules, unavailable Passkey fixtures, unnamed browser/authenticator support, and missing rollout/recovery requirements. Resolve C02-C12 and C16-C19 with the author and identity/security owners before baseline approval. Assign backup QA coverage and replan dates if builds or dependencies are unavailable.

6. Test Strategy, Schedule & Tools

After review approval, use equivalence partitioning and boundary analysis for inputs; decision tables for identity/role/tenant/feature-flag combinations; state transitions for authentication challenges and sessions; positive and negative end-to-end journeys for both login methods. Start with smoke validation of new controls, eligible SSO and Passkey success and existing login. Suspend affected execution on failed critical smoke; resume after a stable build and smoke pass. Retest fixes and run impacted regression, then a complete agreed release suite. Add exploratory, device and manual accessibility sessions.

Tools are proposed, not confirmed project infrastructure: Jira for defects; browser developer tools and redacted screenshots/logs for evidence; approved identity/device sandboxes. Future automation may use Playwright page objects, semantic selectors, isolated accounts and observable-state waits; no test cases or automation are authored at this gate.

Milestone	Owner / dependency	Dates
Criteria approval & plan review	Ticket author + QA; proposed criteria approved and gaps answered	TBD
Scenario / case review & readiness	QA + engineering; approved scope, data and environment	TBD; after human approval
Execution & specialist checks	QA + identity/security reviewers; stable build	TBD
Defect retest & regression	QA + engineering; verified fixes	TBD
Closure & release decision	QA Lead + Product/release owner	TBD

7. Defect Reporting Procedure

Log each deviation against a confirmed requirement with scenario/AC reference, build, environment, synthetic account state, steps, expected/actual result, timestamp and redacted evidence. Missing requirements remain clarification findings until agreed. QA and engineering triage daily: critical = unauthorized access/account compromise; high = core login unavailable; medium = recoverable functional problem; low = minor presentation issue. Severity and priority are separate. Route identity/security defects to the responsible specialist; named owners and response SLAs TBD. Workflow proposed: New / Triaged / Assigned / Fixed / Retest / Closed or Reopened. Track blocked coverage and unresolved decisions alongside defects.

8. Entry / Exit Criteria & Test Execution

Stage	Entry	Exit / gate
Requirement analysis	Complete Jira issue and skill available.	Full baseline reviewed; gaps answered or explicitly deferred; metadata conflicts resolved.
Design/readiness	Human plan approval recorded.	Scenarios/cases approved; environments, accounts, IdPs, devices and expected outcomes ready.
Execution	Stable build, agreed scope and passing critical smoke.	Approved scope executed and evidenced; fixes retested; coverage and blocked items reported.
Release assessment	Execution and specialist findings available.	Proposed: all P0 scenarios pass, no unresolved critical/high defects; other failures/blocked scope and acceptance thresholds explicitly dispositioned by release owner.
Closure	Execution/defect reports and release decision ready.	Summary, coverage, residual risks and sign-offs archived; synthetic sessions/data cleaned up.

9. Test Deliverables & Closure

This delivery: review-draft PDF with complete source baseline, checklist, gaps, prioritized scenario traceability, readiness needs and human review gate. After approval: detailed cases, data inventory, execution evidence, defect/retest reports and specialist results. Closure report must identify build and environment, planned/executed/pass/fail/blocked totals, coverage by AC/gap, unresolved risks and recorded approvals. No tests have been executed, and no release recommendation is claimed.

10. Human Review Gate - Approval Required

Unconfirmed: approval of proposed criteria and Definition of Done, Passkey provisioning, exact SSO errors/configuration, identity and authorization rules, supported environments, data, performance and accessibility targets, rollout behavior, schedule and ownership. All candidate coverage remains provisional. The description/live-field status and priority conflicts and empty logo are recorded rather than silently resolved.

Sign-off blockers: approve proposed criteria, disposition release metadata in Q23 and resolve applicable ambiguous/missing checklist rows C02-C22, especially approval of proposed Passkey happy/failure criteria and security/permission rules. Confirm scope, priorities, reconcile description metadata with live fields and approve acceptance outcomes. A reviewer may explicitly defer a gap with rationale, owner and impact; no implicit approval is assumed.

Review role	Decision needed	State
Ticket author / Product	Complete source, resolve gaps, approve intended behavior and scope	Pending
QA Lead	Review traceability, priorities, readiness and execution gates	Pending
Identity / Security owner	Approve provider/Passkey policies, role boundaries and specialist coverage	Pending
Engineering / release owner	Confirm build, rollout, dates, dependencies and release criteria	Pending

Approve or edit this review draft before detailed test cases, automation or execution planning proceeds. The plan is not final or approved.