QUALITY ENGINEERING / RELEASE ASSURANCE

VWO Login Dashboard
Test Plan

VWO-LOGIN-TP-001 | Version 1.0 | 25 October 2026

Draft for review - execution and approvals pending

Based on the supplied PRD and testplan-creator-skill. Uses synthetic account descriptions and role-based ownership; no real credentials or personal contact information.

Contents

01 ? Objective and document control

02 ? Scope and inclusions

03 ? Requirements and scenario coverage

04 ? Test strategy

05 ? Test environments and data

06 ? Performance and success measures

07 ? Defect reporting procedure

08 ? Schedule and responsibilities

09 ? Test deliverables and tools

10 ? Entry and exit criteria

11 ? Risks, assumptions and open decisions

12 ? Approvals and closure

01 ? Objective and document control

Validate that the VWO login dashboard provides secure, reliable, accessible access to the correct user account and organization, with clear recovery paths and a responsive experience. This plan covers the supplied PRD, from core authentication through enterprise integrations.

Field	Value
Plan ID / version	VWO-LOGIN-TP-001 / 1.0
Prepared	25 October 2026
Status	Draft for review ? no test execution or approval claimed
Test basis	User-supplied ?Product Requirements Document: VWO Login Dashboard?; no version/date provided
Product reference	app.vwo.com; staging and pre-production URLs are TBD
Method	User-selected testplan-creator-skill; structure adapted from its example
Ownership	QA Lead owns the plan; named assignees and release/build IDs are TBD

Requirement IDs below are assigned by this plan for traceability. Numeric citation markers in the supplied PRD are not treated as independently verified references. Proposed targets and schedules require stakeholder agreement.

02 ? Scope and inclusions

Include UI, authentication APIs, session lifecycle, recovery email delivery, identity provider handoffs, dashboard routing, security evidence, accessibility, compatibility, performance, observability, and relevant privacy controls. Exercise positive, negative, boundary, interrupted, and recovery paths.

Release scope	Coverage
Phase 1 ? core	Email/password authentication, validation, error handling, password reset, protected routes and secure sessions.
Phase 2 ? UX	Responsive layout, focus and labels, loading states, keyboard and screen reader use, high contrast, light/dark themes.
Phase 3 ? enterprise	Enabled 2FA and SSO flows, enterprise policies, audit records, analytics and monitoring.
Conditional features	Social login and other recovery methods only when enabled and their providers/contracts are approved; disabled features must remain inaccessible.
Excluded	Experiment creation, analytics dashboard business functions beyond landing/context checks, full signup/onboarding functionality beyond handoff, biometric/adaptive authentication, PWA, future personalization and login A/B experiments.

03 ? Requirements and scenario coverage

ID / priority	PRD coverage	Planned scenarios and expected evidence
R01 / P0	Primary authentication	Valid credentials reach the authorized dashboard; invalid, unknown, disabled and locked accounts fail safely without account enumeration. Refresh, Enter submission, double-click and repeated requests do not create inconsistent sessions.
R02 / P1	Input validation	Blur validation; blank, malformed and Unicode email; leading/trailing spaces; approved minimum/maximum lengths and values just outside them. Password case, paste, autofill and password manager behavior preserve valid credentials. Never trim passwords silently.
R03 / P0	Session management / Remember Me	Test selected/unselected persistence across browser restart, idle and absolute expiry at T?1/T/T+1, logout, expired token replay, session rotation, multi-tab behavior and direct protected-route access. Timeout and revocation rules require approval.
R04 / P0	Optional 2FA	Enabled accounts cannot bypass challenge; valid, invalid, expired and replayed codes, retry limits, clock boundaries, recovery and interrupted enrollment follow the approved factor policy. Disabled accounts follow intended login path.
R05 / P0	Enterprise SSO	For each supported SAML/OAuth-based configuration, test successful and cancelled sign-in, wrong tenant, expired/replayed response, signature/audience/issuer validation and safe redirects. Apply state, nonce and PKCE checks where the selected protocol requires them; confirm exact protocols first.
R06 / P0	Password management	Reset for known/unknown email yields safe responses; delivery reaches test inbox; tokens expire, are single-use and resist tampering. Test concurrent requests, approved recovery options, complexity boundaries, old-password rejection and session invalidation policy.
R07 / P1	UX and navigation	First field autofocus, clickable labels, loading indication, duplicate-submit prevention, network delay/offline/server failure recovery, signup/support links, successful landing, safe return URL and permitted recent-context restoration.
R08 / P1	Responsive / brand / themes	Desktop, tablet, phone portrait/landscape; long error text and zoom/reflow; no clipped controls; light/dark persistence and contrast; visual comparison against approved design assets.
R09 / P1	WCAG 2.1 AA	Automated audit plus manual keyboard, visible focus, logical order, accessible names, error association and announcements, screen reader reading order, zoom/reflow and high-contrast checks. Assess every applicable AA criterion with evidence, not an automated score alone.
R10 / P0	Transport / storage / sessions	Verify HTTPS enforcement, certificate and redirect behavior, secure cookie attributes, fixation/hijacking resistance, CSRF protection where relevant, injection/XSS controls, sensitive-cache behavior and absence of passwords/tokens in logs, URLs or analytics. Review hashing and secret-storage implementation evidence.
R11 / P0	Rate limiting / enterprise policy	Test approved threshold N?1/N/N+1, cooldown boundaries, distributed attempts, legitimate recovery, audit events and alert delivery. Verify tenant and role isolation; use approved staging traffic only.
R12 / P1	Page performance / assets / CDN	Measure cold/warm page readiness across approved network and regional profiles; inspect compression/minification, CDN behavior and cache headers without caching personal authentication responses.

ID / priority	PRD coverage	Planned scenarios and expected evidence
R13 / P1	Scale / availability / regions	Baseline, ramp, sustained peak, spike, soak and dependency failover; measure successful-login throughput, latency, failures, saturation and recovery. Validate regional routing and approved data-location rules.
R14 / P1	Analytics / support / onboarding	Exactly-once agreed success/failure events, correct error categorization, no credential or token leakage, consent behavior where required, support handoff and signup/onboarding links. Retried requests must not inflate KPI counts.
R15 / P1	GDPR / CCPA / audit	Review approved data inventory, purpose/retention settings, access restrictions, redaction, consent and applicable user-rights workflows for login data; collect compliance-owner evidence. QA results alone do not certify legal compliance.
R16 / P1	Business and experience metrics	Validate instrumentation for success rate, satisfaction, retention, conversion and support volume. Measure outcomes after release against agreed baselines and windows; business improvement is not inferred from test pass rate.

04 ? Test strategy

Use risk-based testing, prioritizing authentication bypass, account isolation, token misuse, recovery and session failures. Apply equivalence partitioning and boundary analysis to inputs; decision tables to account states ? credentials ? MFA/SSO policies; state transitions to session and reset-token lifecycles; end-to-end use cases to new and returning users. Add exploratory sessions for interrupted workflows and usability.

Each candidate build first runs smoke coverage: page available, valid login, invalid login, reset request, protected-route denial and logout. Reject a build with a failed critical smoke check. Run targeted feature tests and API integration checks on stable builds, retest fixes, then run impacted and full release regression. Combine real sandbox integrations with deterministic fault-injection tests.

Proposed automation: Playwright with TypeScript, page objects, role/label selectors, isolated accounts and explicit assertions. Wait on observable state rather than fixed sleeps; control test clocks where supported for expiry checks; use independent data and clean up sessions. Capture traces on failure and investigate flaky tests rather than masking failures with retries. Keep exploratory, assistive-technology and security review work manual where appropriate.

05 ? Test environments and data

Area	Planned configuration / readiness
QA	Isolated deployed build, auth APIs, controlled clock/test configuration, mail sink, sandbox IdP and analytics destination. URL, access and build hash TBD.
Pre-production	Production-like TLS, CDN, regional topology, policy, rate limiting and monitoring; masked synthetic data. URL and capacity parity TBD.
Browser matrix	Proposed: Chrome, Edge and Firefox on Windows 11; Safari on supported macOS; Chrome on Android; Safari on iOS. Freeze actual OS/browser versions and support policy before execution.
Device / accessibility	Proposed viewport samples: 360?800, 390?844, 768?1024, 1440?900; real phone checks; keyboard, NVDA with Windows browser, VoiceOver with Safari; zoom/reflow and forced colors.
Network	Document bandwidth, RTT, packet loss, CPU and cache settings for every run. Standard-connection profile and target regions require Product/SRE approval.

Area	Planned configuration / readiness
Test data	Synthetic valid, unknown, disabled, locked, expired and cross-tenant accounts; MFA enabled/disabled; SSO and local users; reset tokens at expiry boundaries. Role assignments and password-policy fixtures documented.
Dependencies	Mail delivery, sandbox providers, support links, analytics collector, CDN, dashboards and approved fault injection. Record provider outages separately from product defects.
Access / cleanup	Least-privilege QA roles; secrets injected from approved secret store; redact evidence; expire accounts/tokens and remove synthetic records after execution. No real customer credentials.

06 ? Performance and success measures

Measure	PRD target	Validation and decision rule
Login page load	Within 2 seconds; also described as sub-2 seconds	Proposed gate: p95 page-ready time <2.0 s over at least 30 cold-cache runs per approved standard profile/region. Define page-ready event and approve percentile before execution.
Availability	99.9%	SRE supplies production SLI and observation window; compare successful eligible probes / total eligible probes. Staging failover tests support confidence but cannot prove production uptime.
Concurrency	Thousands of simultaneous attempts	Exact count, arrival rate, credential mix, duration and auth API latency/error budgets TBD. Cannot close scalability acceptance until approved and measured.
Login success rate	95%+	Agree eligible-attempt denominator and segmentation for invalid credentials/provider failures. Validate events in QA; monitor real eligible traffic after release.
User satisfaction	90%+	Product/UX owns survey design, sample size and observation window; conduct representative task-based usability assessment.
Security / compliance	Zero successful attacks; 100% audit requirements	No demonstrated bypass or unauthorized session in agreed scope; all applicable audit controls have evidence or approved disposition. Testing cannot guarantee absence of every future incident.
Support / business	20% fewer login support tickets; improved retention/conversion	Support/Product compare normalized ticket rates against an agreed baseline and post-release window; define retention and conversion measures before launch.

07 ? Defect reporting procedure

Record defects in the agreed tracker (Jira proposed): summary, linked requirement/scenario, build and environment, synthetic-account state, reproducible steps, expected/actual results, timestamp/timezone, frequency and redacted screenshots, traces or logs. Never attach live secrets. QA Lead triages daily with engineering; security-sensitive issues use restricted access and immediate escalation.

Severity	Examples / handling
S1 ? critical	Authentication bypass, cross-tenant access, credential exposure or widespread inability to log in. Notify Security/engineering immediately; block release.

Severity	Examples / handling
S2 ? high	Core reset/MFA/SSO failure, session invalidation failure, or major supported-user access barrier. Block release pending fix and verification.
S3 ? medium	Recoverable workflow or usability issue with a workaround. Prioritize by impact; unresolved items need explicit acceptance.
S4 ? low	Minor cosmetic/documentation issue without material workflow impact. Schedule and record disposition.

Workflow: New ? Triaged ? Assigned ? In progress ? Fixed ? QA retest ? Closed, or Reopened. QA verifies the original reproduction plus related regression. Priority is assigned separately from severity. Daily reporting includes planned/executed/passed/failed/blocked counts, requirement coverage, defect age, reopen rate and release risks.

08 ? Schedule and responsibilities

Proposed two-sprint test window: ten working days per sprint, relative to a confirmed start date. This is an estimate, dependent on stable builds, feature completion and named staffing; it does not commit calendar dates. Enterprise features unavailable in this window need a separate release gate.

Window	Work / milestone	Owner
Sprint 1 ? days 1?2	Resolve requirement gaps; review plan, support matrix and acceptance targets	Product + QA Lead + Security + SRE
Sprint 1 ? days 3?5	Scenarios, traceability, data, environment and automation preparation; test design review	QA + Engineering
Sprint 1 ? days 6?10	Phase 1 smoke, functional/API/session/reset coverage; early security checks and triage	QA + Engineering + Security
Sprint 2 ? days 1?4	Phase 2/3 coverage, sandbox integrations, device/accessibility and exploratory testing	QA + UX + identity specialists
Sprint 2 ? days 5?7	Load/soak/failover and security evidence; retest fixes	SRE + Security + QA
Sprint 2 ? days 8?9	Full regression, UAT, risk review and remaining defect disposition	QA + Product + business reviewers
Sprint 2 ? day 10	Closure report and recorded release decision	QA Lead + release owner

09 ? Test deliverables and tools

Deliverable	Contents / proposed tool
Planning baseline	Reviewed test plan, assumption register, approved requirement-to-scenario matrix and environment matrix.

Deliverable	Contents / proposed tool
Test design	Versioned scenarios/cases with preconditions, input, steps, expected results, priority and requirement links; fixtures and data inventory.
Automation / integration	Playwright TypeScript suite and CI reports; API checks through Playwright request client or approved equivalent.
Specialist evidence	Accessibility audit/manual findings; k6 or JMeter performance report; approved security scanner and manual review findings; architecture/audit evidence.
Execution pack	Per-build case status, environment versions, redacted screenshots/traces, defects and retest evidence; Jira or agreed tracker.
Closure pack	Coverage summary, KPI results, unresolved risks, exceptions, cleanup confirmation and recorded approvals. Browser devtools and secure evidence storage support investigation.

10 ? Entry and exit criteria

Stage	Entry	Exit
Requirements and planning	Supplied PRD available; Product, QA, Security and SRE reviewers identified.	Every requirement mapped or explicitly deferred; ambiguities tracked; plan, scope and proposed targets approved.
Test design / readiness	Reviewed requirement baseline and interfaces available.	Cases/data reviewed; supported configurations frozen; URLs, mail, IdP, accounts and instrumentation ready; execution approval recorded.
Test execution	Approved scenarios/cases, stable deployable build, working environment and passing critical smoke tests.	100% of in-scope planned cases executed with evidence or explicit deferral; all P0 cases pass; no open S1/S2; failed/blocked cases resolved or accepted under release policy.
Release gate	Functional and specialist reports ready; fix regression complete.	Security, accessibility, performance and integration acceptance met; all unresolved defects/requirement gaps explicitly dispositioned by accountable owners. QA recommends; release owner records go/no-go.
Test closure	Execution/defect reports and release decision available.	Signed summary and traceability archived; residual risks handed over; test data cleaned; regression assets maintained and lessons recorded.

A failed critical smoke test, data-integrity concern or unavailable essential dependency suspends affected execution. Resume after a verified fix/environment restoration and a fresh smoke pass. Product sign-off is needed before moving past the skill?s document-approval gates; this draft does not claim those approvals.

11 ? Risks, assumptions and open decisions

Risk / gap	Mitigation / decision owner
Undefined password complexity, lengths, timeouts, persistence and reset expiry	Product + Security approve exact values and boundary expectations before related execution.

Risk / gap	Mitigation / decision owner
Password strength on login may conflict with existing credentials	Product clarifies placement and behavior; ensure login does not reject valid existing passwords solely for a new strength score.
SSO protocols, providers, factor and recovery options unspecified	Identity team defines supported provider/protocol matrix, enrollment/recovery and account-linking rules.
Encryption wording conflates transmission and storage	Security defines TLS and password hashing controls; obtain configuration/code evidence. A login-page check cannot verify storage by itself.
Load profile, page-ready metric and standard network undefined	SRE + Product baseline traffic, approve model and budgets, and record reproducible measurement settings.
Environment/provider outage or late feature delivery	Use sandbox contracts and controlled fault injection; track blocked scope, replan, and prohibit assumed passes.
Staff shortage / compressed timeline	QA Lead arranges backup coverage and prioritizes P0 paths; any reduced scope requires recorded acceptance.
Compliance, analytics privacy and retention rules unspecified	Privacy/Security owners provide applicable control checklist and approve redacted evidence and event schemas.
Visual designs, platform support and recent-context policy unspecified	UX/Product provide design baseline, browser/device matrix and safe context-restoration requirements.
Business KPI baselines and approvals not supplied	Product assigns named owners, baselines and windows; release owner confirms schedule and gate decisions.

12 ? Approvals and closure

Reviewer role	Required decision	Status
Product Owner	Scope, ambiguities, feature policy and business acceptance	Pending ? name/date TBD
QA Lead	Plan, scenarios, cases, traceability and execution readiness	Pending ? name/date TBD
Security / Privacy owner	Authentication controls, specialist findings and compliance evidence	Pending ? name/date TBD
SRE / Engineering lead	Environment, performance, recovery and monitoring readiness	Pending ? name/date TBD
UX / accessibility reviewer	Design, usability and accessibility evidence	Pending ? name/date TBD

Reviewer role	Required decision	Status
Release owner / client	Reports, residual risks and release go/no-go	Pending ? name/date TBD

Review this plan and the scenario/case baseline before execution. At closure, record build, executed scope, pass/fail/blocked totals, coverage by requirement, measured nonfunctional results, unresolved defects, accepted risks and each approval with reviewer and date. No tests have been run as part of authoring this document.