```
clear
TR = [0 5]; % time RANGE
X0 = [0;0;0;0];%initial conditions
[t,z] = ode45(@func1, TR, X0);%calling thr ide solver to solve by function
%storing given array as vectors
theta1 = z(:, 1);
AngVel1 = z(:, 2);
theta2 = z(:, 3);
AngVel2 = z(:, 4);
%plotting the angular displacements and velocities
acc1 = diff(AngVel1);
acc2= diff(AngVel2);
plot(t,theta1,t,AngVel1,t,[0;acc1],t,theta2,t,AngVel2,t,[0;acc2]);
xlabel('time')
legend('Angular Displacement 1','Angular Velocity 1','Angulara acceleration 1','Angular Displacement 2','Angular
Velocity 2','Angulara acceleration 2')
ylabel('position & Velocity')
title("m-file")
%function containing the differential equations a
function dx = func1(^{\sim}, x)
% Values of Coefficients
% J1=1; J2=10; D1=0.9; D2=0.02; k=3
T=5;
%
% State Equations
dx(1) = x(2);
dx(3) = x(4);
dx(2) = (T-2*x(2)-x(1)+x(3)+x(4));
dx(4) = (x(2)-x(3)-2*x(4)+x(1));
dx = dx';
```

clc

end





