

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {
    if len(opts) < 1 || len(opts) > 2 {
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))
    }
    c = &Configuration{}
    for _, opt := range opts {
        switch v := opt.(type) {
        case gorums.NodeListOption:
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)
            if err != nil {
                return nil, err
            }
        case QuorumSpec:
            // Must be last since v may match QuorumSpec if it is interface{}
            c.qspec = v
        default:
            return nil, fmt.Errorf("unknown option type: %v", v)
        }
    }
    // return an error if the QuorumSpec interface is not empty and no implementation
    var test interface{} = struct{}{}
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {
        return nil, fmt.Errorf("missing required QuorumSpec")
    }
    return c, nil
}
```



University
of Stavanger

4036 Stavanger
Tel: +47 51 83 10 00
E-mail: post@uis.no
www.uis.no

ISBN: 000-00-0000-000-0

ISSN: 0000-0000

© **2022 Hein Meling**

HEIN MELING

DEPARTMENT OF ELECTRICAL ENGINEERING AND COMPUTER SCIENCE

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {
    if len(opts) < 1 || len(opts) > 2 {
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))
    }
    c = &Configuration{}
    for _, opt := range opts {
        switch v := opt.(type) {
        case gorums.NodeListOption:
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)
            if err != nil {
                return nil, err
            }
        case QuorumSpec:
            // Must be last since v may match QuorumSpec if it is interface{}
            c.qspec = v
        default:
            return nil, fmt.Errorf("unknown option type: %v", v)
        }
    }
    // return an error if the QuorumSpec interface is not empty and no implementation
    var test interface{} = struct{}{}
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {
        return nil, fmt.Errorf("missing required QuorumSpec")
    }
    return c, nil
}
```

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {
    if len(opts) < 1 || len(opts) > 2 {
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))
    }
    c = &Configuration{}
    for _, opt := range opts {
        switch v := opt.(type) {
        case gorums.NodeListOption:
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)
            if err != nil {
                return nil, err
            }
        case QuorumSpec:
            // Must be last since v may match QuorumSpec if it is interface{}
            c.qspec = v
        default:
            return nil, fmt.Errorf("unknown option type: %v", v)
        }
    }
    // return an error if the QuorumSpec interface is not empty and no implementation
    var test interface{} = struct{}{}
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {
        return nil, fmt.Errorf("missing required QuorumSpec")
    }
    return c, nil
}
```

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {  
    if len(opts) < 1 || len(opts) > 2 {  
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))  
    }  
    c = &Configuration{}  
    for _, opt := range opts {  
        switch v := opt.(type) {  
        case gorums.NodeListOption:  
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)  
            if err != nil {  
                return nil, err  
            }  
        case QuorumSpec:  
            // Must be last since v may match QuorumSpec if it is interface{}  
            c.qspec = v  
        default:  
            return nil, fmt.Errorf("unknown option type: %v", v)  
        }  
    }  
    // return an error if the QuorumSpec interface is not empty and no implementation  
    var test interface{} = struct{}{}  
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {  
        return nil, fmt.Errorf("missing required QuorumSpec")  
    }  
    return c, nil  
}
```

HEIN MELING

DEPARTMENT OF ELECTRICAL ENGINEERING AND COMPUTER SCIENCE

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {
    if len(opts) < 1 || len(opts) > 2 {
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))
    }
    c = &Configuration{}
    for _, opt := range opts {
        switch v := opt.(type) {
        case gorums.NodeListOption:
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)
            if err != nil {
                return nil, err
            }
        case QuorumSpec:
            // Must be last since v may match QuorumSpec if it is interface{}
            c.qspec = v
        default:
            return nil, fmt.Errorf("unknown option type: %v", v)
        }
    }
    // return an error if the QuorumSpec interface is not empty and no implementation
    var test interface{} = struct{}{}
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {
        return nil, fmt.Errorf("missing required QuorumSpec")
    }
    return c, nil
}
```

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {
    if len(opts) < 1 || len(opts) > 2 {
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))
    }
    c = &Configuration{}
    for _, opt := range opts {
        switch v := opt.(type) {
        case gorums.NodeListOption:
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)
            if err != nil {
                return nil, err
            }
        case QuorumSpec:
            // Must be last since v may match QuorumSpec if it is interface{}
            c.qspec = v
        default:
            return nil, fmt.Errorf("unknown option type: %v", v)
        }
    }
    // return an error if the QuorumSpec interface is not empty and no implementation
    var test interface{} = struct{}{}
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {
        return nil, fmt.Errorf("missing required QuorumSpec")
    }
    return c, nil
}
```

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {  
    if len(opts) < 1 || len(opts) > 2 {  
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))  
    }  
    c = &Configuration{}  
    for _, opt := range opts {  
        switch v := opt.(type) {  
        case gorums.NodeListOption:  
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)  
            if err != nil {  
                return nil, err  
            }  
        case QuorumSpec:  
            // Must be last since v may match QuorumSpec if it is interface{}  
            c.qspec = v  
        default:  
            return nil, fmt.Errorf("unknown option type: %v", v)  
        }  
    }  
    // return an error if the QuorumSpec interface is not empty and no implementation  
    var test interface{} = struct{}{}  
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {  
        return nil, fmt.Errorf("missing required QuorumSpec")  
    }  
    return c, nil  
}
```


New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {
    if len(opts) < 1 || len(opts) > 2 {
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))
    }
    c = &Configuration{}
    for _, opt := range opts {
        switch v := opt.(type) {
        case gorums.NodeListOption:
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)
            if err != nil {
                return nil, err
            }
        case QuorumSpec:
            // Must be last since v may match QuorumSpec if it is interface{}
            c.qspec = v
        default:
            return nil, fmt.Errorf("unknown option type: %v", v)
        }
    }
    // return an error if the QuorumSpec interface is not empty and no implementation
    var test interface{} = struct{}{}
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {
        return nil, fmt.Errorf("missing required QuorumSpec")
    }
    return c, nil
}
```

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {
    if len(opts) < 1 || len(opts) > 2 {
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))
    }
    c = &Configuration{}
    for _, opt := range opts {
        switch v := opt.(type) {
        case gorums.NodeListOption:
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)
            if err != nil {
                return nil, err
            }
        case QuorumSpec:
            // Must be last since v may match QuorumSpec if it is interface{}
            c.qspec = v
        default:
            return nil, fmt.Errorf("unknown option type: %v", v)
        }
    }
    // return an error if the QuorumSpec interface is not empty and no implementation
    var test interface{} = struct{}{}
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {
        return nil, fmt.Errorf("missing required QuorumSpec")
    }
    return c, nil
}
```

HEIN MELING

DEPARTMENT OF ELECTRICAL ENGINEERING AND COMPUTER SCIENCE

New Directions in Machine-verifiable Progress Credentials and Fully Automated and Transparent Admissions Process

PhD Thesis - Computer Science - January 2022

```
func (m *Manager) NewConfiguration(opts ... gorums.ConfigOption) (c *Configuration, err error) {
    if len(opts) < 1 || len(opts) > 2 {
        return nil, fmt.Errorf("wrong number of options: %d", len(opts))
    }
    c = &Configuration{}
    for _, opt := range opts {
        switch v := opt.(type) {
        case gorums.NodeListOption:
            c.Configuration, err = gorums.NewConfiguration(m.Manager, v)
            if err != nil {
                return nil, err
            }
        case QuorumSpec:
            // Must be last since v may match QuorumSpec if it is interface{}
            c.qspec = v
        default:
            return nil, fmt.Errorf("unknown option type: %v", v)
        }
    }
    // return an error if the QuorumSpec interface is not empty and no implementation
    var test interface{} = struct{}{}
    if _, empty := test.(QuorumSpec); !empty && c.qspec == nil {
        return nil, fmt.Errorf("missing required QuorumSpec")
    }
    return c, nil
}
```