


ONE TICKET IN / ONE VERIFIED DRAFT PR OUT

Factory Run Flow

One phase per fresh session. Each phase is gated before the next begins. The run stops whenever a human decision is required, and state.json is the only record carried between sessions.



OPERATING CONTRACT

- | | | |
|----|----------------------------|--|
| 01 | Fresh context | The phase starts in a new session. Chat history is not treated as durable state. |
| 02 | Persistent evidence | Only state.json and committed artifacts cross the session boundary. |
| 03 | Executable gates | A phase closes only when gate.py permits it. A failed predecessor blocks the next phase. |

LEGEND


■ Autonomous phase ■ Needs you ■ Leaf agents ■ Executable gate ■ Terminal state

RUN ONE PHASE


```
scripts/run.sh <slug>
```

Pages 2-3: flow / Page 4: roles and stop conditions

PART 1 / UNDERSTAND AND DECIDE



PART 2 / BUILD AND PROVE



WHO DOES WHAT, PER PHASE

Phase	Runs as	Speaks	Closes when
0 intake	opus	triage verdict	intake.md written
0b isolate	sonnet	where the run writes	worktree + baseline SHA, or consent to in-place
1 diagnosis	opus	root-cause synthesis	diagnosis.md; skipped at light depth
2 human plan	you	plan + rediff	plan has a Flag key line
2b grill	you + leaf	one summary per round	no blocking question unanswered
3 agent plan	opus	gate decision	invariants, M1 tracer, SAME-SCOPE
4 milestones	opus + leaves	per-milestone verdict	every milestone done with a SHA
5 proof	opus + leaves	Phase 5 verdict	scan + AC matrix + reviewer PASS
6 stop	you	final report + PR URL	terminal state set, gate quoted

WHAT STOPS THE LOOP

Signal	run.sh does
Next phase is 2, 2b, or 6	Prints NEEDS-YOU, exit 0. Run /factory resume <slug>, then rerun.
Gate on the closed phase says BLOCKED	Prints reasons, exit 1. Nothing starts on an unpassed predecessor.
state.terminal set	Exit 0. The run is over.
sessions_used hits sessions_max	Exit 0 with the cap named.
Two sessions change neither phase nor milestone	Reruns the gate for the reasons, exit 1.
leaves_used > leaves_max	Gate blocks. Only blocked may still close.

Default caps: sessions_max 16 / leaves_max 40

Override autonomous phase models with FACTORY_MODEL_<PHASE>