

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for CSS_Oleg.css

Checker Input

Show ☒ source ☒ outline ☒ image report

Options...

Check by file upload No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

Image report

No images in the document.

Source

```
1. h1↵
2. {↵
3.     font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
   "AppleGothic", sans-serif;↵
4.     font-weight: 900;↵
5.     text-align: center;↵
6.     color: black;↵
7.     letter-spacing: 5px;↵
8.     margin: 0;↵
9.     padding-top: 10px;↵
10.    padding-bottom: 5px;↵
11.    text-transform: uppercase;↵
12. }↵
13. h2↵
14. {↵
15.     font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
   "AppleGothic", sans-serif;↵
16.     text-align: center;↵
17.     color: black;↵
18.     letter-spacing: 3px;↵
19.     margin: 0;↵
20.     padding-top: 5px;↵
21.     padding-bottom: 20px;↵
22. }↵
23. h3↵
24. {↵
25.     font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
   "AppleGothic", sans-serif;↵
26.     text-align: center;↵
```

```

27.     color: purple;↵
28.     word-spacing: 1px;↵
29.     letter-spacing: 1px;↵
30.     margin-top: 20px;↵
31.     margin-bottom: 10px;↵
32. }↵
33. h4↵
34. {↵
35.     font-family: arial, times;↵
36.     text-align: left;↵
37.     color: #004445;↵
38.     letter-spacing: 1px;↵
39. }↵
40. h5↵
41. {↵
42.     font-family: arial, times;↵
43.     text-align: center;↵
44.     color: #004445;↵
45. }↵
46. h6↵
47. {↵
48.     margin: 0;↵
49. }↵
50. body↵
51. {↵
52.     position: absolute;↵
53.     left: 0%;↵
54.     margin: 0; ↵
55.     width: 100%;↵
56. }↵
57. .background-image {↵
58.     background-image: url("Background_Jernberg.png"),
url("Background_Particles.png");↵
59.     /*background-image: url("Background_Particles.png"),
url("Background_Jernberg.png");*/↵
60.     background-color: #ff6464; /* Used if the image is unavailable */↵
61.     /*height: 1000px; /* You must set a specified height */↵
62.     /*background-position: center; /* Center the image */↵
63.     /*background-repeat: repeat; /* Do not repeat the image */↵
64.     background-size: cover; /* Resize the background image to cover the entire
container */↵
65. }↵
66. header↵
67. {↵
68.     position: relative;↵
69.     top: 0%;↵
70.     margin: 0 auto;↵
71.     height: 100px;↵
72.     width: 100%;↵
73.     color: rgba(91, 125, 218); ↵
74.     background-color: rgb(245, 245, 245, 0.5);↵
75.     box-shadow: 6px 6px 30px rgba(55, 55, 55, .6);↵
76. }↵
77. .mainContainer↵
78. {↵
79.     background-color: rgb(245, 245, 245, 0.5);↵
80.     border: 0.2em solid rgba(50%, 50%, 50%, 0.5);↵
81.     border-radius: 20px;↵
82.     box-shadow: 6px 6px 30px rgba(55, 55, 55, .6);↵
83.     margin: 0 auto; /*Always use it to center an element in the middle of the
screen*/↵
84.     padding: 0;↵
85.     height: 700px;↵
86.     width: 60%;↵
87.     text-align: center;↵
88. }↵
89. p↵
90. {↵
91.     font-family: "Avant Garde", arial, times;↵
92.     font-size: 12pt;↵

```

```

93.     margin: 0 auto;↵
94.     text-align: center;↵
95. }↵
96. label↵
97. {↵
98.     font-family: "Avant Garde", arial, times;↵
99.     font-size:14pt;↵
100.    color:black;↵
101.    text-align: center;↵
102.    margin: 0 auto;↵
103. }↵
104. input↵
105. {↵
106.     font-family: "Avant Garde", arial, times;↵
107.     font-size:12pt;↵
108.     color:black;↵
109.     margin: 0 auto;↵
110.     border: 0.1em solid rgba(50%, 50%, 50%, 0.5);↵
111.     border-radius: 10px;↵
112.     box-shadow: 6px 6px 30px rgba(55, 55, 55, .6);↵
113. }↵
114. input[type="text"]:invalid↵
115. {↵
116.     color: #ff0000;↵
117. }↵
118. button↵
119. {↵
120.     font-family: "Avant Garde", arial, times;↵
121.     font-size: 14pt;↵
122.     color: blue;↵
123.     /*text-align: center;*/↵
124.     /*display: inherit;*/↵
125.     /*display:inline-block;*/↵
126.     /*margin: 0 auto;*/↵
127.     border: 0.1em solid rgba(50%, 50%, 50%, 0.5);↵
128.     border-radius: 15px;↵
129.     box-shadow: 6px 6px 30px rgba(55, 55, 55);↵
130.     background-image: linear-gradient(↵
131.         180deg,↵
132.         white,↵
133.         grey↵
134.     );↵
135. }↵
136. .buttonArea↵
137. {↵
138.     width: 50%;↵
139.     display: flex;↵
140.     justify-content: space-around;↵
141.     margin-top: 30px;↵
142.     margin-bottom: 50px;↵
143.     margin-left: 20%;↵
144. }↵
145. .pointerCursor↵
146. {↵
147.     cursor: pointer;↵
148. }↵
149. .centering1↵
150. {↵
151.     margin: 0 auto; /*Always use it to center an element in the middle of the
screen*/↵
152.     text-align: center;↵
153. }↵
154. .centering2 /*it's the 2nd way to center in the middle of the screen*/↵
155. {↵
156.     left: 50%;                                /*      align left to center of parent
element */↵
157.     margin-left: -15%;                        /*      shift half of width to the left */↵
158.     top: 60%;↵
159. }↵
160. #historyAreaID↵

```

```

161. {↵
162.     font-family: "Avant Garde", arial, times;↵
163.     font-size:14pt;↵
164.     font-style: italic;↵
165.     color:green;↵
166.     text-align: center;↵
167.     margin: 0 auto;↵
168.     height: 400px;↵
169.     width: 50%;↵
170.     background-color: rgb(245, 245, 245, 0.8);↵
171.     border: 0.2em solid rgba(50%, 50%, 50%, 0.5);↵
172.     border-radius: 15px;↵
173.     box-shadow: 6px 6px 30px rgba(55, 55, 55, .6);↵
174. }↵
175. #container1 ↵
176. {↵
177.     top: 200px;↵
178. }↵
179. #transition1↵
180. {↵
181.     color: blue;↵
182.     transition: font-size 1s linear, color 1s linear;    /*To change them one
by one with a constant speed*/↵
183.     /*transition: all 0.5s ease-in 0.1s;*/           /*To change them all together
with a different speed*/↵
184. }↵
185. #container1:hover #transition1↵
186. {↵
187.     color: goldenrod;↵
188.     font-size: 1.1em;↵
189. }↵
190. #container1b↵
191. {↵
192.     top: 200px;↵
193. }↵
194. #transition1b↵
195. {↵
196.     color: blueviolet;↵
197.     transition: font-size 1s linear, color 1s linear;    /*To change them one
by one with a constant speed*/↵
198.     /*transition: all 0.5s ease-in 0.1s;*/           /*To change them all together
with a different speed*/↵
199. }↵
200. #container1b:hover #transition1b↵
201. {↵
202.     color: goldenrod;↵
203.     font-size: 1.1em;↵
204. }↵
205. .glowing↵
206. {↵
207.     color: rgba(255, 255, 255, 0.6);↵
208.     text-shadow: 0px 0px 6px orangered;↵
209. }↵
210. ↵

```

Heading-level outline

Structural outline

└─[body element with no heading]

Total execution time 9 milliseconds.
