WebSocket

Oleg Bilovus

Background

HTTP polling
HTTP long polling
Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame API

Performance Evaluation of WebSocket
Protocol for Implementation of Full-Duplex
Web Streams

Oleg Bilovus

Università degli Studi di Salerno

1st Scalability Research Forum

Outline

WebSocket

Oleg Bilovus

Background

HTTP polling HTTP long polling Streaming

WebSocket protocol

Definition Handshake

Upgrade Request

Upgrade Response Frame

API

```
Background
HTTP polling
HTTP long polling
Streaming
```

WebSocket protoco

Handshake

Upgrade Request Upgrade Response

Frame

HTTP long polling
Streaming

WebSocket protocol

Definition

Handshake Upgrade Request

Upgrade Response

Frame API

Historically, creating web applications that need bidirectional communication between a client and a server has required an abuse of HTTP to poll the server for updates while sending upstream notifications as distinct HTTP calls.

HTTP long polling Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame

Historically, creating web applications that need bidirectional communication between a client and a server has required an abuse of HTTP to poll the server for updates while sending upstream notifications as distinct HTTP calls.

HTTP long polling Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame

► Historically, creating web applications that need bidirectional communication between a client and a server has required an abuse of HTTP to poll the server for updates while sending upstream notifications as distinct HTTP calls.

HTTP long polling Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame

► Historically, creating web applications that need bidirectional communication between a client and a server has required an abuse of HTTP to poll the server for updates while sending upstream notifications as distinct HTTP calls.

HTTP long polling Streaming

WebSocket protocol

Definition Handshake

Upgrade Request

Upgrade Response

Frame API

Historically, creating web applications that need bidirectional communication between a client and a server has required an abuse of HTTP to poll the server for updates while sending upstream notifications as distinct HTTP calls.

HTTP long polling Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame

► Historically, creating web applications that need bidirectional communication between a client and a server has required an abuse of HTTP to poll the server for updates while sending upstream notifications as distinct HTTP calls.

HTTP long polling Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame

Historically, creating web applications that need bidirectional communication between a client and a server has required an abuse of HTTP to poll the server for updates while sending upstream notifications as distinct HTTP calls.

Background

HTTP polling

HTTP long polling Streaming

WebSocket protocol


Definition

Handshake

Upgrade Request Upgrade Response

Frame API

Check whether the server is changed in a while, thereby performing incremental updates.



protocol Definition


Handshaka

Upgrade Request

Upgrade Response

Frame API


Check whether the server is changed in a while, thereby performing incremental updates.



How often to query?

HTTP polling

Check whether the server is changed in a while, thereby performing incremental updates.



- ► How often to query?
- Continuously short interval requests will be washed away the server.

Oleg Bilovus

Background

HTTP polling
HTTP long polling
Streaming

WebSocket


Definition Handshake

Upgrade Request Upgrade Response

Frame

HTTP polling

Check whether the server is changed in a while, thereby performing incremental updates.



- How often to query?
- Continuously short interval requests will be washed away the server.
- Long interval
 will require more
 time to reach
 the client, no
 real-time data

Background
HTTP polling

HTTP long polling Streaming


WebSocket protocol

Handshake
Upgrade Request
Upgrade Response

ΔΡΙ

HTTP long polling

When a client sends a data request, the server will block the request until there is data transfer or timeout before returning.



Oleg Bilovus

Background
HTTP polling
HTTP long polling

Streaming
WebSocket

protocol

Definition Handshake

Upgrade Request Upgrade Response

Streaming
WebSocket
protocol


Definition

Handshake

Upgrade Request Upgrade Response


Frame API

When a client sends a data request, the server will block the request until there is data transfer or timeout before returning.



Solve the short polling frequency to access the server.

When a client sends a data request, the server will block the request until there is data transfer or timeout before returning.



- Solve the short polling frequency to access the server.
 - No bidirectional communication, server push data.


HTTP long polling Streaming

WebSocket protocol

Definition
Handshake
Upgrade Request
Upgrade Response

Streaming

Iframe embed a hidden frame in an HTML page, then set it as a long connection request, thus the server can send data to the clients constantly.



WebSocket

Oleg Bilovus

Background
HTTP polling
HTTP long polling

Streaming

WebSocket protocol

Definition Handshake

Upgrade Request Upgrade Response

Upgrade Res Frame API

Streaming

Upgrade Request Upgrade Response

Frame API

Iframe embed a hidden frame in an HTML page, then set it as a long connection request, thus the server can send data to the clients constantly.

Browser Server Request Connection Hold Connection Event Real-time data push Event Timeout Timeout Data Loss Immediate reconstruction Event Connection Event Real-time data push Event

It can send multiple events from a single request.

to the clients constantly.

HTTP long polling Streaming


protocol Definition Handshaka

Frame ΔΡΙ

It can send multiple events from a single

request.


But. it increases the burden on the server. causing the server performance degradation, or even collapse.



Iframe embed a hidden frame in an HTML page, then set it as a long connection request, thus the server can send data

Streaming

Iframe embed a hidden frame in an HTML page, then set it as a long connection request, thus the server can send data to the clients constantly.



It can send multiple events from a single request.

- ▶ But, it increases the burden on the server, causing the server performance degradation, or even collapse.
- No bidirectional communication.

Oleg Bilovus

Background
HTTP polling
HTTP long polling
Streaming

WebSocket protocol Definition Handshake Upgrade Request Upgrade Response

ΔΡΙ

Outline

WebSocket

Oleg Bilovus

Background
HTTP polling
HTTP long polling

Streaming
WebSock
protocol

Definition

Handshake Upgrade Request Upgrade Response

Upgrade Respons

API

HTTP polling
HTTP long polling
Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

➤ The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.

WebSocket

Oleg Bilovus

Background HTTP polling

HTTP long polling
Streaming

WebSocket protocol

Definition

API

Handshake Upgrade Request

Upgrade Response Frame ➤ The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.

WebSocket

Oleg Bilovus

Background HTTP polling

HTTP long polling Streaming

WebSocket protocol

Definition

Handshake Upgrade Request

Upgrade Request
Upgrade Response

➤ The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.

WebSocket

Oleg Bilovus

Background
HTTP polling
HTTP long polling

Streaming Police

WebSocket protocol

Definition Handshake

Upgrade Request

Upgrade Response Frame

API

Oleg Bilovus

Background
HTTP polling
HTTP long polling
Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame API

► The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.

Oleg Bilovus

Background HTTP polling

HTTP long polling Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

- The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.
- ► The protocol consists of an opening handshake followed by basic message framing, layered over TCP.

Oleg Bilovus

Background HTTP polling HTTP long polling

Streaming WebSocket

protocol Definition

Handshake

Upgrade Request Upgrade Response

Frame ΔΡΙ

- The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.
- The protocol consists of an opening handshake followed by basic message framing, layered over TCP.

Oleg Bilovus

Background HTTP polling

HTTP long polling Streaming

WebSocket protocol

Definition Handshake

Upgrade Request Upgrade Response

Frame ΔΡΙ

- ➤ The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.
- ► The protocol consists of an opening handshake followed by basic message framing, layered over TCP.

Websocket

Oleg Bilovus

Background
HTTP polling
HTTP long polling

Streaming
WebSocket
protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame

- The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.
- The protocol consists of an opening handshake followed by basic message framing, layered over TCP.

Oleg Bilovus

Background HTTP polling HTTP long polling

Streaming WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

Frame ΔΡΙ

- ➤ The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.
- ► The protocol consists of an opening handshake followed by basic message framing, layered over TCP.
- ► The goal of this technology is to provide a mechanism for browser-based applications that need two-way communication with servers.

Oleg Bilovus

Background HTTP polling

HTTP long polling Streaming

WebSocket protocol

Definition Handshake

Upgrade Request Upgrade Response

Frame

- ➤ The WebSocket Protocol enables two-way communication between a client running untrusted code in a controlled environment to a remote host that has opted-in to communications from that code.
- ► The protocol consists of an opening handshake followed by basic message framing, layered over TCP.
- The goal of this technology is to provide a mechanism for browser-based applications that need two-way communication with servers.

Oleg Bilovus

Background HTTP polling


HTTP polling HTTP long polling Streaming

WebSocket protocol

Definition Handshake

Upgrade Request Upgrade Response

WebSocket.



WebSocket

Oleg Bilovus

Background

HTTP polling HTTP long polling Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request

Upgrade Response

Handshake

► For WebSocket-based communication, a WebSocket session should be established first.

WebSocket

Oleg Bilovus

Background

HTTP polling HTTP long polling Streaming

WebSocket protocol

Definition

Handshako

Upgrade Request

Upgrade Response

HTTP polling

HTTP long polling
Streaming

WebSocket protocol

Definition

Handshake

API

Upgrade Request

Upgrade Response

➤ To establish a session, client sends a WebSocket Upgrade Request to the server, upon which server responds with a WebSocket Upgrade Response.

session should be established first.

For WebSocket-based communication, a WebSocket

HTTP polling HTTP long polling Streaming

WebSocket protocol

Definition

Handshake

Upgrade Request Upgrade Response

- ► For WebSocket-based communication, a WebSocket session should be established first.
- ➤ To establish a session, client sends a WebSocket Upgrade Request to the server, upon which server responds with a WebSocket Upgrade Response.
- ► From this point forward, the client and server can send data back and forth in asynchronous full-duplex mode.

WebSocket Upgrade Request

B

GET /chat HTTP/1.1

Host: server.example.com

Upgrade: WebSocket

Connection: Upgrade

Sec-WebSocket-Key:

dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol:

chat, superchat

Sec-WebSocket-Version: 13

WebSocket

Oleg Bilovus

Background HTTP polling

HTTP long polling Streaming

WebSocket protocol

Handshake

API

Upgrade Request

Upgrade Response Frame

WebSocket Upgrade Request

Oleg Bilovus

HTTP loss celling

HTTP polling HTTP long polling Streaming

WebSocket

WebSocket protocol Definition

Upgrade Request Upgrade Response

Upgrade Respon

► HTTP GET request.

GET /chat HTTP/1.1

Host: server.example.com

Upgrade: WebSocket Connection: Upgrade

Sec-WebSocket-Key:

dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol:

chat, superchat

GET /chat HTTP/1.1

Host: server.example.com

Upgrade: WebSocket Connection: Upgrade

Sec-WebSocket-Key:
dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol:

chat, superchat

Sec-WebSocket-Version: 13

► HTTP GET request.

► URI to identify endpoint.

Host: server.example.com

Upgrade: WebSocket Connection: Upgrade

Sec-WebSocket-Key:

GET /chat HTTP/1.1

dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol:

chat, superchat

- HTTP GET request.
- URI to identify endpoint.
- ► Headers indicating the will to switch from regular HTTP to WebSocket.

Background HTTP polling HTTP long polling Streaming

WebSocket protocol

Handshake

Upgrade Request Upgrade Response

Upgrade Respons Frame

GET /chat HTTP/1.1

Host: server.example.com

Upgrade: WebSocket Connection: Upgrade

Sec-WebSocket-Key:

dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol:

chat, superchat

- ► HTTP GET request.
- URI to identify endpoint.
- Headers indicating the will to switch from regular HTTP to
 WebSocket.
- A key the server has to use to prove that it can use WebSockets.

Background HTTP polling HTTP long polling Streaming

WebSocket protocol

Handshake

Upgrade Request Upgrade Response

Upgrade Response
Frame

GET /chat HTTP/1.1

Host: server.example.com

Upgrade: WebSocket
Connection: Upgrade

Sec-WebSocket-Key:

dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol:

chat, superchat

- ► HTTP GET request.
- URI to identify endpoint.
- Headers indicating the will to switch from regular HTTP to
 WebSocket
- A key the server has to use to prove that it can use WebSockets.
- ► WebSocket protocols.

Streaming

GET /chat HTTP/1.1 Host: server.example.com Upgrade: WebSocket Connection: Upgrade Sec-WebSocket-Key: dGhlIHNhbXBsZSBub25jZQ== Origin: http://example.com Sec-WebSocket-Protocol: chat, superchat

13

- HTTP GET request.
- URI to identify endpoint.
- Headers indicating the will to switch from regular HTTP to WebSocket.
- A key the server has to use to prove that it can use WebSockets.
- WebSocket protocols.
- WebSocket version.

WebSocket Upgrade Response

HTTP/1.1 101 Switching protocols

Upgrade: WebSocket Connection: Upgrade

Sec-WebSocket-Accept:

dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol: chat

WebSocket

Oleg Bilovus

Background
HTTP polling

HTTP long polling Streaming

WebSocket protocol

Definition Handshake

Upgrade Request

Upgrade Response

Frame API

WebSocket Upgrade Response

HTTP/1.1 101 Switching protocols

Upgrade: WebSocket

Connection: Upgrade

Sec-WebSocket-Accept:

dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol: chat

Server confirms it supports WebSocket. WebSocket

Oleg Bilovus

Background HTTP polling

HTTP long polling Streaming

WebSocket protocol Definition

Upgrade Request

Upgrade Response

Frame API

Background HTTP polling

HTTP long polling Streaming

WebSocket protocol Definition Handshaka

Upgrade Request

Upgrade Response

Frame

ΔΡΙ

protocols Upgrade: WebSocket Connection: Upgrade Sec-WebSocket-Accept: dGhlIHNhbXBsZSBub25jZQ==

HTTP/1.1 101 Switching

Origin: http://example.com

Sec-WebSocket-Protocol: chat. Server confirms it supports WebSocket.

Server proves that it can use WebSocket. Client checks it.

WebSocket protocol Definition

Upgrade Request

Upgrade Response Frame

ΔΡΙ

 Server confirms it supports WebSocket.

- Server proves that it can use WebSocket.
 Client checks it.
- Server tells which protocol it supports.

HTTP/1.1 101 Switching protocols

Upgrade: WebSocket

Connection: Upgrade
Sec-WebSocket-Accept:

dGhlIHNhbXBsZSBub25jZQ==

Origin: http://example.com

Sec-WebSocket-Protocol: chat

WebSocket Frame

After the handshake is successful, client and server can communicate in full-duplex by using frames. WebSocket

Oleg Bilovus

Background

HTTP polling HTTP long polling Streaming

WebSocket protocol

Definition

Handshake Upgrade Request

Upgrade Response

Frame

Definition Handshake

Upgrade Request

Upgrade Response

- After the handshake is successful, client and server can communicate in full-duplex by using frames.
- ► The added overhead to the payload data is minimal because it does not send all the HTTP headers for each frame.

HTTP polling

HTTP polling HTTP long polling Streaming

WebSocket protocol

Definition Handshake

Upgrade Request

Upgrade Response

ΔΡΙ

- After the handshake is successful, client and server can communicate in full-duplex by using frames.
- ► The added overhead to the payload data is minimal because it does not send all the HTTP headers for each frame.
- ► Each frame adds at least 2 bytes of overhead to the payload data. Depending on the length of the payload data and the direction of the communication, the length of the overhead may increase up to 14 bytes.

WebSocket Frame Structure

```
0
                                     Extended payload length
         opcode|M| Payload len
          (4)
                                               (16/64)
IISISIS
                IAI
                        (7)
N|V|V|V|
                IS
                                     (if payload len==126/127)
                IKI
     Extended payload length continued, if payload len == 127
                                |Masking-key, if MASK set to 1
 Masking-key (continued)
                                            Payload Data
                      Payload Data continued ...
                      Payload Data continued ...
```

WebSocket

Oleg Bilovus

Background HTTP polling HTTP long polling

Streaming WebSocket

protocol Definition Handshake

Upgrade Request Upgrade Response

The API is defined by its states of readiness, responses to a networking or messaging event.

Callback	textbfDescription
onopen	invoked when WebSocket session
	is established, signalizes that the
	protocol is ready to transfer payload
	data
onerror	invoked whenever an error occurs
onclose	invoked when one of the peers has
	terminated the session
onmessage	invoked when an incoming
	message from another peer has
	arrived

Oleg Bilovus

Background
HTTP polling
HTTP long polling
Streaming

WebSocket protocol

Definition Handshake

Upgrade Request Upgrade Response

Frame API Alexey Melnikov and Ian Fette, *The WebSocket Protocol*, RFC 6455, December 2011.

D. Skvorc, M. Horvat, and S. Srbljic, *Performance evaluation of websocket protocol for implementation of full-duplex web streams*, 2014 37th International Convention on Information and Communication Technology, Electronics and Microelectronics (MIPRO), 2014, pp. 1003–1008.

Lijing Zhang and Xiaoxiao Shen, Research and development of real-time monitoring system based on websocket technology, Proceedings 2013 International Conference on Mechatronic Sciences, Electric Engineering and Computer (MEC), 2013, pp. 1955–1958.

Oleg Bilovus

Background
HTTP polling
HTTP long polling
Streaming

WebSocket

protocol
Definition
Handshake
Upgrade Request

Upgrade Request
Upgrade Response